

Product Catalog



Simple.
Safe. Secure.
Sustainable.









Trusted since 1968



Creator

of the tamper evident & tamper resistant thermoformed market!



US manufacturing plants

Devoted single family owned since 1968



#1

trusted tamper evident & tamper resistant brand

100+ tamper protection

options



Dedicated retail and processor category experts!

FREE packaging automation advice to customers!

Recyclable*

'Products may not be recyclable in all areas yet; please check locally

#1 for product clarity



First

tamper protection in both PET and polypropylene product lines



The Inline Way: Pairing Family with Innovation

Family evokes tradition and stability. Innovation, on the other hand, is ground-breaking and outside the lines. At Inline Plastics, our culture bridges these two, creating an environment where our family business fuses our core values with a passion for creativity and ingenuity. The result is new technologies backed by an over 50-year commitment to quality and service. This balance allows Inline Plastics to continuously bring new packaging solutions to the marketplace, while maintaining a family atmosphere for our employees, our suppliers, and our customers.

The Next Generation

4

My father and uncle founded Inline Plastics in the 1960's. Thirty years later, I came on board. And in 2018, my daughter, Alicia Orkisz Fitze, joined the organization. Through decades of growth and change, ownership and control by the Orkisz family has remained consistent.

With this catalog, we are excited to reveal the latest in a long history of new product releases with the launch of Safe-T-Chef®. Utilizing our patented tear-strip technology, Inline is releasing the first tamper resistant, tamper evident, and leak resistant polypropylene product offering designed for hot food applications. A new facility in Conyers, GA, one of our five locations, will manufacture a complete polypropylene line featuring a wide variety of options in various shapes, sizes and capacities—with more items to follow soon!

We Care

Families take care of each other. Innovation provides new tools to make that easier. From our Innovation Center, to sales and marketing, as well as manufacturing, we integrate the latest technologies to create exceptional products backed by the highest customer service.

We also care about improving the world around us. This extends from the simplest, making life easier for a consumer, to large-scale initiatives that reduce environmental impacts. All Inline PET products are made with 10% post-consumer content, and manufactured using the lowest carbon footprint. All Safe-T-Chef® products are made with all clear polypropylene, making it easy to sort through materials recovery facilities (MRFs).



We look forward to working with you!

Join Us

Use this catalog to get started. It is full of all the details on our extensive family of products. Then reach out to our teams at InlinePlastics.com, or our Chief Fun Officer, Lemon at lemon@inlineplastics.com for more information and next steps. The Inline family is ready with innovative solutions for all your packaging needs.

Thomas Orking

Tom Orkisz



Over 50 Years of Experience

Inline Plastics Corp.







1968

1985

1988

1999

Inline Plastics is incorporated by Rudolph and Gene Orkisz

Inline Plastics launches SureLock® technology Inline Plastics receives first patent for a locking mechanism

Tom Orkisz becomes Owner, President and CEO of Inline Plastics









2003

2006

2009

2018

The opening of Inline Plastics Salt Lake City, UT Plant Launch of first Safe-T-Fresh® line, after receiving official patent The opening of Inline Plastics McDonough, GA Plant Refreshed branding and website to coincide with the future vision of the company

reborn.





Orkisz Legacy
Continues:
Third Generation,
Alicia Orkisz Fitze,
joins the Inline team

2020

2022

Two important launches:

- Reborn, all PET products made with 10% postconsumer content
- Refreshed smooth, modern design to the medium and large Safe-T-Fresh® Rectangles

Safe-T-Chef® launched, the first tamper evident, tamper resistant, leak resistant family of polypropylene products Opening of new Inline Plastics polypropylene plant in Conyers, GA and new manufacturing plant in Gladwin, MI Hi! I'm Ace. I am your catalog tour guide











Essentials
SureLock*

Essentials
ValuPack*

EssentialsCakes

Safe-T-Fresh Rectangles

Essentials
VisiblyFresh®

Safe-T-Fresh Squares


Essentials
CrystalFresh*

Safe-T-Fresh[®]
Rounds

Essentials
Platters

Table of Contents

Focus on Sustainability	8
Packaging Automation Solutions	10
Safe-T-Chef [®]	12
Safe-T-Fresh®	16
Safe-T-Fresh [®] Rectangles	18
Safe-T-Fresh [®] Squares	28
Safe-T-Fresh [®] Rounds	36
Safe-T-Fresh® Vented Solutions	46
Essentials	52
Essentials SureChoice®	54
Essentials SureLock®	56
Essentials ValuPack [®]	74
Essentials Cakes	76
Essentials Visibly Fresh [®]	78
Essentials Crystal Fresh®	80
Essentials Platters	82
reborn. vs Traditional PET	85
Material Specifications	86
Product Specification Guide	87
Terms and Conditions	88
Index	89
Locations	90
Contact	91









reborn.











PACKAGING FOR A BETTER PLANET

Inline Plastics is the first thermoformed food packaging manufacturer to utilize post-consumer content made with cutting edge technology called Advanced Recycling.

We call this PET material rDPET (recycled Direct to Sheet PET). Through our 'reborn' process, all of our PET products are made with 10% post-consumer content.



By using rDPET™vs. traditional PET, Inline Plastics...





Generates over

50% energy

savings when

producing rDPET™



Decreases carbon

of forest per year

112,000 acres

Oľ



Saves greenhouse emissions equal to 233 million miles driven rDPET™ is a high performing food-grade packaging material reborn with 10% post-consumer content and the lowest carbon footprint on the market today







Custom Automation Packaging Solutions

<u>The only</u> thermoformed packaging manufacturer in the industry providing in-house automation solutions


De-Nesters | Conveyors | Labeling Systems | High Speed Closers

翩

See how much our automation solutions can help you save by scanning the QR code or visiting us at www.inlineplastics.com/automation-calculator



Designed to pick and place empty packages onto a packing conveyor quickly, accurately, and efficiently.




0

We can **turn** or **flip** the package into the desired position, as well as add **vibration** to settle food within.

Over 50 Years of Experience

Could you benefit from our automation services? Our Automation team provides reliable and effective solutions with an in-depth evaluation process. This experienced team of automation specialists identifies areas of opportunity for increasing efficiency, providing room for growth and increased sales resulting in greater profits.



We can develop an entire packaging line or design around existing equipment.

ip Safe-T-Chef®



First Polypropylene Family of Tamper Evident Products in the Market

Designed for a variety of hot food applications



Tamper Evident

Proven patented technology



High Clarity

Showcases contents, highlights food's appeal



Smooth Modern Design

Attractive shape and curved smooth walls create scoopable corners to reach every last bite



Perfect for Hot Food

Great for microwaves, heat lamps, and hot displays



Crave consumer trust?





Tamper Evident Polypropylene Packaging for hot food applications



Tamper Protection
Proven patented technology
gives consumers confidence
that food has remained sealed.
Great for delivery!



Full Transparency
Exceptional clarity
because shoppers like to
see the food they buy.



Sustainability
You will be ready as the shift
away from black carbon
plastics continues.





Scan to learn more



Item



C5512XD

	C5512AD
Description	120Z
UPC	707068013057
Product (ID) Metric cm	12.5 X 12.5 X 5.9
Product (OD) Metric cm	15.4 X 14.9 X 6.7
Case Pack	264
Case Ship Weight Metric kg	5.2
ТіНі	6 x 5
Case (OD) Metric cm	61 X 32.7 X 46.2
Case Cubic Meters	0.09
Base / Lid Ratio	50/50



Item











100111						
	C5524D	C5532D	C7R20D	C9624D	C9635D	
Description	240Z	320Z	200Z	240Z	350z	
UPC	707068012937	707068012968	707068012975	707068012999	707068013019	
Product (ID) Metric cm	12.5 X 12.5 X 7.9	12.5 X 12.5 X 10.2	17.5 X 17.5 X 4.6	22.4 X 13.7 X 4.9	22.4 X 13.7 X 6.2	
Product (OD) Metric cm	15.4 X 14.9 X 8.6	15.4 X 14.9 X 10.8	20 X 19.8 X 5.2	25.1 X 16.8 X 5.7	25.1 X 16.8 X 6.8	
Case Pack	240	224	240	136	128	
Case Ship Weight Metric kg	5.9	6.9	6.7	5.3	5.5	
Тіні	6 x 5	6 x 5	4 X 4	6 x 5	6 x 5	
Case (OD) Metric cm	61 X 32.7 X 46.2	61 X 32.7 X 46.2	61 X 45.2 X 57.5	50.8 X 38.9 X 47.3	50.8 X 38.9 X 47.3	
Case Cubic Meter	o.09	0.09	0.16	0.09	0.09	
Base / Lid Ratio	75/25	80/20	65/35	55/45	60/40	



Item



C5512XDV

Description 120z vented 707068013040 UPC Product (ID) Metric cm 12.5 X 12.5 X 5.9 Product (OD) 15.4 X 14.9 X 6.7 Metric cm 264 **Case Pack** Case Ship Weight Metric kg 5.2 TiHi 6 x 5 Case (OD) Metric cm 61 X 32.7 X 46.2 **Case Cubic Meters** 0.09



Item

Base / Lid Ratio



50/50









	C5524DV	C5532DV	C7R20DV	C9624DV	C9635DV
Description	24oz vented	32oz vented	200z vented	24oz vented	35oz vented
UPC	707068012944	707068012951	707068012982	707068013002	707068013026
Product (ID) Metric cm	12.5 X 12.5 X 7.9	12.5 X 12.5 X 10.2	17.5 X 17.5 X 4.6	22.4 X 13.7 X 4.9	22.4 X 13.7 X 6.2
Product (OD) Metric cm	15.4 X 14.9 X 8.6	15.4 X 14.9 X 10.8	20 X 19.8 X 5.2	25.1 X 16.8 X 5.7	25.1 X 16.8 X 6.8
Case Pack	240	224	240	136	128
Case Ship Weight Metric kg	5.9	6.9	6.7	5.3	5.5
тіні	6 x 5	6 x 5	4 X 4	6 x 5	6 x 5
Case (OD) Metric cm	61 X 32.7 X 46.2	61 X 32.7 X 46.2	61 X 45.2 X 57.5	50.8 X 38.9 X 47.3	50.8 X 38.9 X 47.3
Case Cubic Meters	0.09	0.09	0.16	0.09	0.09
Base / Lid Ratio	75/25	80/20	65/35	55/45	60/40



Safe-T-Chef®



Item	C5512F	C5524F	C5532F	C9624F	C9635F
Description	120Z	240Z	320Z	240Z	350z
UPC	707068013392	707068013408	707068013415	707068013422	707068013439
Product (ID) Metric cm	12.5 X 12.5 X 3.7	12.5 X 12.5 X 6.7	12.5 X 12.5 X 8.9	21.7 X 12.7 X 3.7	21.7 X 12.7 X 5.2
Product (OD) Metric cm	15.4 X 14.9 X 4.3	15.4 X 14.9 X 7.5	15.4 X 14.9 X 9.7	25.1 X 16.8 X 4.4	25.1 X 16.8 X 6.0
Case Pack	264	240	224	136	128
Case Ship Weight Metric kg	5.2	5.9	6.9	5.3	5.5
тіні	6 x 5	6 x 5	6 x 5	6 x 5	6 x 5
Case (OD) Metric cm	61.0 X 32.7 X 46.2	61.0 X 32.7 X 46.2	61.0 X 32.7 X 46.2	50.8 X 38.9 X 47.3	50.8 X 38.9 X 47.3
Case Cubic Meters	0.09	0.09	0.09	0.09	0.09
Base / Lid Ratio	75/25	85/15	90/10	75/25	80/20
Item	C ₅₅₁₂ FV	C5524FV	C5532FV	C9624FV	C9635FV
Item Description	C5512FV 120z Vented	C5524FV 24oz Vented	C5532FV 320z Vented	C9624FV 240z Vented	C9635FV 35oz Vented
Description	120z Vented	240z Vented	320z Vented	240z Vented	35oz Vented
Description UPC Product (ID)	120z Vented 707068013446	24oz Vented 707068013453	320z Vented 707068013460	24oz Vented 707068013392	35oz Vented 707068013408
Description UPC Product (ID) Metric cm Product (OD)	120z Vented 707068013446 12.5 X 12.5 X 3.7	24oz Vented 707068013453 12.5 X 12.5 X 6.7	320z Vented 707068013460 12.5 X 12.5 X 8.9	24oz Vented 707068013392 21.7 X 12.7 X 3.7	350z Vented 707068013408 21.7 X 12.7 X 5.2
Description UPC Product (ID) Metric cm Product (OD) Metric cm	120z Vented 707068013446 12.5 X 12.5 X 3.7 15.4 X 14.9 X 4.3	240z Vented 707068013453 12.5 X 12.5 X 6.7 15.4 X 14.9 X 7.5	320z Vented 707068013460 12.5 X 12.5 X 8.9 15.4 X 14.9 X 9.7	24oz Vented 707068013392 21.7 X 12.7 X 3.7 25.1 X 16.8 X 4.4	350z Vented 707068013408 21.7 X 12.7 X 5.2 25.1 X 16.8 X 6.0
Description UPC Product (ID) Metric cm Product (OD) Metric cm Case Pack Case Ship Weight	120z Vented 707068013446 12.5 X 12.5 X 3.7 15.4 X 14.9 X 4.3	240z Vented 707068013453 12.5 X 12.5 X 6.7 15.4 X 14.9 X 7.5	320z Vented 707068013460 12.5 X 12.5 X 8.9 15.4 X 14.9 X 9.7 224	24oz Vented 707068013392 21.7 X 12.7 X 3.7 25.1 X 16.8 X 4.4	350z Vented 707068013408 21.7 X 12.7 X 5.2 25.1 X 16.8 X 6.0
Description UPC Product (ID) Metric cm Product (OD) Metric cm Case Pack Case Ship Weight Metric kg	120z Vented 707068013446 12.5 X 12.5 X 3.7 15.4 X 14.9 X 4.3 264 5.2	240z Vented 707068013453 12.5 X 12.5 X 6.7 15.4 X 14.9 X 7.5 240 5.9	320z Vented 707068013460 12.5 X 12.5 X 8.9 15.4 X 14.9 X 9.7 224 6.9	24oz Vented 707068013392 21.7 X 12.7 X 3.7 25.1 X 16.8 X 4.4 136 5.3	350z Vented 707068013408 21.7 X 12.7 X 5.2 25.1 X 16.8 X 6.0 128 5.5
Description UPC Product (ID) Metric cm Product (OD) Metric cm Case Pack Case Ship Weight Metric kg TiHi Case (OD)	120z Vented 707068013446 12.5 X 12.5 X 3.7 15.4 X 14.9 X 4.3 264 5.2 6 X 5 61.0 X 32.7 X 46.2	240z Vented 707068013453 12.5 X 12.5 X 6.7 15.4 X 14.9 X 7.5 240 5.9 6 x 5	320z Vented 707068013460 12.5 X 12.5 X 8.9 15.4 X 14.9 X 9.7 224 6.9 6 x 5	24oz Vented 707068013392 21.7 X 12.7 X 3.7 25.1 X 16.8 X 4.4 136 5.3 6 x 5	350z Vented 707068013408 21.7 X 12.7 X 5.2 25.1 X 16.8 X 6.0 128 5.5 6 x 5

^{*}All vented packaging includes anti-fog.







Market Leader in Tamper Evident, Tamper Resistant Food Packaging













Tamper Evident & Tamper Resistant as Easy as 1, 2, 3







MADE WITH RECYCLED PE



Market Favorite with Exceptional Quality

Extensive variety to meet a wide range of applications



Expansive Selection

Ranging from 6 to 128 fl oz with both hangable and vented options



Built for Safety

The first tamper evident and tamper resistant package you'll find everywhere



Robust Design

Made to stack easily and create visually beautiful product displays



All-Purpose

Perfect for many markets and applications





Item				
	TS6	TS8	T\$12	TS16
Description	6oz	8oz	120Z	16oz
UPC	707068010476	707068005632	707068005175	707068005182
Product (ID) Metric cm	9.5 X 11.1 X 2.2	9.5 X 11.1 X 3.3	9.5 X 11.1 X 4.4	9.5 X 11.1 X 5.7
Product (OD) Metric cm	12.4 X 14.6 X 2.9	12.4 X 14.6 X 4	12.4 X 14.6 X 5.1	12.4 X 14.6 X 6.7
Case Pack	240	240	240	240
Case Ship Weight Metric kg	4.2	4.4	4.7	5.2
тіні	10 X 5	10 X 5	10 X 5	10 X 5
Case (OD) Metric cm	41.3 X 30.3 X 49.5			
Case Cubic Meters	0.06	0.06	0.06	0.06
Base / Lid Ratio	100/0	N/A	N/A	N/A





Safe-T-Fresh® Hangable Rectangles

Make food displays effortless



ltem	TS6T	TS8T	TS12T	TS16T	TS17VT	_
			-		-	
Description	6oz	8oz	120Z	160Z	170Z	
UPC	707068010483	707068006974	707068006981	707068006998	707068010001	
Product (ID) Metric cm	9.5 X 11.1 X 2.2	9.5 X 11.1 X 3.3	9.5 X 11.1 X 4.4	9.5 X 11.1 X 5.7	9.5 X 13.3 X 4.9	
Product (OD) Metric cm	12.4 X 14.6 X 2.9	12.4 X 14.6 X 4	12.4 X 14.6 X 5.1	12.4 X 14.6 X 6.7	11.4 X 16.8 X 5.1	
Case Pack	240	240	240	240	320	
Case Ship Weight Metric kg	4.2	4.4	4.7	5.2	6.6	
тіні	10 X 5	10 X 5	10 X 5	10 X 5	6 x 5	
Case (OD) Metric cm	41.3 X 30.3 X 49.5	60.8 X 32.5 X 46.7				
Case Cubic Meters	0.06	0.06	0.06	0.06	0.09	
Base / Lid Ratio	100/0	N/A	N/A	N/A	N/A	


Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.



Item: Floor-Rack

3-Tier Safe-T-Fresh[®] For Hangable Rectangles Floor-Rack: 18 hooks and sign holder

Dimensions	19 ½" diameter x 63" tall
Case Pack	1
Case Weight (lbs)	7.0
Case Cubic Feet	1.83
UPC Code	707068009784









Item: Counter-Rack

3-Tier Safe-T-Fresh® For Hangable Rectangles Counter-Rack: 12 hooks and sign holder

Dimensions	12" diameter x 12" tall
Case Pack	1
Case Weight (lbs)	5.0
Case Cubic Feet	1.17
UPC Code	707068009135





Item					
	TS20	TS24	TS30	TS32	TS16C2
Description	200Z	240Z	300z	320Z	1x 90z, 1x 70z
UPC	707068009975	707068005540	707068012791	707068005557	707068012159
Product (ID) Metric cm	16.4 X 10.8 X 3.7	16.4 X 10.8 X 4.9	16.4 X 10.8 X 5.7	16.4 X 10.8 X 6.2	*Varies
Product (OD) Metric cm	18.7 X 14.3 X 4.6	18.7 X 14.3 X 5.9	18.7 X 14.3 X 6.7	18.7 X 14.3 X 7.1	18.7 X 14.3 X 4.6
Case Pack	200	200	200	200	200
Case Ship Weight Metric kg	7.2	7.2	8.2	8.2	7.9
ТіНі	5 x 6	5 x 6	5 x 6	5 x 6	5 x 6
Case (OD) Metric cm	59.2 X 40.2 X 37.8				
Case Cubic Meters	0.09	0.09	0.09	0.09	0.09
Base / Lid Ratio	100/0	100/0	100/0	100/0	100/0



Item **TS35** Description 350Z UPC 707068006707 Product (ID) Metric cm 19.8 X 17.3 X 3.8 Product (OD) 22.4 X 20.2 X 4.8 Metric cm **Case Pack** 150 Case Ship Weight 8.7 Metric kg 5 X 5 Case (OD) 60.6 X 41.3 X 45.6 Metric cm **Case Cubic Meters** 0.11

Need larger capacity?

We have your back with durability & dependability



•	•	-	_

Base / Lid Ratio



100/0









	TS48	TS64	TS64D	TS64L	TS90PJ
Description	48oz	64oz	820z	64oz	900z
UPC	707068006233	707068006240	707068011268	707068006899	707068011596
Product (ID) Metric cm	19.8 X 17.3 X 5.2	19.8 X 17.3 X 6.8	19.8 X 17.3 X 8.1	19.8 X 17.3 X 6.8	18.7 X 16.2 X 10.8
Product (OD) Metric cm	22.4 X 20.2 X 6	22.4 X 20.2 X 7.8	22.4 X 20.2 X 8.7	22.4 X 20.2 X 7.8	22.2 X 20 X 11
Case Pack	150	150	150	150	128
Case Ship Weight Metric kg	10	10.9	10.9	9.2	11.6
ТіНі	5 X 5	5 X 5	5 X 5	5 X 5	5 × 5
Case (OD) Metric cm	60.6 X 41.3 X 45.6				
Case Cubic Meters	0.11	0.11	0.11	0.11	0.11
Base / Lid Ratio	100/0	100/0	75/25	100/0	100/0



Item **TS112** Description 1120Z **UPC** 707068012470 Product (ID) 29.1 X 17.1 X 7.6 Metric cm Product (OD) 31.8 X 20.2 X 8.6 Metric cm Case Pack 60 **Case Ship Weight** 7.1 Metric kg 8 x 5 Case (OD) 41.4 X 32.9 X 50.3 Metric cm **Case Cubic Meters** 0.07 Base / Lid Ratio

Maximum Capacity



Customize your offerings with Flip n' Mix Trays

Mix and match to build configurations from 2 to 6 toppings

Flip n' Mix trays for the TS35 - TS90PJ (FMT2LRT & FMT3LRT)





2 Compartments

3 Compartments



100/0



$$3 + 3 = 6$$















Item **FMT2MRT** FMT₃MRT Description 2X 20Z 2X 2OZ, 1X 1OZ **UPC** 707068012180 707068012173 Product (ID) *Varies *Varies Metric cm Product (OD) 16.7 X 7.9 X 2.1 16.7 X 7.9 X 2.1 Metric cm Case Pack 360 360 **Case Ship Weight** 2.1 2.3 Metric kg 19 x 6 19 x 6 Case (OD) 45.2 X 36.7 X 15.2 45.2 X 36.7 X 15.2 Metric cm **Case Cubic Meters** 0.03 0.03 N/A N/A Base / Lid Ratio


Flip n' Mix Trays

Make your dreams come true



Compatible with TS20, TS24, TS32

Item










ltem	T0000	TO-OW	TO-V-	TO-V-OT	TOOMB
	T\$202	TS1SW	TS ₅ X ₅	TS5X5ST	TSSWR
Description	400Z	170Z	250Z	270Z	210Z
UPC	707068006684	707068009982	707068011411	707068011862	707068012029
Product (ID) Metric cm	20.2 X 8.3 X 7	15.6 X 7.6 X 9	11.7 X 11.7 X 6	11.7 X 11.7 X 5.9	13.3 X 13.5 X 5.1
Product (OD) Metric cm	23.2 X 12.9 X 7.6	18.6 X 10.5 X 9.2	14.9 X 14.6 X 6.7	14.9 X 14.6 X 7	15.6 X 16.2 X 6.5
Case Pack	150	288	272	272	252
Case Ship Weight Metric kg	5.9	7.7	5.8	6.5	9.1
тіні	9 x 5	5 x 6	8 x 4	8 x 4	6 x 5
Case (OD) Metric cm	47.8 X 27.3 X 49.8	61.3 X 38.3 X 41	50.6 X 30.6 X 56.8	50.6 X 30.6 X 56.8	60.8 X 33.8 X 46.5
Case Cubic Meters	0.07	0.10	0.09	0.09	0.10
Base / Lid Ratio	50/50	100/0	60/40	50/50	55/45

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.





Industry Innovator
Tamper Evident, Tamper Resistant Technology
Trusted for 15+ years



SIMPLICITY

One step to tamper evidence, simply close the lid—no shrink band/heat tunnel needed

SKU RATIONALIZATION

Single piece clamshell, no mismatching bases/lids, no shrink bands needed

LEAK RESISTANT PERIMETER SEAL

Seals in freshness, keeps product and its surroundings clean and dry

EASY TO AUTOMATE

With Inline's Automation Team involved throughout product development





MADE WITH RECYCLED PE



Well Crafted, Sturdy Squares

Showcase the contents while optimizing critical shelf space



Exceptional Clarity

Provides clear view of contents



Versatility

Whether on the go or taking out, perfect for many markets and applications



Find Your Size

Ranging from 2 to 64 fl oz, we have what you need



Leak Resistant

Seals in freshness, prevents spills



Item	T\$3002	T\$3004	T\$3006	T\$3008	
Description	20Z	40Z	6oz	8oz	
UPC	707068012272	707068012289	707068012296	707068012302	
Product (ID) Metric cm	7 X 7 X 1.6	7 X 7 X 3.3	7 X 7 X 4.9	7 X 7 X 6.5	
Product (OD) Metric cm	9.2 X 8.7 X 2.7	9.2 X 8.7 X 4.4	9.2 X 8.7 X 6	9.2 X 8.7 X 7.6	
Case Pack	336	312	288	288	
Case Ship Weight Metric kg	3.1	3.4	4	4.5	
тіні	5 x 11	5 x 11	5 X 11	5 X 11	
Case (OD) Metric cm	56 X 40.5 X 19.4	- A			
Case Cubic Meters	0.04	0.04	0.04	0.04	
Base / Lid Ratio	100/0	100/0	100/0	100/0	

Our 3 x 3 Snacker Sizes Perfect for on-the-go





Item					ually sible	
	T\$4008	T\$4012	T\$4016	4X4	s	
Description	8oz	120Z	160z	12.5		
UPC	707068011497	707068011503	707068011510	(A)		
Product (ID) Metric cm	10.2 X 10.2 X 2.5	10.2 X 10.2 X 4.1	10.2 X 10.2 X 6.5			
Product (OD) Metric cm	12.2 X 12.7 X 4	12.2 X 12.7 X 5.4	12.2 X 12.7 X 7.5			
Case Pack	300	288	276			
Case Ship Weight Metric kg	6	6.6	7.3			
Тіні	6 x 6	6 x 6	6 x 6			
Case (OD) Metric cm	69.4 X 26.4 X 37	69.4 X 26.4 X 37	69.4 X 26.4 X 37			
Case Cubic Meters	0.07	0.07	0.07	6.0		
Base / Lid Ratio	100/0	100/0	100/0			
Item						
	T\$4024	T\$4032	TS4016DB	TS4024DB	T\$4032DB	
Description	240Z	320Z	150Z	230Z	300Z	
UPC	707068011527	707068011534	707068012234	707068012241	707068012524	
Product (ID) Metric cm	10.2 X 10.2 X 8.9	10.2 X 10.2 X 11.6	10.2 X 10.2 X 4.6	10.2 X 10.2 X 7.1	10.2 X 10.2 X 9.7	
Product (OD) Metric cm	12.2 X 12.7 X 10	12.2 X 12.7 X 12.9	12.2 X 12.7 X 7.5	12.2 X 12.7 X 10	12.2 X 12.7 X 12.9	
Case Pack	264	240	276	264	240	
Case Ship Weight Metric kg	9.6	10.6	7.3	10.3	10.6	
тіні	6 x 6	6 x 6	6 x 6	6 x 6	6 x 6	
Case (OD) Metric cm	69.4 X 26.4 X 37	69.4 X 26.4 X 37	69.4 X 26.4 X 37	69.4 X 26.4 X 37	69.4 X 26.4 X 37	
Case Cubic Meters	0.07	0.07	0.07	0.07	0.07	
Base / Lid Ratio	100/0	100/0	100/0	100/0	100/0	



Item TS5X5ST TS₅X₅ Description 250Z 270Z UPC 707068011411 707068011862 Product (ID) Metric cm 11.7 X 11.7 X 6 11.7 X 11.7 X 5.9 Product (OD) 14.9 X 14.6 X 6.7 14.9 X 14.6 X 7 Metric cm Case Pack 272 272 **Case Ship Weight** 5.8 6.5 Metric kg TiHi 8 x 4 8 x 4 Case (OD) 50.6 X 30.6 X 56.8 50.6 X 30.6 X 56.8 Metric cm **Case Cubic Meters** 0.09 0.09 Base / Lid Ratio 60/40 50/50

Multi-Use 5x5 Packaging Deli, fruit, veggies & more







•	ч	-	-











	TSSB24I	TSSB32	TSSB48	TSSWR
Description	240Z	320Z	48oz	210Z
UPC	707068012142	707068012135	707068011787	707068012029
Product (ID) Metric cm	13.3 X 13.3 X 4.8	13.7 X 13.7 X 5.7	13.3 X 13.3 X 9.2	13.3 X 13.5 X 5.1
Product (OD) Metric cm	15.6 X 16.2 X 6	15.6 X 16.2 X 6.7	15.6 X 16.2 X 10.5	15.6 X 16.2 X 6.5
Case Pack	252	252	216	252
Case Ship Weight Metric kg	11	12.4	12.8	9.1
ТіНі	6 x 5	6 x 5	6 x 5	6 x 5
Case (OD) Metric cm	60.8 X 33.8 X 46.5			
Case Cubic Meters	0.10	0.10	0.10	0.10
Base / Lid Ratio	100/0	100/0	100/0	55/45







Compartments:


Organized & functional packaging for customizable variety



ltem	TESPAC	TSSB1R	TESPAR
	TSSB4C	ISSEIK	TSSB3R
Description	4X 2.50Z	1x 6oz, 1x 16oz	2X 40Z, 2X 50Z
UPC	707068012098	707068011763	707068011770
Product (ID) Metric cm	*Varies	*Varies	*Varies
Product (OD) Metric cm	15.6 X 16.2 X 3.8	15.6 X 16.2 X 5.6	15.6 X 16.2 X 5.7
Case Pack	252	252	252
Case Ship Weight Metric kg	9.1	10.2	10.2
тіні	6 x 5	6 x 5	6 x 5
Case (OD) Metric cm	60.8 X 33.8 X 46.5	60.8 X 33.8 X 46.5	60.8 X 33.8 X 46.5
Case Cubic Meters	0.10	0.10	0.10
Base / Lid Ratio	100/0	100/0	100/0








Item			
	TS8PW	TS12PW	TS16PW
Description	8oz	120Z	160z
UPC	707068011916	707068011923	707068011930
Product (ID) Metric cm	11.6 X 11.6 X 4.1	11.6 X 11.6 X 5.4	11.6 X 11.6 X 6.5
Product (OD) Metric cm	15.1 X 14.6 X 4.4	15.1 X 14.6 X 5.7	15.1 X 14.6 X 6.8
Case Pack	168	168	164
Case Ship Weight Metric kg	4.2	4.7	5.3
Тіні	6 x 8	6 x 8	6 x 8
Case (OD) Metric cm	60.3 X 31.3 X 29.8	60.3 X 31.3 X 29.8	60.3 X 31.3 X 29.8
Case Cubic Meters	0.06	0.06	0.06
Base / Lid Ratio	66/34	66/34	66/34







ltem					
	TS16PWS	TS24PW	TS24PWF	TS24PWXF	TS32PW
Description	160z	240Z	240Z	240Z	320Z
UPC	707068011855	707068011848	707068011985	707068012494	707068011817
Product (ID) Metric cm	16 X 16 X 4.8	16 X 16 X 5.9	16 X 16 X 4.8	16 X 16 X 3.5	16 X 16 X 7.1
Product (OD) Metric cm	19.5 X 19.1 X 5.1	19.5 X 19.1 X 6.4	19.5 X 19.1 X 5.1	19.5 X 19.1 X 4.4	19.5 X 19.1 X 7.6
Case Pack	174	174	174	174	168
Case Ship Weight Metric kg	7.6	7.6	7.6	7.6	8.5
Тіні	5 x 6	5 x 6	5 x 6	5 x 6	5 x 6
Case (OD) Metric cm	60.2 X 40.5 X 39.1				
Case Cubic Meters	0.10	0.10	0.10	0.10	0.10
Base / Lid Ratio	66/34	66/34	90/10	100/0	66/34



Item TS32PWF TS₃₂PWXF Description 320Z 320Z **UPC** 707068011978 707068012500 Product (ID) 16 X 16 X 5.9 16 X 16 X 4.4 Metric cm Product (OD) 19.5 X 19.1 X 6.2 19.5 X 19.1 X 5.7 Metric cm Case Pack 168 168 **Case Ship Weight** 8.5 8.5 Metric kg 5 x 6 TiHi 5 x 6 Case (OD) 60.2 X 40.5 X 39.1 60.2 X 40.5 X 39.1 Metric cm **Case Cubic Meters** 0.10 0.10 Base / Lid Ratio 90/10 100/0

Elegant 7x7

Seal in freshness with leak resistance



3 Lid styles available

Item



Large 8x8 Family Sizes



Thank goodness for leak resistance







MADE WITH RECYCLED P



Ultra Clear, Well-Rounded Designs

A wide variety, great for produce, deli, and grab & go



Grab & Go Options

Perfect for snacking in the

Perfect for snacking in the car, eating on the go



Expansive Selection

From 8 oz to 80 oz make finding solutions easy



Clamshell Design

Single piece allows for efficient inventory management



Versatile

Perfect for many markets and applications





Your Solution for Grab & Go

ltem			
	TS8CCR	TS8CCRD	TS11CCRJT
Description	8oz	8oz	110Z
UPC	707068010766	707068010773	707068010759
Product (ID) Metric cm	8.9 X 8.9 X 6	8.9 X 8.9 X 8.6	8.9 X 8.9 X 7.9
Product (OD) Metric cm	11.1 X 11.3 X 6.2	11.1 X 11.3 X 8.7	11.1 X 11.3 X 8.1
Case Pack	272	272	256
Case Ship Weight Metric kg	3.9	3.9	4.5
тіні	10 X 5	10 X 5	10 X 5
Case (OD) Metric cm	51.3 X 24 X 44.3	51.3 X 24 X 44.3	51.3 X 24 X 44.3
Case Cubic Meters	0.05	0.05	0.05
Base / Lid Ratio	100/0	60/40	100/0





ltem	T\$12CCQ	TS12CCR	TS12CCRD	TS16CCR	TS16CCRD	
Description	120Z	120Z	120Z	160z	160Z	
UPC	707068010780	707068010193	707068010209	707068010797	707068010803	
Product (ID) Metric cm	8.9 X 8.9 X 8.4	8.9 X 8.9 X 8.7	8.9 X 8.9 X 11.1	8.9 X 8.9 X 11.1	8.9 X 8.9 X 13.7	
Product (OD) Metric cm	11.1 X 11.4 X 8.9	11.1 X 11.3 X 8.9	11.1 X 11.3 X 11.3	11.1 X 11.3 X 11.3	11.1 X 11.3 X 13.8	
Case Pack	232	256	256	232	232	
Case Ship Weight Metric kg	5	4.5	4.5	5.4	5.4	
Тіні	10 X 5	10 X 5	10 X 5	10 X 5	10 X 5	
Case (OD) Metric cm	51.3 X 24 X 44.3	51.3 X 24 X 44.3	51.3 X 24 X 44.3	51.3 X 24 X 44.3	51.3 X 24 X 44.3	
Case Cubic Meters	0.05	0.05	0.05	0.05	0.05	
Base / Lid Ratio	100/0	100/0	70/30	100/0	75/25	









Make multi-layer snacking easy



ltem				
	CC2Q	CC2R	CC4R	CCLR
Description	20Z	20Z	40Z	Lid
UPC	707068011145	707068010599	707068010605	707068010612
Product (ID) Metric cm	6.7 X 6.7 X 2.4	6.8 X 6.8 X 2.4	6.8 X 6.8 X 4.4	7.6 X 7.6 X 0.6
Product (OD) Metric cm	9.2 X 9.2 X 1.9	9.2 X 9.2 X 2.4	9.2 X 9.2 X 4.4	7.6 X 7.6 X 1
Case Pack	1200	1200	1200	1200
Case Ship Weight Metric kg	4.3	4.3	5.3	3.3
тіні	9 X 5	9 X 5	9 X 5	12 X 5
Case (OD) Metric cm	40.2 X 31.6 X 47.6	40.2 X 31.6 X 47.6	40.2 X 31.6 X 47.6	32.2 X 26.5 X 44.3
Case Cubic Meters	0.06	0.06	0.06	0.04
Base / Lid Ratio	N/A	N/A	N/A	N/A





Item: Floor-Car Cup-Rack

The Safe-T-Fresh® Cup 5-Tier Floor Rack is a wire floor rack that will hold 30 cups. Sign holder included. White epoxy finish. Easy to assemble.

Dimensions	16" diameter x 61" tall
Case Pack	1
Case Weight (lbs)	7.0
Case Cubic Feet	1.81
UPC Code	707068010636





Item: Counter-Car Cup-Rack

The Safe-T-Fresh® Cup 2-Tier Counter Rack is a 13 13/16" wire counter top rack that will hold 12 cups. Sign holder included. White epoxy finish. Easy to assemble.

Dimensions	13 ¹³ /16" diameter x 17 ⁹ /16" tall
Case Pack	1
Case Weight (lbs)	3.0
Case Cubic Feet	0.57
UPC Code	707068010629



ltem		
	T\$4008R	T\$4012R
Description	8oz	120Z
UPC	707068011541	707068011558
Product (ID) Metric cm	10.6 X 10.6 X 2.9	10.6 X 10.6 X 4.4
Product (OD) Metric cm	13.5 X 13 X 4.3	13.5 X 13 X 5.9
Case Pack	340	320
Case Ship Weight Metric kg	9.4	10.3
TiHi	6 x 5	6 x 5
Case (OD) Metric cm	64.9 X 28.1 X 48.9	64.9 X 28.1 X 48.9
Case Cubic Meters	0.09	0.09
Base / Lid Ratio	100/0	100/0

4" Rounds Great for Deli Providing time saving options





46	ŀο	T-	7	
ш	4.5	ш		














recini	1000				
	T\$4016R	TS4024R	TS4025R	TS4025RN	TS4032R
Description	160z	240Z	250Z	250Z	320Z
UPC	707068011565	707068011572	707068012463	707068011732	707068011589
Product (ID) Metric cm	10.6 X 10.6 X 6	10.6 X 10.6 X 9.2	10.6 X 10.6 X 10.6	10.6 X 10.6 X 10.6	10.6 X 10.6 X 13.3
Product (OD) Metric cm	13.5 X 13 X 7.5	13.5 X 13 X 10.6	13.5 X 13 X 12.1	13.5 X 13 X 12.1	13.5 X 13 X 14.8
Case Pack	300	280	270	270	240
Case Ship Weight Metric kg	11.4	11.7	11.3	11.3	11.6
Тіні	6 x 5	6 x 5	6 x 5	6 x 5	6 x 5
Case (OD) Metric cm	64.9 X 28.1 X 48.9				
Case Cubic Meters	0.09	0.09	0.09	0.09	0.09
Base / Lid Ratio	100/0	100/0	100/0	100/0	100/0



5" Round Popular Bowl Sizes

Keep food fresh, with maximum convenience







Item			
	TS8RN	TS12RN	TS16RN
Description	8oz	120Z	16oz
UPC	707068010940	707068010964	707068010988
Product (ID) Metric cm	11.9 X 11.9 X 4.6	11.9 X 11.9 X 5.9	11.9 X 11.9 X 7.3
Product (OD) Metric cm	14.9 X 14.6 X 5.1	14.9 X 14.6 X 6.5	14.9 X 14.6 X 7.9
Case Pack	240	240	240
Case Ship Weight Metric kg	4.9	5.4	5.9
TiHi	6 x 5	6 x 5	6 x 5
Case (OD) Metric cm	61 X 32.4 X 47.9	61 X 32.4 X 47.9	61 X 32.4 X 47.9
Case Cubic Meters	0.09	0.09	0.09
Base / Lid Ratio	90/10	90/10	75/25







Item					
	TS18RN	TS24RN	TS32RN	TS48RDP	TS48RN
Description	180z	240Z	320z	48oz deep	480z
UPC	707068011008	707068011022	707068011046	707068009906	707068011077
Product (ID) Metric cm	14.6 X 14.6 X 5.6	14.6 X 14.6 X 7.3	14.6 X 14.6 X 9.2	14.6 X 14.6 X 11.3	21.6 X 21.6 X 6.5
Product (OD) Metric cm	17.8 X 17.8 X 6.2	17.8 X 17.8 X 7.9	17.8 X 17.8 X 9.8	17.8 X 17.8 X 11.9	24.6 X 24.8 X 7.3
Case Pack	150	150	150	138	100
Case Ship Weight Metric kg	5.4	5.9	6.6	7.9	7.5
ТіНі	5 x 6	5 x 6	5 x 6	5 x 6	6 x 4
Case (OD) Metric cm	55.4 X 37.9 X 42.2	51 X 40.8 X 49.7			
Case Cubic Meters	0.09	0.09	0.09	0.09	0.10
Base / Lid Ratio	90/10	80/20	80/20	83/17	80/20

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.







Item						
	TS7020C3	TS7024	TS7024C4	TS7032	T\$7046	
Description	3x 6.7oz	240Z	4x 6oz	320Z	46oz	
UPC	707068013521	707068013491	707068013538	707068013507	707068012685	
Product (ID) Metric cm	*Varies	15.4 X 14.9 X 4.3	*Varies	15.4 X 14.9 X 5.9	15.4 X 14.9 X 8.8	
Product (OD) Metric cm	17.8 X 18.1 X 5.7	17.8 X 18.1 X 5.9	17.8 X 18.1 X 7.1	17.8 X 18.1 X 7.5	17.8 X 18.1 X 9.3	
Case Pack	168	168	156	168	132	
Case Ship Weight Metric kg	7.7	6.3	9.4	7.7	7	
тіні	5 x 6	5 x 6	5 x 6	5 x 6	5 x 6	
Case (OD) Metric cm	57.9 X 37.9 X 37.1					
Case Cubic Meters	0.08	0.08	0.08	0.08	0.08	
Base / Lid Ratio	100/0	100/0	100/0	100/0	100/0	





Item			
	TS52R3N	TS64RN	TS80RN
Description	3X 170Z	640z	800z
UPC	707068011091	707068011107	707068011121
Product (ID) Metric cm	*Varies	21.6 X 21.6 X 8.3	21.6 X 21.6 X 9.5
Product (OD) Metric cm	24.6 X 24.8 X 8.6	24.6 X 24.8 X 8.9	24.6 X 24.8 X 10.2
Case Pack	100	100	96
Case Ship Weight Metric kg	10	7.5	8.7
тіні	6 x 4	6 x 4	6 x 4
Case (OD) Metric cm	51 X 40.8 X 49.7	51 X 40.8 X 49.7	51 X 40.8 X 49.7
Case Cubic Meters	0.10	0.10	0.10
Base / Lid Ratio	100/0	85/15	80/20








Vented Options

Our vented line has strategically placed vents to accommodate air flow and prevent excess moisture or pressure from building up in the package causing food to spoil. We have four variations to adapt to multiple product needs.

They consist of narrow, channel, microvents, and recessed vents.

Types of Vents



Narrow Vents

Side and bottom vents allow moisture and gases to escape and maintain the freshness of herbs, fresh vegetables, and uncut fruit.



Channel Vents

Large vents in the seal area enable airflow through the package. Great for produce needing excess air.



Microvents

These unique microvents allow food gases to escape, maintaining product freshness.



Recessed Vents

One to two notches located opposite the hinge. Great for sandwiches with excess condensation.



Base / Lid Ratio

100/0

Channel Vents Item TS₂oV TS24V TS₃₂V 200Z 24oz vented 320Z Description **UPC** 707068012258 707068012210 707068012265 Product (ID) 16.4 X 10.8 X 6.2 16.4 X 10.8 X 3.7 16.4 X 10.8 X 4.9 Metric cm Product (OD) 18.7 X 14.3 X 7.1 18.7 X 14.3 X 4.6 18.7 X 14.3 X 5.9 Metric cm 200 200 200 Case Pack **Case Ship Weight** 8.2 7.2 7.2 Metric kg TiHi 5 x 6 5 x 6 5 x 6 Case (OD) 59.2 X 40.2 X 37.8 59.2 X 40.2 X 37.8 59.2 X 40.2 X 37.8 Metric cm $.06"H \times 1"W$ **Case Cubic Meters** 0.09 0.09 0.09 8 vents-2 on each side of the lid 100/0 100/0 100/0 Base / Lid Ratio Item **TS48V** TS64LV **TS112V TS128V TS35V** 128oz vented Description 480z 1120z vented 640z 350Z 707068010742 707068010735 707068010728 707068012067 707068011640 **UPC** Product (ID) 18.7 X 16.2 X 4.1 18.7 X 16.2 X 5.1 19.8 X 17.3 X 6.8 29.2 X 17.3 X 7.6 29.1 X 17.1 X 10.3 Metric cm Product (OD) 31.8 X 20.2 X 8.6 22.2 X 20 X 4.8 22.2 X 20 X 6 22.4 X 20.2 X 7.8 31.8 X 20.2 X 11.1 Metric cm **Case Pack** 150 60 60 150 150 Case Ship Weight 8.7 10 9.2 7.1 7.1 Metric kg TiHi 5 X 5 5 X 5 5 X 5 8 x 5 8 x 5 Case (OD) 60.6 X 41.3 X 45.6 60.6 X 41.3 X 45.6 60.6 X 41.3 X 45.6 41.4 X 32.9 X 50.3 41.4 X 32.9 X 50.3 Metric cm **Case Cubic Meters** 0.11 0.11 0.11 0.07 0.07

100/0

100/0

95/5


100/0



Item

UPC

TiHi



Recessed Vents




Item

Base / Lid Ratio

TS17VT Description 170Z UPC 707068010001 Product (ID) 9.5 X 13.3 X 4.9 Metric cm Product (OD) 11.4 X 16.8 X 5.1 Metric cm Case Pack 320 Case Ship Weight 6.6 Metric kg TiHi 6 x 5 Case (OD) Metric cm 60.8 X 32.5 X 46.7 Case Cubic Meters 0.09

NA

Narrow Vents





Item TS₂oMV TS24MV 200z vented Description 24oz vented **UPC** 707068012760 707068012777 Product (ID) 16.4 X 10.8 X 3.7 16.4 X 10.8 X 4.9 Metric cm Product (OD) 18.7 X 14.3 X 4.6 18.7 X 14.3 X 5.9 Metric cm Case Pack 200 200 **Case Ship Weight** 7.2 7.2 Metric kg 5 x 6 5 x 6 TiHi Case (OD) 59.2 X 40.2 X 37.8 59.2 X 40.2 X 37.8 Metric cm **Case Cubic Meters** 0.09 0.09 Base / Lid Ratio 100/0 100/0 Item TS₁₂RNV TS24RNV 120z vented 24oz vented Description 707068011893 707068011909 **UPC** Product (ID) 14.6 X 14.6 X 7.3 11.9 X 11.9 X 5.9 Metric cm Product (OD) 14.9 X 14.6 X 6.5 17.8 X 17.8 X 7.9 Metric cm 150 240 **Case Pack** Case Ship Weight 5.4 5.9 Metric kg TiHi 6 x 5 5 x 6 Case (OD) 61 X 32.4 X 47.9 55.4 X 37.9 X 42.2 Metric cm **Case Cubic Meters** 0.09 0.09 Base / Lid Ratio 90/10 80/20

Microvents






Item TS8CCRV TS8CCRDV Description 8oz vented 8oz vented **UPC** 707068011206 707068011213 Product (ID) 8.9 X 8.9 X 6 8.9 X 8.9 X 8.6 Metric cm Product (OD) 11.1 X 11.3 X 6.2 11.1 X 11.3 X 8.7 Metric cm Case Pack 272 272 **Case Ship Weight** 4.1 4.1 Metric kg TiHi 10 X 5 10 X 5 Case (OD) 51.3 X 24 X 44.3 51.3 X 24 X 44.3 Metric cm **Case Cubic Meters** 0.05 0.05 Base / Lid Ratio 100/0 60/40

Microvents



	$\overline{}$	-	-
















Economical, Efficient, and Dependable

Our large Essentials portfolio provides a comprehensive blend of packaging solutions for every market and application.





Diversified brand of clamshell and two piece all-clear PET packaging





EssentialsSureChoice*





Essentials
SureLock*





Essentials
ValuPack*





EssentialsCakes





Essentials VisiblyFresh*





Essentials
CrystalFresh*





EssentialsPlatters







MADE WITH RECYCLED PET



Wide Variety of Ultra Clear Shapes and Sizes

Make your contents center stage



Smooth Sleek Design

Robust design has minimal ribbing while remaining structurally sound



Please Recycle Me

We encourage recycling, however there may not be recycling available in all areas yet; please check locally



Chamfered Corners

Extra support when products are stacked either on the shelf or during transportation



Enhanced Stacking

Product is secure, made possible with interlocking base and lid



Item			6			
	SC18S	SC20XD	SC210	SC35	SC35C2	
Description	300z	420Z	370z	60oz	2X 3OOZ	
UPC	707068012807	707068012753	707068012746	707068012227	707068012326	
Product (ID) Metric cm	20.2 X 8.7 X 5.4	11 X 10.8 X 10.3	25.6 X 12.7 X 4.6	21.1 X 12.5 X 8.3	*Varies	
Product (OD) Metric cm	21.7 X 11.4 X 5.9	13.5 X 14.4 X 11.4	27.3 X 16.5 X 5.9	22.5 X 13.5 X 8.6	22.5 X 13.5 X 8.6	
Case Pack	300	375	200	500	460	
Case Ship Weight Metric kg	6.8	12.9	7.2	15.8	15.6	
ТіНі	8 x 5	5 × 7	6 x 6	4 × 5	5 x 5	
Case (OD) Metric cm	52.9 X 24 X 46	59.8 X 42.4 X 31.4	55.7 X 33.8 X 35.2	55.4 X 51.9 X 47.3	55.4 X 51.9 X 47.3	
Case Cubic Meters	0.06	0.08	0.07	0.14	0.14	
Base / Lid Ratio	50/50	50/50	70/30	50/50	50/50	
		and the same of th				

Item	SC5110S	SC5130FS
	3051103	305130F3
Description	85oz	730z
UPC	707068012517	707068012814
Product (ID) Metric cm	19.1 X 19.1 X 3.7	19.5 X 17.1 X 6
Product (OD) Metric cm	21.1 X 20.8 X 5.1	21.3 X 20.2 X 6.5
Case Pack	200	160
Case Ship Weight Metric kg	8.5	8.6
тіні	6 x 5	6 x 5
Case (OD) Metric cm	45.2 X 38.9 X 44.1	42.7 X 33.8 X 46
Case Cubic Meters	0.08	0.07
Base / Lid Ratio	65/35	60/40







MADE WITH RECYCLED PE



The Standard in Dependability

The most complete line of clamshell packaging for every need



Easy to SecurePackage and its content

Package and its contents will not be damaged while opening or closing



SureLock® Security

Double line locks provide maximum security and prevent lids from opening



Sanitary Lid Design

Sanitary lid design overlaps base to keep out crumbs and other contaminants



Stackability

Conserve valuable shelf space while creating eye-catching displays





ltem	SLP104S	SLP15B	SLP174	SLP17D	SLP17XD	
Description	38oz	490z	350z	210Z	280z	
UPC	707068009111	707068007421	707068007452	707068007469	707068007476	
Product (ID) Metric cm	22.5 X 11 X 4.9	18.7 X 9.5 X 8.7	16.8 X 8.7 X 7.6	16.8 X 8.7 X 4.4	16.8 X 8.7 X 6.2	
Product (OD) Metric cm	24.1 X 14 X 5.1	20.3 X 12.1 X 9.2	18.4 X 11.3 X 7.9	18.4 X 11.3 X 4.6	18.4 X 11.3 X 6.5	
Case Pack	300	500	400	400	400	
Case Ship Weight Metric kg	9.1	12.5	7.6	6.4	7	
Тіні	8 x 5	5 × 4	6 x 6	6 x 6	6 x 6	
Case (OD) Metric cm	42.7 X 30 X 50.2	54.1 X 41.9 X 50.5	46.5 X 37.3 X 38.4	46.5 X 37.3 X 38.4	46.5 X 37.3 X 38.4	
Case Cubic Meters	0.06	0.11	0.07	0.07	0.07	
Base / Lid Ratio	45/55	55/45	50/50	65/35	50/50	

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.


Essentials SureLock $^{(\!R\!)}$ Rectangles



ltem	SLP18	SLP18D	SLP19	SLP26	SLP27
Description	260Z	36oz	48oz	330z	530z
UPC	707068007483	707068007490	707068008862	707068007018	707068007728
Product (ID) Metric cm	20 X 8.9 X 4.4	20 X 8.9 X 6.7	20 X 8.9 X 8.7	16 X 12.4 X 4.9	16 X 12.4 X 8.4
Product (OD) Metric cm	21.6 X 11.3 X 4.8	21.6 X 11.3 X 6.8	21.6 X 11.3 X 8.9	17.6 X 14.9 X 5.2	17.6 X 14.9 X 8.9
Case Pack	300	300	300	300	300
Case Ship Weight Metric kg	6.8	8.2	8.2	6.2	8.8
тіні	8 x 5	9 X 5	9 X 5	6 x 7	6 x 6
Case (OD) Metric cm	52.9 X 24 X 46	59.2 X 23 X 46.7	59.2 X 23 X 46.7	53.5 X 36 X 31.8	60.5 X 30.8 X 36.7
Case Cubic Meters	0.06	0.06	0.06	0.06	0.07
Base / Lid Ratio	50/50	65/35	50/50	60/40	70/30
Item					
	CI Doo	CLDoo	CLDooC	CLDooC	CLDooVC
Description	SLP29	SLP30	SLP30C	SLP30S	SLP3OXS
Description UPC	360z	520Z	530z	470z	440z
UPC Product (ID)		_		-	_
UPC	360z 707068007742	520z 707068007759	530z 707068007797	470z 707068007803	440z 707068009074
UPC Product (ID) Metric cm Product (OD)	360z 707068007742 15.9 X 12.4 X 5.7	520z 707068007759 22.2 X 14.6 X 5.2	530z 707068007797 22.2 X 14.6 X 5.2	470z 707068007803 22.2 X 14.6 X 4.6	440z 707068009074 22.2 X 14.6 X 4
Product (ID) Metric cm Product (OD) Metric cm	360z 707068007742 15.9 X 12.4 X 5.7 17.6 X 15.1 X 6.4	520Z 707068007759 22.2 X 14.6 X 5.2 23.8 X 17.1 X 5.6	530z 707068007797 22.2 X 14.6 X 5.2 23.8 X 17.1 X 5.6	470z 707068007803 22.2 X 14.6 X 4.6 23.8 X 17.1 X 5.2	440Z 707068009074 22.2 X 14.6 X 4 23.8 X 17.1 X 4.6
UPC Product (ID) Metric cm Product (OD) Metric cm Case Pack Case Ship Weight	360z 707068007742 15.9 X 12.4 X 5.7 17.6 X 15.1 X 6.4	520Z 707068007759 22.2 X 14.6 X 5.2 23.8 X 17.1 X 5.6	530z 707068007797 22.2 X 14.6 X 5.2 23.8 X 17.1 X 5.6	470z 707068007803 22.2 X 14.6 X 4.6 23.8 X 17.1 X 5.2	440Z 707068009074 22.2 X 14.6 X 4 23.8 X 17.1 X 4.6 300
UPC Product (ID) Metric cm Product (OD) Metric cm Case Pack Case Ship Weight Metric kg	360z 707068007742 15.9 X 12.4 X 5.7 17.6 X 15.1 X 6.4 300 8.6	520Z 707068007759 22.2 X 14.6 X 5.2 23.8 X 17.1 X 5.6 300 9.4	530z 707068007797 22.2 X 14.6 X 5.2 23.8 X 17.1 X 5.6 300	470z 707068007803 22.2 X 14.6 X 4.6 23.8 X 17.1 X 5.2 300 9.4	440Z 707068009074 22.2 X 14.6 X 4 23.8 X 17.1 X 4.6 300 9.4
UPC Product (ID) Metric cm Product (OD) Metric cm Case Pack Case Ship Weight Metric kg TiHi Case (OD)	360z 707068007742 15.9 X 12.4 X 5.7 17.6 X 15.1 X 6.4 300 8.6 6 x 6	520Z 707068007759 22.2 X 14.6 X 5.2 23.8 X 17.1 X 5.6 300 9.4 7 X 5	530Z 707068007797 22.2 X 14.6 X 5.2 23.8 X 17.1 X 5.6 300 10 7 × 5	470z 707068007803 22.2 X 14.6 X 4.6 23.8 X 17.1 X 5.2 300 9.4 7 × 5	440Z 707068009074 22.2 X 14.6 X 4 23.8 X 17.1 X 4.6 300 9.4 7 X 5
UPC Product (ID) Metric cm Product (OD) Metric cm Case Pack Case Ship Weight Metric kg TiHi Case (OD) Metric cm	360z 707068007742 15.9 X 12.4 X 5.7 17.6 X 15.1 X 6.4 300 8.6 6 x 6 6 x 6	520z 707068007759 22.2 X 14.6 X 5.2 23.8 X 17.1 X 5.6 300 9.4 7 × 5 50.3 X 35.4 X 49.1	530z 707068007797 22.2 X 14.6 X 5.2 23.8 X 17.1 X 5.6 300 10 7 × 5 50.3 X 35.4 X 49.1	470z 707068007803 22.2 X 14.6 X 4.6 23.8 X 17.1 X 5.2 300 9.4 7 × 5 50.3 X 35.4 X 49.1	440z 707068009074 22.2 X 14.6 X 4 23.8 X 17.1 X 4.6 300 9.4 7 X 5 50.3 X 35.4 X 49.1



ltem					
	SLP32	SLP35	SLP38	SLP38D	SLP40
Description	620z	590z	670z	770z	740Z
UPC	707068008602	707068007865	707068007070	707068007087	707068007902
Product (ID) Metric cm	21.4 X 13.7 X 6.2	21.1 X 12.5 X 8.3	22.5 X 11.3 X 8.7	22.5 X 11.1 X 9.5	22.2 X 14.6 X 7.5
Product (OD) Metric cm	24.1 X 17.3 X 6.7	22.5 X 13.5 X 8.6	24.1 X 14 X 9.2	24.3 X 14 X 10.3	23.8 X 17.1 X 7.8
Case Pack	300	500	192	200	276
Case Ship Weight Metric kg	9.4	13.8	8.5	8.9	10.2
тіні	7 × 5	5 X 5	8 x 4	8 x 4	7×5
Case (OD) Metric cm	50.3 X 35.4 X 49.1	55.4 X 41 X 47	50.6 X 28.7 X 50.5	50.6 X 28.7 X 50.5	50.3 X 35.4 X 49.1
Case Cubic Meters	0.09	0.11	0.07	0.07	0.09
Base / Lid Ratio	55/45	50/50	30/70	40/60	60/40
		A STATE OF THE PARTY OF THE PAR			





TiHi

Case (OD) Metric cm

Case Cubic Meters

Base / Lid Ratio

4 x 6

58.9 X 50.3 X 33

0.10

80/20

4 x 6

66.5 X 42.1 X 33.5

0.09

40/60

4 x 6

66.5 X 42.1 X 33.5

0.09

50/50

Essentials SureLock $^{\mathbb{R}}$ Rectangles



Item	SLP5120	SLP5125	SLP57	SLP58	SLP65
Description	730z	440Z	98oz	840z	600z
UPC	707068008053	707068008077	707068008114	707068008138	707068008176
Product (ID) Metric cm	19.5 X 17.5 X 7.1	19.5 X 17 X 4.4	24.9 X 18.3 X 5.9	27.6 X 17.8 X 5.2	28.9 X 10 X 6.4
Product (OD) Metric cm	21 X 19.5 X 7.5	21 X 19.5 X 4.8	27 X 21.1 X 6.7	29.2 X 20.3 X 5.7	31.1 X 13 X 6.7
Case Pack	250	250	300	200	250
Case Ship Weight Metric kg	10.1	10.1	15.1	12.3	9.8
ТіНі	6 x 5	6 x 5	4 × 5	5 × 5	7 × 4
Case (OD) Metric cm	48.1 X 40.8 X 44.5	48.1 X 40.8 X 44.5	54.8 X 50.3 X 43.2	40.8 X 41.8 X 61.3	46.5 X 33.2 X 54.3
Case Cubic Meters	0.09	0.09	0.12	0.10	0.08
Base / Lid Ratio	60/40	50/50	45/55	55/45	50/50
Item					
	SLP67	SLP75	SLP75D	One smart cookie!	RA
Description	450z	670z	710z		-
UPC	707068007124	707068007025	707068007032		
Product (ID) Metric cm	30 X 11.9 X 3.5	28.9 X 13.2 X 5.1	28.9 X 13.2 X 5.7		46.00
Product (OD) Metric cm	31.4 X 14.6 X 4.3	31.4 X 15.9 X 5.4	31.4 X 15.9 X 6		
Case Pack	300	300	300		
Case Ship Weight Metric kg	13	13.7	14.8		



Essentials SureLock $^{(\!R\!)}$ Rectangles

ltem	SLP77	SLP80	SLP82	SLP88	SLP88S
Description	1210Z	1300z	96oz	1940z	1390z
UPC	707068008244	707068007049	707068009586	707068008282	707068009319
Product (ID) Metric cm	29.4 X 19.7 X 6.8	25.2 X 18.7 X 8.9	25.7 X 17.1 X 6.8	25.9 X 22.2 X 10.8	25.9 X 22.2 X 8.1
Product (OD) Metric cm	31 X 22.2 X 7	26.7 X 21.7 X 9.2	27.3 X 19.7 X 7.5	27.5 X 24.9 X 11.1	27.5 X 24.9 X 8.4
Case Pack	150	300	300	200	200
Case Ship Weight Metric kg	10.8	16.7	16.6	14.1	14.1
тіні	4 × 7	4 X 4	4 x 6	4 X 4	4 × 4
Case (OD) Metric cm	56.7 X 45.6 X 32.9	55.4 X 44.3 X 54.9	55.7 X 45.6 X 41	51 X 46.5 X 56.5	56 X 46.5 X 51.8
Case Cubic Meters	0.08	0.13	0.10	0.13	0.13
		_			
Base / Lid Ratio	50/50	70/30	60/40	55/45	70/30
Base / Lid Ratio					Life is what you bake of it.
ltem	SLP90	SLP95	SLP99	SLP170D	Life is what you bake of it.
					Life is what you
ltem	SLP90	SLP95	SLP99	SLP170D	Life is what you bake of it.
Item Description	SLP90 890z	SLP95 1010Z	SLP99 1070z	SLP170D 230Z	Life is what you bake of it.
Description UPC Product (ID)	SLP90 890z 707068008299	SLP95 1010Z 707068008305	SLP99 1070z 707068008312	SLP170D 230Z 707068011886	Life is what you bake of it.
Description UPC Product (ID) Metric cm Product (OD)	SLP90 890z 707068008299 32.2 X 14.1 X 5.9	SLP95 1010z 707068008305 32.2 X 14.1 X 6.4	SLP99 1070z 707068008312 22.9 X 22.9 X 7.8	SLP170D 230Z 707068011886 16.8 X 8.6 X 4.9	Life is what you bake of it.
Description UPC Product (ID) Metric cm Product (OD) Metric cm	SLP90 890z 707068008299 32.2 X 14.1 X 5.9 33.8 X 17 X 6.4	SLP95 1010Z 707068008305 32.2 X 14.1 X 6.4 33.8 X 17 X 7	SLP99 1070Z 707068008312 22.9 X 22.9 X 7.8 25.1 X 27.1 X 8.3	SLP170D 230Z 707068011886 16.8 X 8.6 X 4.9 18.4 X 11.3 X 5.1	Life is what you bake of it.
Description UPC Product (ID) Metric cm Product (OD) Metric cm Case Pack Case Ship Weight	SLP90 890z 707068008299 32.2 X 14.1 X 5.9 33.8 X 17 X 6.4	SLP95 1010z 707068008305 32.2 X 14.1 X 6.4 33.8 X 17 X 7	SLP99 1070z 707068008312 22.9 X 22.9 X 7.8 25.1 X 27.1 X 8.3	SLP170D 230Z 707068011886 16.8 X 8.6 X 4.9 18.4 X 11.3 X 5.1	Life is what you bake of it.
Description UPC Product (ID) Metric cm Product (OD) Metric cm Case Pack Case Ship Weight Metric kg	SLP90 890z 707068008299 32.2 X 14.1 X 5.9 33.8 X 17 X 6.4 200 10.4	SLP95 1010Z 707068008305 32.2 X 14.1 X 6.4 33.8 X 17 X 7 200 11.2	SLP99 1070z 707068008312 22.9 X 22.9 X 7.8 25.1 X 27.1 X 8.3 150 9.3	SLP170D 230Z 707068011886 16.8 X 8.6 X 4.9 18.4 X 11.3 X 5.1 400 7.9	Life is what you bake of it.
Description UPC Product (ID) Metric cm Product (OD) Metric cm Case Pack Case Ship Weight Metric kg	SLP90 890z 707068008299 32.2 X 14.1 X 5.9 33.8 X 17 X 6.4 200 10.4 5 X 6	SLP95 1010Z 707068008305 32.2 X 14.1 X 6.4 33.8 X 17 X 7 200 11.2 5 x 6	SLP99 1070z 707068008312 22.9 X 22.9 X 7.8 25.1 X 27.1 X 8.3 150 9.3 6 x 4	SLP170D 230Z 707068011886 16.8 X 8.6 X 4.9 18.4 X 11.3 X 5.1 400 7.9 6 x 6	Life is what you bake of it.



Maximize your shelf space




Item						
	SLP10	SLP20	SLP20D	SLP23	SLP25	
Description	220Z	270Z	330z	400Z	460z	
UPC	707068008848	707068007513	707068007582	707068008541	707068007711	
Product (ID) Metric cm	11.7 X 11.7 X 5.1	11.7 X 11.7 X 6.5	11.7 X 11.7 X 7.8	16.7 X 16.7 X 3.7	14 X 13.8 X 7.9	
Product (OD) Metric cm	13.3 X 14.3 X 5.4	13.3 X 14.3 X 7	13.3 X 14.3 X 7.9	19.2 X 20.3 X 4.4	15.4 X 16.4 X 8.4	
Case Pack	500	500	500	300	500	
Case Ship Weight Metric kg	7.5	8.1	8.8	10.7	11.5	
тіні	5 x 8	5 x 8	5 × 7	6 x 6	4 x 6	
Case (OD) Metric cm	58.6 X 40.6 X 28.4	58.6 X 40.6 X 28.4	59.8 X 42.4 X 31.4	52.9 X 42.4 X 40.3	59.2 X 48.1 X 35.2	
Case Cubic Meters	0.07	0.07	0.08	0.09	0.10	
Base / Lid Ratio	65/35	50/50	55/45	70/30	60/40	



Item	SLP510	SLP55	SLP69	SLP70	SLP70W
Description	1200Z	550Z	430Z	1010Z	1010Z
UPC	707068008039	707068007063	707068008183	707068008190	707068011473
Product (ID) Metric cm	21.6 X 21.6 X 8.7	19.1 X 19.1 X 7.1	14.3 X 13.5 X 7.6	19.5 X 19.4 X 8.6	19.5 X 19.4 X 8.7
Product (OD) Metric cm	22.9 X 24.1 X 8.9	21.7 X 22.9 X 7.5	15.7 X 16 X 8.1	21 X 22.2 X 8.9	21 X 22.2 X 8.9
Case Pack	200	300	300	200	170
Case Ship Weight Metric kg	12.5	15.5	7.9	9.2	11
тіні	6 x 5	4 × 5	8 x 4	6 x 5	6 x 4
Case (OD) Metric cm	49.7 X 42.1 X 47.6	51 X 46.8 X 45.7	41.4 X 33.3 X 49.4	45.2 X 36.4 X 44.1	45.2 X 36.4 X 44.1
Case Cubic Meters	0.10	0.11	0.07	0.07	0.07
Base / Lid Ratio	55/45	55/45	75/25	60/40	80/20







ltem	SLP106	SLP108	SLP109	SLP110	THE THE PARTY OF T
					TO HER !
Description	310Z	640z	86oz	1040Z	
UPC	707068007308	707068007315	707068007322	707068007339	
Product (ID) Metric cm	10.2 X 16.5 X 4.9	14.1 X 21.3 X 5.7	17.1 X 24 X 6.4	18.1 X 25.4 X 6.8	
Product (OD) Metric cm	17.8 X 18.7 X 5.2	22.5 X 23.5 X 6.5	25.1 X 26 X 7.3	26.8 X 27.9 X 7.5	
Case Pack	300	200	200	200	
Case Ship Weight Metric kg	6.8	9	11.8	12.8	
Тіні	6 x 6	7×5	6 x 4	6 x 4	
Case (OD) Metric cm	50 X 39.2 X 37.8	49.7 X 34.4 X 46.2	52.9 X 37.6 X 52.4	58.1 X 35.1 X 55.6	Contract
Case Cubic Meters	0.07	0.08	0.10	0.11	
Base / Lid Ratio	70/30	65/35	65/35	65/35	




Item	SLP116	SLP118	SLP119	SLP120	
Description	500z	910z	1200Z	1420Z	
UPC	707068007353	707068008817	707068007377	707068007384	
Product (ID) Metric cm	10.2 X 16.5 X 7.9	14.1 X 21.3 X 8.4	17.1 X 24 X 8.9	18.1 X 25.4 X 9.2	
Product (OD) Metric cm	17.8 X 18.7 X 8.4	22.5 X 23.5 X 9.2	25.1 X 26 X 9.7	26.8 X 27.9 X 9.8	
Case Pack	300	200	200	200	
Case Ship Weight Metric kg	9.2	10.2	13.3	15.4	Pie like you very much
ТіНі	6 x 6	6 x 5	6 x 4	5 X 4	
Case (OD) Metric cm	52.9 X 38.9 X 37.5	49.4 X 39.5 X 47	53.5 X 38.9 X 51.9	57.9 X 38.3 X 55.6	
Case Cubic Meters	0.08	0.09	0.11	0.12	
Base / Lid Ratio	45/55	45/55	50/50	50/50	ඵ්ඡ්
Item					
					Comple .
	SLP208	SLP209	SLP210	SLP218	SLP227
Description	SLP208 250z	SLP209 330z	SLP210 400z	SLP218 1140z	SLP227 640z
Description UPC		_			•
·	250Z	330z	400z	1140z	640z
UPC Product (ID)	250z 707068007568	330z 707068007575	400z 707068007599	1140z 707068007629	640z 707068007674
UPC Product (ID) Metric cm Product (OD)	250z 707068007568 20.8 X 10.3 X 4	330z 707068007575 23 X 11.4 X 5.6	400z 707068007599 25.6 X 12.7 X 5.6	1140z 707068007629 14.1 X 21.3 X 11	640Z 707068007674 18.4 X 18.9 X 7.1
Product (ID) Metric cm Product (OD) Metric cm	250Z 707068007568 20.8 X 10.3 X 4 22.4 X 13.2 X 4.8	330z 707068007575 23 X 11.4 X 5.6 24.9 X 15.4 X 5.9	400Z 707068007599 25.6 X 12.7 X 5.6 27.1 X 16.5 X 5.9	1140z 707068007629 14.1 X 21.3 X 11 22.5 X 23.5 X 11.4	640z 707068007674 18.4 X 18.9 X 7.1 20.3 X 21.3 X 7.8
UPC Product (ID) Metric cm Product (OD) Metric cm Case Pack Case Ship Weight	250z 707068007568 20.8 X 10.3 X 4 22.4 X 13.2 X 4.8 250	330z 707068007575 23 X 11.4 X 5.6 24.9 X 15.4 X 5.9 250	400z 707068007599 25.6 X 12.7 X 5.6 27.1 X 16.5 X 5.9	1140Z 707068007629 14.1 X 21.3 X 11 22.5 X 23.5 X 11.4	640z 707068007674 18.4 X 18.9 X 7.1 20.3 X 21.3 X 7.8
UPC Product (ID) Metric cm Product (OD) Metric cm Case Pack Case Ship Weight Metric kg	250Z 707068007568 20.8 X 10.3 X 4 22.4 X 13.2 X 4.8 250 5.6	330z 707068007575 23 X 11.4 X 5.6 24.9 X 15.4 X 5.9 250 8.8	400Z 707068007599 25.6 X 12.7 X 5.6 27.1 X 16.5 X 5.9 200 7.2	1140z 707068007629 14.1 X 21.3 X 11 22.5 X 23.5 X 11.4 150 9.6	640z 707068007674 18.4 X 18.9 X 7.1 20.3 X 21.3 X 7.8 200 9.4
UPC Product (ID) Metric cm Product (OD) Metric cm Case Pack Case Ship Weight Metric kg	250z 707068007568 20.8 X 10.3 X 4 22.4 X 13.2 X 4.8 250 5.6 9 X 5	330z 707068007575 23 X 11.4 X 5.6 24.9 X 15.4 X 5.9 250 8.8 6 x 7	400z 707068007599 25.6 X 12.7 X 5.6 27.1 X 16.5 X 5.9 200 7.2 6 x 6	1140z 707068007629 14.1 X 21.3 X 11 22.5 X 23.5 X 11.4 150 9.6 7 X 5	640z 707068007674 18.4 X 18.9 X 7.1 20.3 X 21.3 X 7.8 200 9.4 6 x 4

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.




Item SLP236 SLP309 Description 550Z 760z UPC 707068009104 707068007773 Product (ID) Metric cm 15.2 X 15.2 X 8.6 23.2 X 23.7 X 5.7 Product (OD) 17.8 X 18.7 X 9.2 25.1 X 26.2 X 6 Metric cm 200 **Case Pack** 300 **Case Ship Weight** 12.6 10.3 Metric kg TiHi 5 x 6 6 x 4 Case (OD) Metric cm 59.2 X 39.5 X 36.8 52.9 X 37.6 X 52.4 **Case Cubic Meters** 0.09 0.10 Base / Lid Ratio 40/60 65/35











Because presentation is everything



ltem	SLP16CS	SLP16FS	SLP270DFS	SLP280FS	SLP281FS
Description	420Z	420Z	2x 250z	910z	2x 420z
UPC	707068007094	707068007100	707068008633	707068009388	707068009395
Product (ID) Metric cm	22.9 X 9.5 X 6	22.9 X 9.5 X 6	*Varies	19.7 X 20.5 X 8.1	*Varies
Product (OD) Metric cm	24.6 X 12.1 X 6.8	24.6 X 12.1 X 6.8	18.4 X 22.2 X 6	21.6 X 23.3 X 8.3	21.6 X 23.3 X 8.3
Case Pack	300	300	300	180	180
Case Ship Weight Metric kg	8.4	8.4	12.8	10.4	10.4
тіні	7 × 4	7 × 4	4 x 6	6 x 5	6 x 5
Case (OD) Metric cm	49.4 X 30.6 X 51.9	49.4 X 30.6 X 51.9	56.7 X 45.2 X 38.4	47.8 X 39.8 X 44.8	47.8 X 39.8 X 44.8
Case Cubic Meters	0.08	0.08	0.10	0.09	0.09
Base / Lid Ratio	60/40	60/40	60/40	80/20	80/20
ltem	SLP3315	SLP3315CS	SLP34DCS	SLP34DFC	SLP5120CS
Description	3X 140Z	3X 140Z	2x 350z	690z	700z
UPC	707068007834	707068012012	707068007162	707068011695	707068008060
Product (ID) Metric cm	*Varies	*Varies	*Varies	13.7 X 20.6 X 7.6	19.5 X 17.5 X 7.1
Product (OD) Metric cm	21.7 X 16.5 X 5.7	21.7 X 16.5 X 5.7	22.5 X 18.3 X 7.8	22.5 X 18.3 X 7.8	21 X 19.5 X 7.5
Case Pack	264	240	250	250	250
Case Ship Weight Metric kg	8.8	10.3	11.8	11.8	10.8
ТіНі	7 × 5	7 × 5	6 x 5	6 x 5	6 x 5
Case (OD) Metric cm	51 X 34.4 X 46.7	51 X 34.4 X 46.7	49.7 X 37 X 46	49.7 X 37 X 46	48.1 X 40.8 X 44.5
Case Cubic Meters	0.08	0.08	0.08	0.08	0.09
Base / Lid Ratio	65/35	65/35	50/50	65/35	60/40



Essentials SureLock® Multi Compartment

ltem							
		SLP112A	SLP14	SLP206A	SLP017	SLP28	
Description	on	12X 70Z	4X 40Z	6x 7oz	3X 150Z	2X 170Z	
UPC		707068009760	707068007414	707068009944	707068007230	707068007735	
Product (I Metric cm	D)	*Varies	*Varies	*Varies	*Varies	*Varies	
Product (0 Metric cm		23.8 X 19.5 X 8.9	19.1 X 16.5 X 4.3	12.7 X 19.2 X 9	22.4 X 18.3 X 4.8	22.4 X 12.5 X 5.9	
Case Pack	(174	300	192	250	300	
Case Ship Metric kg	Weight	9.7	9.3	5.1	9.2	7.6	
тіні		6 x 4	6 x 5	6 x 6	5 X 5	8 x 5	
Case (OD) Metric cm		51 X 39.8 X 49.5	50.3 X 39.5 X 35.1	48.1 X 38.9 X 40	60.5 X 37 X 46	51 X 26.2 X 46.2	
Case Cubi	c Meters	0.10	0.07	0.07	0.10	0.06	
Base / Lid	Ratio	50/50	50/50	50/50	60/40	60/40	

Item **SLP663** Description 3x 29oz UPC 707068010230 Product (ID) Metric cm *Varies Product (OD) Metric cm 28.3 X 21.7 X 7.6 Case Pack 212 Case Ship Weight Metric kg 17.6 TiHi 4 X 5 Case (OD) Metric cm 57.9 X 49.7 X 45.2 Case Cubic Meters 0.13 60/40 Base / Lid Ratio





SureLock® Muffins and Cupcakes

Shaped for perfect dessert displays





Item		THE STATE OF THE S	6	A STATE OF THE STA	
	SLP212	SLP34	SLP34S	SLP36	SLP44A
Description	12 standard	12 mini	12 mini	6 standard	4 standard
UPC	707068007612	707068007841	707068007858	707068007889	707068009180
Product (ID) Metric cm	*Varies	*Varies	*Varies	*Varies	*Varies
Product (OD) Metric cm	32.9 X 26 X 8.6	22.1 X 18.1 X 5.7	22.1 X 18.1 X 4.9	23.8 X 17.1 X 6	17 X 17 X 8.4
Case Pack	100	250	250	300	288
Case Ship Weight Metric kg	9.2	8.5	8.5	11.1	7.7
Тіні	6 x 6	6 x 5	6 x 5	7 × 5	5 × 7
Case (OD) Metric cm	53.5 X 42.7 X 34.9	45.2 X 37 X 46	45.2 X 37 X 46	50.3 X 35.4 X 49.1	61.4 X 35.1 X 35.9
Case Cubic Meters	0.08	0.08	0.08	0.09	0.08
Base / Lid Ratio	45/55	50/50	60/40	60/40	50/50
Item	SLP44SA	SLP45	SLP46	SLP52	SLP54P
Description	4 standard	4 standard	6 standard	2 large	4 large
UPC	707068009197	707068007988	707068007995	707068008084	707068009708
Product (ID) Metric cm	*Varies	*Varies	*Varies	*Varies	*Varies
Product (OD) Metric cm	17 X 17 X 7	19.4 X 20.5 X 8.3	23.8 X 17.1 X 7.3	22.5 X 13.5 X 8.6	19.4 X 20.5 X 8.3
Case Pack	288	300	300	500	300
Case Ship Weight Metric kg	7.7	11.5	10.2	15.8	11.5
Тіні	5 x 7	5 x 5	7 × 5	4 × 5	6 x 6
Case (OD) Metric cm	61.4 X 35.1 X 35.9	60.8 X 41.8 X 40	50.3 X 35.4 X 49.1	55.4 X 51.9 X 47.3	52.9 X 42.4 X 40.3
Case Cubic Meters	0.08	0.10	0.09	0.14	0.09
Base / Lid Ratio	55/45	50/50	50/50	50/50	50/50



Muffin and Cupcake Dimensions

Example:

ID 2-1/8 x 2-3/8 x 5-5/16 equals
(a) base diameter x (b) crown diameter x (c) height


Mini muffins are generally 1-2 oz Standard size muffins are generally 4.5–5.5 oz Large/Jumbo muffins are generally 6 oz and above

Base Diameter (a) x Crown Diameter (b) x Height (c)

c. Height

b. Diameter at crown (widest part)

a. Diameter at base of muffin






 $For more information, please \ visit in line plastics. com/advanced-product-search.$

ltem	SLP54SP	SLP56	SLP72D	SLP74	
	3LI 343I	351 30	3L1 /2D	JL1 /4	
Description	4 large	6 standard	4 large	4 large	
UPC	707068009692	707068007001	707068008565	707068008220	
Product (ID) Metric cm	*Varies	*Varies	*Varies	*Varies	
Product (OD) Metric cm	19.4 X 20.5 X 7.6	24.3 X 17.6 X 10.2	19.4 X 20.5 X 7.1	21 X 22.2 X 7.9	
Case Pack	300	300	210	300	
Case Ship Weight Metric kg	10.7	13.3	8.8	11.6	
Тіні	6 x 6	6 x 4	6 x 6	4 × 5	
Case (OD) Metric cm	52.9 X 42.4 X 40.3	49.1 X 37 X 50.5	52.9 X 42.4 X 40.3	89.7 X 31.9 X 43.5	
Case Cubic Meters	0.09	0.09	0.09	0.12	Att
Base / Lid Ratio	60/40	45/55	50/50	55/45	









Packaging so easy to use, you only remember the treat





MADE WITH RECYCLED PE



Trusted Standard in Food Packaging

Representing the best combination of value and quality



Expansive Selection

With the options of single or multiple use compartments, we have the package for you



SureLock® Security

Double line locks provide maximum security



Sanitary Lid Design

Sanitary lid design overlaps base to keep out crumbs and other contaminants



Stackability

Conserve valuable shelf space while creating eye-catching displays



ltem					
	VPP727A	VPP730	VPP737A	VPP746	VPP747A
Description	530z	970z	630z	260z	720Z
UPC	707068010537	707068008350	707068010544	707068008398	707068010551
Product (ID) Metric cm	20 X 17.1 X 5.2	21 X 19.7 X 7.5	20 X 17.1 X 6	13.2 X 12.5 X 6.7	20 X 17.1 X 7.1
Product (OD) Metric cm	21.4 X 20.2 X 5.4	22.9 X 24 X 7.6	21.4 X 20.2 X 6.2	15.1 X 15.1 X 6.8	21.4 X 20.2 X 7.3
Case Pack	200	200	200	500	200
Case Ship Weight Metric kg	7.6	9.5	7.1	8.9	7.1
Тіні	9 x 5	8 x 5	9 x 5	4 × 7	9 × 5
Case (OD) Metric cm	41.1 X 34 X 43.8	48.7 X 30.5 X 46.5	41.1 X 34 X 43.8	61 X 49.7 X 31.8	41.1 X 34 X 43.8
Case Cubic Meters	0.06	0.07	0.06	0.10	0.06
Base / Lid Ratio	50/50	50/50	55/45	50/50	50/50
ltem					
	VPP756	VPP757A	VPP781	WEWF/A	
Description	330z	900z	440Z		
UPC	707068008411	707068010568	707068008459		CONTRACTOR OF THE PARTY
Product (ID) Metric cm	13.2 X 12.5 X 7.5	20 X 17.1 X 8.3	20.6 X 9.5 X 7.6		
Product (OD) Metric cm	15.1 X 15.1 X 7.8	21.4 X 20.2 X 8.4	22.4 X 12.4 X 8.1		
Case Pack	500	200	300	1	
Case Ship Weight Metric kg	8.9	8.2	7.5		1 .
тіні	4 × 7	9 × 5	8 x 5		6
Case (OD) Metric cm	61 X 49.7 X 31.8	41.1 X 34 X 43.8	55.1 X 25.9 X 46.7		
Case Cubic Meters	0.10	0.06	0.07		
Base / Lid Ratio	60/40	60/40	50/50		





Our Design is a Piece of Cake

Perfect for cakes sized from 7" to 10", single or double layers



Variety of Options

Available in dome and shallow lid options, for single and double layer cakes



Enhanced Clarity

Puts contents center stage and increases impulse consumer purchases



Intuitive Design

Easy open tabs reduce damage to icing and decorations when opening and closing



Recyclable*

All-clear PET is the most widely accepted recyclable material

*Products may not be recyclable in all areas yet; please check locally

77



Item						
		605PET	1007CL	1007SCL	1008CL	1008SCL
Descripti	ion	7" & 8" half cake	7" double layer	7" single layer	8" double layer	8" single layer
UPC		707068006394	707068013095	707068013101	707068013125	707068013132
Product (Metric cn	(ID) n	24.4 X 14.0 X 11.1	19.1 X 20.8 X 11.3	19.1 X 20.8 X 7.3	21 X 23.2 X 11.7	21 X 23.2 X 8.4
Product (Metric cn	(OD) n	27.5 X 16.5 X 11.4	23 X 26 X 12.7	23 X 26 X 8.7	25.7 X 28.6 X 13	25.7 X 28.6 X 9.8
Case Paci	k	100	100	100	100	100
Case Ship Metric kg	o Weight	6.3	7.4	6.7	9	8.2
ТіНі		6 x 4	4 × 5	4 x 5	4 x 5	4 × 5
Case (OD) Metric cn	n)	56.0 X 36.0 X 59.4	49.7 X 49.7 X 46	49.7 X 49.7 X 46	53.2 X 53.2 X 46	53.2 X 53.2 X 41.3
Case Cub	oic Meters	0.12	0.11	0.11	0.13	0.12
Base / Lid	d Ratio	2 piece	2 piece	2 piece	2 piece	2 piece
Item						
ltem		1009CL	1009SCL	1010CL	1010SCL	
Item Descripti	ion	1009CL 9" double layer	1009SCL 9" single layer	1010CL 10" double layer	1010SCL 10" single layer	
	ion					
Descripti	(ID)	9" double layer	g" single layer	10" double layer	10" single layer	
Description UPC Product ((ID) n (OD)	9" double layer 707068013156	9" single layer 707068013163	10" double layer 707068013187	10" single layer 707068013194	
Description UPC Product (Metric on	(ID) n (OD)	9" double layer 707068013156 24.1 X 25.7 X 13.2	9" single layer 707068013163 24.1 X 25.7 X 9	10" double layer 707068013187 26.4 X 28.4 X 12.4	10" single layer 707068013194 26.8 X 28.4 X 8.6	
Descripti UPC Product (Metric cm Product (Metric cm	(ID) n (OD) n k	9" double layer 707068013156 24.1 X 25.7 X 13.2 27.9 X 31.6 X 14.6	9" single layer 707068013163 24.1 X 25.7 X 9 27.9 X 31.6 X 10.5	10" double layer 707068013187 26.4 X 28.4 X 12.4 30.8 X 34.0 X 14.0	10" single layer 707068013194 26.8 X 28.4 X 8.6 30.8 X 34 X 10.2	Cake it easy!
Description UPC Product (Metric on Product (Metric on Case Pacl	(ID) n (OD) n k	9" double layer 707068013156 24.1 X 25.7 X 13.2 27.9 X 31.6 X 14.6	9" single layer 707068013163 24.1 X 25.7 X 9 27.9 X 31.6 X 10.5	10" double layer 707068013187 26.4 X 28.4 X 12.4 30.8 X 34.0 X 14.0	10" single layer 707068013194 26.8 X 28.4 X 8.6 30.8 X 34 X 10.2	Cake it easy!
Descripti UPC Product (Metric cm Product (Metric cm Case Pacl Case Ship Metric kg	(ID) n (OD) n k p Weight	9" double layer 707068013156 24.1 X 25.7 X 13.2 27.9 X 31.6 X 14.6 50 5.6	9" single layer 707068013163 24.1 X 25.7 X 9 27.9 X 31.6 X 10.5 50 5.1	10" double layer 707068013187 26.4 X 28.4 X 12.4 30.8 X 34.0 X 14.0 50 0.68	10" single layer 707068013194 26.8 X 28.4 X 8.6 30.8 X 34 X 10.2 50	Cake it easy!
Description UPC Product (Metric cm Product (Metric cm Case Pack Case Ship Metric kg TiHi Case (OD) Metric cm	(ID) n (OD) n k p Weight	9" double layer 707068013156 24.1 X 25.7 X 13.2 27.9 X 31.6 X 14.6 50 5.6 8 x 4	9" single layer 707068013163 24.1 X 25.7 X 9 27.9 X 31.6 X 10.5 50 5.1 8 x 4	10" double layer 707068013187 26.4 X 28.4 X 12.4 30.8 X 34.0 X 14.0 50 0.68 8 x 4	10" single layer 707068013194 26.8 X 28.4 X 8.6 30.8 X 34 X 10.2 50 6 8 x 4	Cake it easy!





MADE WITH RECYCLED P



Where Value and Freshness Meet

Enhance product shelf life with perimeter seal technology



Enhanced Clarity

Puts contents center stage and increases impulse consumer purchases



Expansive Selection

From bakery to deli and produce, with single and multiple compartments—you're covered



Intuitive Design

Textured grip allows for easy opening



Efficient Stacking

Efficient and stable stacking allow for eye-catching product displays



ltem	VF8050	VF8060	VF8090	VF8091	VF8092
Description	240Z	36oz	870z	68oz	490z
UPC	707068010063	707068010148	707068010117	707068010100	707068010094
Product (ID) Metric cm	11.7 X 11.7 X 6.2	13.7 X 12.5 X 7.5	20.3 X 17.5 X 8.3	20.3 X 17.5 X 7	20.3 X 17.5 X 4.9
Product (OD) Metric cm	14.1 X 14.3 X 6.5	16 X 15.2 X 7.8	22.7 X 20 X 8.6	22.7 X 20 X 7.3	22.7 X 20 X 5.2
Case Pack	330	330	110	110	110
Case Ship Weight Metric kg	5.9	7.2	5.6	5.3	5
тіні	6 x 5	6 x 5	5 X 10	5 X 10	5 x 10
Case (OD) Metric cm	61.4 X 29.7 X 43.5	61.4 X 31.9 X 48.6	61.4 X 41 X 24.3	61.4 X 41 X 24.3	61.4 X 41 X 24.3
Case Cubic Meters	0.08	0.10	0.06	0.06	0.06
Base / Lid Ratio	65/35	55/45	60/40	50/50	50/50
ltem	VF8100	VF8109	What a looker! Clearly top she		
Description	910z	1X 240Z, 2X 100Z	X. • Y	A SECTION OF THE PROPERTY OF T	
UPC	707068010070	707068010087			
Product (ID) Metric cm	21.4 X 21.4 X 7.3	*Varies			
Product (OD) Metric cm	23.8 X 23.8 X 7.6	23.8 X 23.8 X 7.6			
Case Pack	100	100		WASHING TO A STATE OF THE STATE	
Case Ship Weight Metric kg	6	6.3			
тіні	8 x 5	8 x 5		SA MANA	
Case (OD) Metric cm	48.6 X 28.7 X 48.6	48.6 X 28.7 X 48.6			STATE OF THE PARTY

0.07

50/50


0.07

50/50

Case Cubic Meters

Base / Lid Ratio





Merchandising Made Crystal Clear

Our advanced seal design controls moisture to keep food fresh



Perimeter Seal
Enhances shelf life and
keeps food fresh



Puts food center stage and increases impulse consumer purchases

Enhanced Clarity



Efficient Stacking
Efficient and stable stacking
allows for eye-catching
product displays



Intuitive Design
Textured grip tabs allow
for easy opening



Case Pack

TiHi

Case (OD) Metric cm

Case Ship Weight Metric kg

Case Cubic Meters

Base / Lid Ratio

Product (OD) Metric cm

34.9 X 17.1 X 6.5

132

7.8

5 x 6

61.1 X 35.1 X 36.8

0.08

60/40

ltem	CF6030	CF6035	CF6040	CF6070	CF6080
Description	530z	600z	750z	1010Z	1300Z
UPC	707068010315	707068010322	707068010339	707068010346	707068010353
Product (ID) Metric cm	22.2 X 14.6 X 4.6	21.1 X 11 X 7.6	22.2 X 14.6 X 7	19.5 X 19.4 X 7.9	23.7 X 18.7 X 8.6
Product (OD) Metric cm	24.8 X 17.1 X 5.2	23.7 X 13.5 X 8.3	24.8 X 17.1 X 7.6	21.9 X 22.1 X 8.6	27.6 X 21.4 X 9.2
Case Pack	140	192	132	132	132
Case Ship Weight Metric kg	5.6	6.6	6.1	6.8	8.8
тіні	5 x 9	9 x 5	5 x 9	4 x 10	4 x 8
Case (OD) Metric cm	61.4 X 35.6 X 26.4	46.7 X 28.3 X 49.2	61.4 X 35.6 X 26.4	61.3 X 45.1 X 23.7	61.1 X 43.8 X 29.2
Case Cubic Meters	0.06	0.06	0.06	0.07	0.08
Base / Lid Ratio	55/45	50/50	60/40	60/40	70/30
ltem	CF6090	CF6095			
Description	900z	1010Z			
UPC	707068010360	707068010377		Www.sta	
Product (ID) Metric cm	32.2 X 14.1 X 5.9	32.2 X 14.1 X 6.4			



34.9 X 17.1 X 7

132

7.8


5 x 6

61.1 X 35.1 X 36.8

0.08

50/50





Your Every Event Platters

Superior clarity makes contents stand out for enhanced product visibility



Variety of Options

Available in 4–7 compartments with 40–142 fl. oz capacities



Round or Rectangular

Select the right shape for your application



Enhanced Clarity

All clear material allow Material Recovery Facilities (MRFs) to effectively sort*

*Products may not be recyclable in all areas yet; please check locally



Optimal Merchandising

Options for sturdy stacking or reverse display to maximize the food viewing window



ltem		(A)	(A)	(A)	
	PL042C	PL054C	PL065C	PL096C	PL115C
Description	4x 9oz, 1x 6oz	4x 120z, 1x 6oz	4x 150z, 1x 60z	4x 200z, 1x 160z	4x 25oz, 1x 16oz
UPC	707068005502	707068005519	707068005526	707068005755	707068005748
Product (ID) Metric cm	*Varies	*Varies	*Varies	*Varies	*Varies
Product (OD) Metric cm	26 X 26 X 5.7	26 X 26 X 7	26 X 26 X 8.3	33 X 33 X 7	33 X 33 X 8.3
Case Pack	100	100	100	50	50
Case Ship Weight Metric kg	7.7	7.7	8.8	7.8	8.3
TiHi	8 x 3	8 x 3	8 x 3	4 X 7	4 × 7
Case (OD) Metric cm	53.7 X 27.1 X 60	53.7 X 27.1 X 60	53.8 X 27.1 X 67.6	79.2 X 34.8 X 34.6	79.2 X 34.8 X 34.6
Case Cubic Meters	0.09	0.09	0.10	0.10	0.10
Base / Lid Ratio	2 piece	2 piece	2 piece	2 piece	2 piece

Item	PL142C
Description	4X 300Z, 1X 220Z
UPC	707068005731
Product (ID) Metric cm	*Varies
Product (OD) Metric cm	33 X 33 X 10.2
Case Pack	50
Case Ship Weight Metric kg	8.8
Тіні	4 × 7
Case (OD) Metric cm	84.6 X 34.8 X 34.6
Case Cubic Meters	0.10
Base / Lid Ratio	2 piece



*For more information, please see inlineplastics.com




Item					
	PLQ4oC5	PLQ4oC5F	PLQ50C4	PLQ56C4R	PLQ8oC6R
Description	1x16oz, 4x6oz	1x16oz, 4x6oz	4X12.50Z	1x6oz, 4x12.5oz	1X170Z, 4X12.50Z, 2X70Z
UPC	707068013248	707068013309	707068013231	707068013255	707068013224
Product (ID) Metric cm	*Varies	*Varies	*Varies	*Varies	*Varies
Product (OD) Metric cm	27.9 X 17.8 X 4.1	27.9 X 17.8 X 4.1	27.9 X 17.8 X 5.1	27.9 X 17.8 X 6	35.6 X 27.9 X 4.6
Case Pack	125	125	125	125	60
Case Ship Weight Metric kg	8.5	7.3	7.9	8.1	8.2
тіні	6x4	6x4	6x4	6x4	6x4
Case (OD) Metric cm	46.5 X 37.6 X 58.7				
Case Cubic Meters	0.10	0.10	0.10	0.10	0.10
Base / Lid Ratio	2 piece				

Item		
	PLQ98C4	PLQ116C4R
Description	4X250Z	1x18oz, 4x25oz
UPC	707068013217	707068013200
Product (ID) Metric cm	*Varies	*Varies
Product (OD) Metric cm	35.6 X 27.9 X 4.8	35.6 X 27.9 X 5.9
Case Pack	60	60
Case Ship Weight Metric kg	7.6	7.8
тіні	6x4	6x4
Case (OD) Metric cm	46.5 X 37.6 X 58.7	46.5 X 37.6 X 58.7
Case Cubic Meters	0.10	0.10
Base / Lid Ratio	2 piece	2 piece



rDPET™ reduces Carbon Footprint by 50%*

*Compared to traditional PET sheet





Commonly used materials for the manufacture of clamshell and two piece food containers.


Material Type			
	PET 🖒	ops 🐧	РР 🚖
Material	Polyethylene	Polystyrene	Polypropylene
Clarity	Excellent	Excellent	Good
FDA Compliant to	CFR 21 #177.1630	CFR 21 #177.1640	CFR 21 #177.1520
Specific Gravity (g/cc)	1.33	1.05	0.9
Temperature Range ⁽¹⁾	0°F – 140°F	20°F - 170°F	0°F - 220°F
Barrier Properties			
Water Vapor	Good	Fair	Excellent
Gas	Excellent	Fair	Excellent
Oxygen Transmission Rate (CC/100 in² - 24hr - atm)	5 - 15	350	150 - 220
Chemical Resistance			
Acids	Good	Good	Good
Strong Oxidizing Acids	Excellent	Poor	Excellent
Alkalies	Fair	Excellent	Excellent
Hydrocarbon Solvents	Excellent	Poor	Good to Excellent
Alcohols	Excellent	Excellent	Excellent
Fat, Grease & Oil	Excellent	Good	Good
Sugars, Syrups	Excellent	Excellent	Excellent
Temperature Tolerance			
Blast Freezer	Poor	Poor	Poor
Freezer	Good	Fair	Good
Refrigerated	Excellent	Very Good	Excellent
Heat Lamps	Poor	Good	Excellent
Microwave	Poor	Fair	Good
Oven	Not Recommended	Not Recommended	Not Recommended

⁽¹⁾ Temperature specifications may vary depending on components used to make raw materials.

Disclaimer: We strongly recommend that customers test products under their specific conditions to determine fitness for use. Please feel free to obtain free samples through our website, inlineplastics.com, or contact your Inline Plastics' representative.



How to Measure our Packaging



Standard volumes listed are base + lid volumes combined. These are in fluid ounces.

All IDs are measured at the hinge line.

The IDs for circular compartments (cupcakes, muffins, pies) list bottom diameter, top diameter, and height including lid. Outside Dimensions (OD) are consistent with the diagram, and are listed in order of Length (along hinge) x Width x Height.



Purchase Order Requirements

All purchase orders must be written for a minimum of 500 (combined) cases to one delivery location in order to qualify for prepaid freight. Safe-T-Fresh® items must be ordered in full pallet quantities per item. The minimum item order quantity for all non-Safe-T-Fresh items is one full pallet layer with the exception of CC2R, CC4R, and CCLR which may be ordered by the case. Orders for less than 500 cases will be subject to a \$100 administration fee and the Customer agrees to pay the full freight charge. Inline Plastics reserves the right to select the carrier, routing and rates for shipments less than 500 cases.

Purchase Order Lead Time

Orders for stock items are generally available to ship within 10 business days of Purchase Order confirmation date by Inline Plastics. Confirmation is sent within 24 hours of the receipt of the Purchase Order. Weekends and holidays do not count as business days in lead time calculations. Please contact our Customer Experience team for the lead time on non-stock items.

Purchase Order Policy

Purchase Orders must be in writing and include the following information:

- 1. Inline Plastics item number
- 2. Number of cases ordered
- 3. Price per case
- 4. Purchase Order number
- 5. Requested delivery date
- 6. Delivery address
- 7. Delivery appointment contact information
- 8. Customer's e-mail (and fax number if applicable)

Email the original Purchase Order and any revisions directly to:

orders@inlineplastics.com

To arrange EDI transactions, please call to speak with a representative at 800-826-5567

Purchase Order Match

Prior to submitting an order with Inline, please ensure all Purchase Orders reflect the correct prices. Orders submitted with incorrect prices may result in a delay until the discrepancy is resolved. Inline will attempt to resolve any discrepancies in a timely manner.

Customer Pick-Ups

Customer Pick Up (CPU) is available at Inline Plastics' discretion. Please contact Customer Experience to make any arrangements.

Invoicing

Terms: 1% 10, Net 30 days from date of invoice.

Product Warranty

Inline Plastics warrants that all products are manufactured free of defects in workmanship. Inline makes no warranty of any other kind, expressed or implied.

Shipping Policy

- 1. Orders within the continental U.S. and Canada are shipped prepaid freight with Inline's standard transit lead times for orders meeting the minimum requirements.
- The maximum number of full pallets that can fit in a truckload (53' Trailer) is 30.
- 3. Upon receipt of a shipment any discrepancies regarding shortages and/or damages must be noted on the POD and BOL. For all shortage claims, the claimant must file the claim within nine months of the shipment date.

Return Goods Policy

- 1. No return items will be accepted without prior approval.
- 2. Return freight is the responsibility of the Customer for all returns due to overstock, wrong product ordered or other Customer related issues.
- Items must be returned within six (6) months from shipment and invoicing by Inline.
- 4. All items being returned must be in good condition, in original unopened cartons, without any damage to the product; otherwise it will be refused for credit.
- 5. Once a product return has been approved, Customer is issued a Return Authorization Number (RA Number), and advised of the amount of the credit that may be issued by Inline upon receipt of RESALEABLE* product pending QA inspection.
- **6.** The amount of credit issued by Inline will be the price paid by the Customer less the following:
 - a) A 20% restocking fee
 - b) The freight cost incurred by Inline to ship the product from the Customer's warehouse back to the originating plant
 - c) Any product rejected during QA inspection
- 7. Embossed or special order items may not be returned.
- **8.** All requests for Return Authorization should be directed to Customer Experience, 800-826-5567 or orders@inlineplastics.com.

*Resaleable product must pass Inline Plastics' Quality Assurance inspection.

Customer Experience 800-826-5567





Item	Page	Item	Page	Item	Page
C5512XD	14	C9624D	14	C5532DV	15
C5524D	14	C9635D	14	C7R20DV	15
C5532D	14	C5512XDV	15	C9624DV	15
C7R20D	14	C5524DV	15	C9635DV	15



CC2R 39 TS20MV 49 TS48PW 3 CC4R 39 TS20V 47 TS48RDP 4 CCLR 39 TS24 22 TS48RN 4 FMT2LRT 25 TS24MV 49 TS48V 44 FMT2LRT 25 TS24PW 34 TS52R3N 4 FMT3LRT 25 TS24PWF 34 TS5X5 2 FMT3MRT 25 TS24PWF 34 TS5X5 3 FS112 24 TS24RN 43 TS5X5ST 2 FS112 24 TS24RN 49 TS5X5ST 3 FS112 19 TS30 22 TS64 2 FS12C 38 TS3004 29 TS64L 2 FS12CCQ 38 TS3004 29 TS64L 2 FS12CCR 38 TS3006 29 TS64L 2 FS12CCR 38 TS3006 29 TS64LV 47 FS12CCRD 38 TS3006 29 TS64LV 47 FS12CCRD 38 TS3008 29 TS64LV 47 FS12CCRD 38 TS300F 29 TS64LV 47 FS12CCRD 50 TS32 22 TS64RN 44 FS12CCRD 50 TS32PW 34 TS6T 22 FS12FRN 42 TS32PWF 35 TS8 1 FS12RN 42 TS32PWF 35 TS8 1 FS12RN 49 TS32RN 43 TS8CCR 3 FS16C 19 TS35 23 TS8CCRD 5 FS16C 2 2 TS35V 47 TS8CCRD 5 FS16CC 38 TS4008 30 TS8PW 35 FS16CCRD 38 TS4008 30 TS8PW 35 FS16CCRD 38 TS4008 41 TS8RN 44 FS16CCRDV 50 TS4012 30 TS8T 22 FS16FW 33 TS4016 30 TSSB1R 33 FS16FWS 34 TS4016DB 30 TSSB1R 33 FS16FWS 34 TS4016DB 30 TSSB3R 33 FS16FWS 34 TS4016DB 30 TSSB3R 33 FS17VT 48 TS4024R 41 TSSB4C 33 FS17VT 48 TS4024R 41 TSSB4C 35 FS18RN 43 TS4025R 41 TSSWR 25	Item	Page	Item	Page	Item	Pag
CC4R 39 TS20V 47 TS48RDP 4 CCLR 39 TS24 22 TS48RN 4 FMT2LRT 25 TS24MV 49 TS48V 4 FMT2MRT 25 TS24PW 34 TS5X5 2 FMT3LRT 25 TS24PWXF 34 TS5X5 2 FMT3MRT 25 TS24PWXF 34 TS5X5 2 FS1112 24 TS24RN 43 TS5X5ST 2 FS112V 47 TS24RNV 49 TS5X5ST 3 FS112CRJT 37 TS24V 47 TS6 1 FS12 19 TS30 22 TS64 2 FS12CQ 38 TS3002 29 TS64D 2 FS12CCQ 38 TS3006 29 TS64LV 4 FS12CCRD 38 TS3008 29 TS64RN 4 FS12CCRD 38 TS3008 29	CC2Q	39	TS202V	48	TS48	2
CCLR 39 TS24 22 TS48RN 4 FMT2LRT 25 TS24MV 49 TS48V 4 FMT2LRT 25 TS24PW 34 TS52R3N 4 FMT3LRT 25 TS24PWF 34 TS5X5 2 FMT3MRT 25 TS24PWKF 34 TS5X5 3 FMT3MRT 25 TS24PWXF 34 TS5X5 FMT3MRT 25 TS24RNV 49 TS5X5ST 22 FMT3MRT 37 TS24V 47 TS6 11 FMT3LCCRJT 37 TS24V 47 TS6 12 FMT3LCCRJT 37 TS24V 47 TS6 12 FMT3LCCRJT 37 TS300 22 TS64 FMT3LCCRJT 38 TS3004 29 TS64L 22 FMT3LCCRQ 38 TS3004 29 TS64L 22 FMT3LCCRQ 38 TS3006 29 TS64LV 44 FMT3LCCRQ 38 TS3008 29 TS64PW 38 FMT3LCCRQ 38 TS3008 29 TS64PW 38 FMT3LCCRQ 38 TS32PW 34 TS6T 22 FMT3LCCRQ 38 TS32PW 34 TS6T 22 FMT3LCCRQ 38 TS32PW 35 TS8 11 FMT3LCCRQ 38 TS32PWF 35 TS8 11 FMT3LRN 42 TS32PWF 35 TS80RN 44 FMT3LRN 42 TS32PWKF 35 TS80RN 44 FMT3LRN 49 TS32RN 43 TS8CCR 33 FMT3LRN 49 TS32RN 43 TS8CCR 33 FMT3LRN 49 TS32RN 43 TS8CCR 33 FMT3LCCRQ 38 TS4008 30 TS8CCRQV 55 FMT3LCCRQ 38 TS4008 41 TS8RN 44 FMT3LCCRQ 30 TS8T 22 FMT3LCCRQ 30 TS8T 22 FMT3LCCRQ 30 TS8T 22 FMT3LCCRQ 30 TS8B1R 33 FMT3LCCRQ 30 TS8B3R 33 FMT3LCCRQ 30 TS8B4R 33 FMT3LCCRQ 30 TS8B4R 33 FMT3LCCRQ 30 TS8B4R 33 FMT3LCCRQ 30 TSSB4R	CC2R	39	TS20MV	49	TS48PW	3
FMT2LRT 25 TS24MV 49 TS48V 49 FMT2MRT 25 TS24PW 34 TS52R3N 4 FMT3LRT 25 TS24PWF 34 TS5X5 2 FMT3MRT 25 TS24PWF 34 TS5X5 3 FS112 24 TS24RN 43 TS5X5ST 2 FS112V 47 TS24RNV 49 TS5X5ST 3 FS112V 47 TS24RNV 49 TS5X5ST 3 FS112V 47 TS300 22 TS64 2 FS12CQ 38 TS3004 29 TS64L 2 FS12CCQ 38 TS3004 29 TS64L 2 FS12CCR 38 TS3006 29 TS64LV 4 FS12CCR 38 TS3008 29 TS64LV 4 FS12CCRD 38 TS3008 29 TS64LV 4 FS12CCRD 38 TS3008 29 TS64RN 4 FS12CCRD 50 TS32 22 TS64RN 4 FS12CCRV 50 TS32 22 TS64RN 4 FS12CCRV 50 TS32PW 34 TS6T 22 FS12RN 42 TS32PWXF 35 TS8 1 FS12RN 42 TS32PWXF 35 TS8 1 FS12RN 49 TS32RN 43 TS8CCR 3 FS16C 2 22 TS35V 47 TS8CCRD 3 FS16C 38 TS4008 30 TS8PW 3 FS16CCRD 38 TS4008 30 TSSB1R 3 FS16CCRD 38 TS4012 30 TSST 22 FS16CCRD 38 TS4012 30 TSST 22 FS16CCRD 37 TS4012 30 TSST 22 FS16CCRD 37 TS4012 30 TSSB1R 3 FS16CRD 37 TS4012 30 TSSB3R 3 FS1	CC4R	39	TS20V	47	TS48RDP	4
FMT2MRT 25 TS24PW 34 TS52R3N 4 FMT3LRT 25 TS24PWF 34 TS5X5 22 FMT3MRT 25 TS24PWF 34 TS5X5 23 FS112 24 TS24RN 43 TS5X5ST 2 FS112V 47 TS24RNV 49 TS5X5ST 3 FS112CCRJT 37 TS24V 47 TS6 1 FS12 19 TS30 22 TS64 2 FS12CCQ 38 TS3004 29 TS64L 2 FS12CCQ 38 TS3004 29 TS64L 2 FS12CCR 38 TS3006 29 TS64LV 4 FS12CCR 38 TS3008 29 TS64LV 4 FS12CCRD 38 TS3008 29 TS64PW 3 FS12CCRD 50 TS32 22 TS64RN 4 FS12CCRD 50 TS32 22 TS64RN 4 FS12CRN 50 TS32PW 34 TS6T 22 FS12PW 33 TS32PWF 35 TS8 1 FS12RN 42 TS32PWXF 35 TS80RN 4 FS12RN 49 TS32RN 43 TS8CCR 3 FS16C 2 22 TS35V 47 TS8CCRD 3 FS16C 38 TS4008 30 TS8PW 3 FS16CCRD 42 TS4012 30 TS8T 22 FS16CCRD 42 TS4012 30 TS8T 22 FS16CRN 42 TS4016R 41 TSSB32 3 FS16FOWS 34 TS4016B 30 TSSB1R 3 FS16FOWS 34 TS4016R 41 TSSB32 3 FS16FOWS 34 TS4024R 41 TSSB4C 3 FS17VT 48 TS4024R 41 TSSWR 2 FS18RN 43 TS4025R 41 TSSWR 2 FS18RN 43 TS4025R 41 TSSWR 3 FS18RN 43 TS4025R 41 TSSWR 3	CCLR	39	TS24	22	TS48RN	4
FMT3LRT 25 TS24PWF 34 TS5X5 2 FMT3MRT 25 TS24PWXF 34 TS5X5 3 FS112 24 TS24RN 43 TS5X5ST 2 FS112V 47 TS24RNV 49 TS5X5ST 3 FS112V 47 TS24RNV 49 TS5X5ST 3 FS11CCRJT 37 TS24V 47 TS6 1 FS12 19 TS30 22 TS64 2 FS128V 47 TS3002 29 TS64L 2 FS12CCQ 38 TS3004 29 TS64LV 4 FS12CCR 38 TS3006 29 TS64LV 4 FS12CCR 38 TS3008 29 TS64LV 4 FS12CCR 38 TS3008 29 TS64PW 3 FS12CCRD 50 TS32 22 TS64RN 4 FS12CCRD 50 TS32 PW 34 TS6T 2 FS12CRN 42 TS32PWXF 35 TS8 1 FS12RN 42 TS32PWXF 35 TS8 1 FS12RN 42 TS32PWXF 35 TS80RN 4 FS12RN 49 TS32RN 43 TS8CCR 3 FS16C 2 22 TS35V 47 TS8CCRD 5 FS16C 38 TS4008 30 TS8PW 3 FS16CCRD 38 TS4008 41 TS8RN 4 FS16CCRD 50 TS4012 30 TS8T 22 FS16CCRD 50 TS4012 30 TSSB1R 3 FS16CCRD 50 TS4012 30 TSSB1R 3 FS16FWS 34 TS4016R 41 TSSB2 3 FS16FWS 34 TS4016R 41 TSSB32 3 FS16FWS 34 TS4016R 41 TSSB32 3 FS17VT 48 TS4024R 41 TSSB4C 3 FS17VT 48 TS4024R 41 TSSWR 2 FS18RN 43 TS4025R 41 TSSWR 2	FMT2LRT	25	TS24MV	49	TS48V	4
FMT3MRT 25 TS24PWXF 34 TS5X5 3 FS112 24 TS24RN 43 TS5X5ST 2 FS112V 47 TS24RNV 49 TS5X5ST 2 FS112V 47 TS24RNV 49 TS5X5ST 3 FS11CCRJT 37 TS24V 47 TS6 1 FS12 19 TS30 22 TS64 2 FS12RV 47 TS3002 29 TS64D 2 FS12CCQ 38 TS3004 29 TS64LV 4 FS12CCR 38 TS3006 29 TS64LV 4 FS12CCR 38 TS3008 29 TS64PW 3 FS12CCRD 38 TS3008 29 TS64PW 3 FS12CCRD 50 TS32 22 TS64RN 4 FS12CCRV 50 TS32PW 34 TS6T 22 FS12RN 42 TS32PWF 35 TS8 1 FS12RN 42 TS32PWXF 35 TS8CRN 4 FS12RN 49 TS32RN 43 TS8CCR 3 FS16C 2 2 TS35V 47 TS8CCRD 5 FS16CCR 38 TS4008 30 TS8PW 3 FS16CCRD 50 TS4012 30 TS8T 22 FS16CCRD 50 TS4012 30 TS8T 22 FS16CRN 34 TS4016 30 TSSB1R 3 FS16FWS 34 TS4016 30 TSSB1R 3 FS16FWS 34 TS4016R 41 TSSB32 3 FS17VT 48 TS4024R 41 TSSB4C 3 FS17VT 48 TS4024R 41 TSSWR 3 FS18RN 43 TS4025R 41 TSSWR 3 FS18RN 43 TS4025R 41 TSSWR 3	FMT2MRT	25	TS24PW	34	TS ₅ 2R ₃ N	4
IS112 24 TS24RN 43 TS5X5ST 2 IS112V 47 TS24RNV 49 TS5X5ST 3 IS11CCRJT 37 TS24V 47 TS6 1 IS12 19 TS30 22 TS64 2 IS12BW 47 TS3002 29 TS64D 2 IS12CCQ 38 TS3004 29 TS64L 2 IS12CCR 38 TS3006 29 TS64LV 4 IS12CCRD 38 TS3008 29 TS64PW 3 IS12CCRDV 50 TS32 22 TS64RN 4 IS12CCRV 50 TS32PW 34 TS6T 2 IS12PW 33 TS32PWF 35 TS8 1 IS12RN 42 TS32PWF 35 TS80RN 4 IS12T 20 TS32V 47 TS8CCRD 3 IS16C 22 TS35V 47	FMT3LRT	25	TS24PWF	34	TS ₅ X ₅	2
FS112V 47 TS24RNV 49 TS5X5ST 3 FS11CCRJT 37 TS24V 47 TS6 1 FS12 19 TS30 22 TS64 2 FS12RV 47 TS3002 29 TS64D 2 FS12CCQ 38 TS3004 29 TS64LV 4 FS12CCRD 38 TS3006 29 TS64LV 4 FS12CCRD 38 TS3008 29 TS64PW 3 FS12CCRD 38 TS3008 29 TS64PW 3 FS12CCRDV 50 TS32 22 TS64PW 3 FS12CCRDV 50 TS32PW 34 TS6T 2 FS12PW 33 TS32PWF 35 TS80RN 4 FS12RN 42 TS32PWF 35 TS80RN 4 FS12RNV 49 TS32RN 43 TS8CCRD 3 FS16C2 22 TS35V <td< td=""><td>FMT3MRT</td><td>25</td><td>TS24PWXF</td><td>34</td><td>TS5X5</td><td>3</td></td<>	FMT3MRT	25	TS24PWXF	34	TS5X5	3
FS11CCRJT 37 TS24V 47 TS6 1 FS12 19 TS30 22 TS64 2 FS128V 47 TS3002 29 TS64D 2 FS12CCQ 38 TS3004 29 TS64L 2 FS12CCR 38 TS3006 29 TS64LV 4 FS12CCRD 38 TS3008 29 TS64PW 3 FS12CCRD 38 TS3008 29 TS64PW 3 FS12CCRD 50 TS32 22 TS64PW 3 FS12CCRV 50 TS32PW 34 TS6T 2 FS12CRV 50 TS32PW 35 TS8 1 FS12RN 42 TS32PWF 35 TS80RN 4 FS12RN 43 TS8CCR 3 TS8CCRD 3 FS16C 19 TS35 23 TS8CCRD 5 FS16CC 22 TS35V 47	ΓS112	24	TS24RN	43	TS5X5ST	2
IS12 19 TS30 22 TS64 2 IS128V 47 TS3002 29 TS64D 2 IS12CCQ 38 TS3004 29 TS64L 2 IS12CCR 38 TS3006 29 TS64LV 4 IS12CCRD 38 TS3008 29 TS64PW 3 IS12CCRDV 50 TS32 22 TS64RN 4 IS12CCRV 50 TS32PW 34 TS6T 2 IS12PW 33 TS32PWF 35 TS8 1 IS12RN 42 TS32PWXF 35 TS80RN 4 IS12RNV 49 TS32RN 43 TS8CCRD 3 IS12T 20 TS32V 47 TS8CCRD 3 IS16C2 22 TS35V 47 TS8CCRV 5 IS16C2 22 TS35V 47 TS8CCRV 5 IS16CCRD 38 TS4008 30 TS8H 2 IS16CCRDV 50 TS4012 30 TS	ΓS112V	47	TS24RNV	49	TS5X5ST	3
IS128V 47 TS3002 29 TS64D 2 IS12CCQ 38 TS3004 29 TS64L 2 IS12CCR 38 TS3006 29 TS64LV 4 IS12CCRD 38 TS3008 29 TS64LV 4 IS12CCRD 38 TS3008 29 TS64PW 3 IS12CCRDV 50 TS32 22 TS64RN 4 IS12CCRV 50 TS32PW 34 TS6T 2 IS12PW 33 TS32PWF 35 TS80RN 4 IS12RN 42 TS32PWXF 35 TS80RN 4 IS12RNV 49 TS32RN 43 TS8CCR 3 IS16C 19 TS35 23 TS8CCRD 3 IS16C 22 TS35V 47 TS8CCRV 5 IS16CCR 38 TS4008 30 TS8PW 3 IS16CCRD 38 TS4012 30 TS8T 2 IS16CCRV 50 TS4012 30	TS11CCRJT	37	TS24V	47	TS6	1
IS12CCQ 38 TS3004 29 TS64L 2 IS12CCR 38 TS3006 29 TS64LV 4 IS12CCRD 38 TS3008 29 TS64PW 3 IS12CCRDV 50 TS32 22 TS64RN 4 IS12CCRV 50 TS32PW 34 TS6T 2 IS12PW 33 TS32PWF 35 TS80RN 4 IS12RN 42 TS32PWXF 35 TS80RN 4 IS12RNV 49 TS32RN 43 TS8CCR 3 IS16 19 TS35 23 TS8CCRD 3 IS16C2 22 TS35V 47 TS8CCRV 5 IS16CCR 38 TS4008 30 TS8PW 3 IS16CCRD 38 TS4012 30 TS8T 2 IS16CRDV 50 TS4012 30 TS8B1R 3 IS16PWS 34 TS4016 <	ΓS12	19	TS30	22	TS64	2
IS12CCR 38 TS3006 29 TS64LV 4 IS12CCRD 38 TS3008 29 TS64PW 3 IS12CCRDV 50 TS32 22 TS64RN 4 IS12CCRV 50 TS32PW 34 TS6T 2 IS12PW 33 TS32PWF 35 TS8 N 1 IS12RN 42 TS32PWXF 35 TS80RN 4 IS12RNV 49 TS32RN 43 TS8CCR 3 IS12T 20 TS32V 47 TS8CCRD 3 IS16C 19 TS35 23 TS8CCRDV 5 IS16C2 22 TS35V 47 TS8CCRV 5 IS16CCR 38 TS4008 30 TS8PW 3 IS16CCRD 38 TS4012 30 TS8T 2 IS16CCRDV 50 TS4012 41 TS90PJ 2 IS16PW 33 TS4016 <	ΓS128V	47	T\$3002	29	TS64D	2
IS12CCRD 38 TS3008 29 TS64PW 3 IS12CCRDV 50 TS32 22 TS64RN 4 IS12CCRV 50 TS32PW 34 TS6T 2 IS12PW 33 TS32PWF 35 TS8 N 1 IS12RN 42 TS32PWXF 35 TS80RN 4 IS12RNV 49 TS32RN 43 TS8CCR 3 IS12T 20 TS32V 47 TS8CCRD 3 IS16C 19 TS35 23 TS8CCRD 5 IS16C2 22 TS35V 47 TS8CCRV 5 IS16CCR 38 TS4008 30 TS8PW 3 IS16CCRD 38 TS4008 41 TS8RN 4 IS16CCRDV 50 TS4012 30 TS8T 2 IS16CCRV 50 TS4012R 41 TS90PJ 2 IS16PW 33 TS4016B	S12CCQ	38	TS3004	29	TS64L	2
TS12CCRDV 50 TS32 22 TS64RN 4 TS12CCRV 50 TS32PW 34 TS6T 2 TS12PW 33 TS32PWF 35 TS8 1 TS12RN 42 TS32PWXF 35 TS80RN 4 TS12RNV 49 TS32RN 43 TS8CCRD 3 TS12T 20 TS32V 47 TS8CCRD 3 TS16 19 TS35 23 TS8CCRDV 5 TS16C2 22 TS35V 47 TS8CCRV 5 TS16CCR 38 TS4008 30 TS8PW 3 TS16CCRD 38 TS4008 41 TS8RN 4 TS16CCRDV 50 TS4012 30 TS8T 2 TS16CCRV 50 TS4012R 41 TS90PJ 2 TS16PW 33 TS4016 30 TSSB1R 3 TS16PWS 34 TS4016DB <	S12CCR	38	TS3006	29	TS64LV	4
TS12CCRV 50 TS32PW 34 TS6T 2 TS12PW 33 TS32PWF 35 TS8 1 TS12RN 42 TS32PWXF 35 TS8CRN 4 TS12RNV 49 TS32RN 43 TS8CCR 3 TS12T 20 TS32V 47 TS8CCRD 3 TS16 19 TS35 23 TS8CCRDV 5 TS16C2 22 TS35V 47 TS8CCRV 5 TS16CCR 38 TS4008 30 TS8PW 3 TS16CCRD 38 TS4008 41 TS8RN 4 TS16CCRD 38 TS4008 41 TS8RN 4 TS16CCRD 50 TS4012 30 TS8T 2 TS16CCRV 50 TS4012 30 TS8T 2 TS16CCRV 50 TS4012R 41 TS90PJ 2 TS16PW 33 TS4016 30 TSSB1R 3 TS16PW 34 TS4016DB 30 TSSB1R 3 TS16PWS 34 TS4016DB 30 TSSB24I 3 TS16PWS 34 TS4016R 41 TSSB32 3 TS16T 20 TS4024DB 30 TSSB3R 3 TS17VT 20 TS4024DB 30 TSSB48 3 TS17VT 48 TS4024R 41 TSSWR 2 TS18RN 43 TS4025R 41 TSSWR 2	S12CCRD	38	TS3008	29	TS64PW	3
TS12PW 33 TS32PWF 35 TS8 1 TS12RN 42 TS32PWXF 35 TS80RN 44 TS12RNV 49 TS32RN 43 TS8CCR 3 TS12T 20 TS32V 47 TS8CCRD 3 TS16C 19 TS35 23 TS8CCRDV 5 TS16C2 22 TS35V 47 TS8CCRV 5 TS16CCR 38 TS4008 30 TS8PW 33 TS16CCRD 38 TS4008R 41 TS8RN 44 TS16CCRDV 50 TS4012 30 TS8T 22 TS16CCRV 50 TS4012R 41 TS90PJ 22 TS16PW 33 TS4016 30 TSSB1R 33 TS16PWS 34 TS4016DB 30 TSSB1R 33 TS16PWS 34 TS4016DB 30 TSSB1R 33 TS16PWS 34 TS4016R 41 TSSB32 33 TS16T 20 TS4024 30 TSSB3R 33 TS17VT 20 TS4024DB 30 TSSB48 33 TS17VT 48 TS4024R 41 TSSB4C 33 TS18RN 43 TS4025R 41 TSSWR 25 TS1SW 26 TS4025RN 41 TSSWR 25	S12CCRDV	50	TS32	22	TS64RN	4
TS12RN 42 TS32PWXF 35 TS80RN 44 TS32RN 43 TS8CCR 37 TS80RN 49 TS32RN 43 TS8CCR 37 TS8CCRD 47 TS8CCRD 57 TS8CCRD 57 TS8CCRD 57 TS8CCRD 57 TS8CCRD 57 TS8CCRD 57 TS8CCRD 38 TS4008 30 TS8PW 38 TS4008 41 TS8RN 44 TS8RN 44 TS8CCRD 59 TS4012 30 TS8T 22 TS8CCRD 59 TS4012 30 TS8T 22 TS8CCRD 59 TS4012 30 TS8T 22 TS8CCRD 38 TS4016 30 TS8B1R 38 TS4016 30 TSSB1R 38 TS4016 30 TSSB24I 38 TS16RN 42 TS4016R 41 TSSB32 38 TS16RN 42 TS4014R 41 TSSB32 38 TS17VT 48 TS4024R 41 TSSB4C 38 TS17VT 48 TS4024R 41 TSSB4C 38 TS17VT 48 TS4025R 41 TSSWR 28 TS15W 26 TS4025RN 41 TSSWR 38 TSSWR 38 TS4025RN 41 TSSWR 38 TSSWR 38 TSSWR 38 TSSWR 38 TS4025RN 41 TSSWR 38 TSSWR 3	S12CCRV	50	TS32PW	34	TS6T	2
SS12RNV 49 TS32RN 43 TS8CCR 3 SS12T 20 TS32V 47 TS8CCRD 3 SS16 19 TS35 23 TS8CCRDV 5 SS16C2 22 TS35V 47 TS8CCRV 5 SS16CCR 38 TS4008 30 TS8PW 3 SS16CCRD 38 TS4008R 41 TS8RN 4 SS16CCRDV 50 TS4012 30 TS8T 2 SS16CCRV 50 TS4012R 41 TS90PJ 2 SS16PW 33 TS4016 30 TSSB1R 3 SS16PWS 34 TS4016DB 30 TSSB24I 3 SS16RN 42 TS4016R 41 TSSB32 3 SS16T 20 TS4024 30 TSSB3R 3 SS17VT 20 TS4024DB 30 TSSB48 3 SS17VT 48 TS4024R 41 TSSW4 2 SS18RN 43 TS4025RN 41	S12PW	33	TS32PWF	35	TS8	1
IS12T 20 TS32V 47 TS8CCRD 3 IS16 19 TS35 23 TS8CCRDV 5 IS16C2 22 TS35V 47 TS8CCRV 5 IS16CCR 38 TS4008 30 TS8PW 3 IS16CCRD 38 TS4008R 41 TS8RN 4 IS16CCRDV 50 TS4012 30 TS8T 2 IS16CCRV 50 TS4012R 41 TS90PJ 2 IS16PW 33 TS4016 30 TSSB1R 3 IS16PWS 34 TS4016DB 30 TSSB24I 3 IS16RN 42 TS4016R 41 TSSB32 3 IS16T 20 TS4024 30 TSSB3R 3 IS17VT 20 TS4024DB 30 TSSB48 3 IS18RN 43 TS4025R 41 TSSWR 2 IS18RN 43 TS4025RN 41 TSSWR 3	S12RN	42	TS32PWXF	35	TS80RN	4
IS16 19 TS35 23 TS8CCRDV 5 IS16C2 22 TS35V 47 TS8CCRV 5 IS16CCR 38 TS4008 30 TS8PW 3 IS16CCRD 38 TS4008R 41 TS8RN 4 IS16CCRDV 50 TS4012 30 TS8T 2 IS16CCRV 50 TS4012R 41 TS90PJ 2 IS16PW 33 TS4016 30 TSSB1R 3 IS16PWS 34 TS4016DB 30 TSSB24I 3 IS16RN 42 TS4016R 41 TSSB32 3 IS16T 20 TS4024 30 TSSB3R 3 IS17VT 20 TS4024DB 30 TSSB48 3 IS18RN 43 TS4025R 41 TSSWR 2 IS18W 26 TS4025RN 41 TSSWR 3	S12RNV	49	TS32RN	43	TS8CCR	3
TS16C2 22 TS35V 47 TS8CCRV 5 TS16CCR 38 TS4008 30 TS8PW 3 TS16CCRD 38 TS4008R 41 TS8RN 4 TS16CCRDV 50 TS4012 30 TS8T 2 TS16CCRV 50 TS4012R 41 TS90PJ 2 TS16PW 33 TS4016 30 TSSB1R 3 TS16PWS 34 TS4016DB 30 TSSB24I 3 TS16RN 42 TS4016R 41 TSSB32 3 TS16T 20 TS4024 30 TSSB3R 3 TS17VT 20 TS4024DB 30 TSSB48 3 TS17VT 48 TS4024R 41 TSSB4C 3 TS18RN 43 TS4025R 41 TSSWR 2 TS1SW 26 TS4025RN 41 TSSWR 3	S12T	20	TS32V	47	TS8CCRD	3
IS16CCR 38 TS4008 30 TS8PW 3 IS16CCRD 38 TS4008R 41 TS8RN 4 IS16CCRDV 50 TS4012 30 TS8T 2 IS16CCRV 50 TS4012R 41 TS90PJ 2 IS16PW 33 TS4016 30 TSSB1R 3 IS16PWS 34 TS4016DB 30 TSSB24I 3 IS16RN 42 TS4016R 41 TSSB32 3 IS16T 20 TS4024 30 TSSB3R 3 IS17VT 20 TS4024DB 30 TSSB48 3 IS17VT 48 TS4024R 41 TSSB4C 3 IS18RN 43 TS4025R 41 TSSWR 2 IS1SW 26 TS4025RN 41 TSSWR 3	ΓS16	19	TS35	23	TS8CCRDV	5
TS16CCRD 38 TS4008R 41 TS8RN 4 TS16CCRDV 50 TS4012 30 TS8T 2 TS16CCRV 50 TS4012R 41 TS90PJ 2 TS16PW 33 TS4016 30 TSSB1R 3 TS16PWS 34 TS4016DB 30 TSSB24I 3 TS16RN 42 TS4016R 41 TSSB32 3 TS16T 20 TS4024 30 TSSB3R 3 TS17VT 20 TS4024DB 30 TSSB48 3 TS17VT 48 TS4024R 41 TSSB4C 3 TS18RN 43 TS4025R 41 TSSWR 2 TS1SW 26 TS4025RN 41 TSSWR 3	S16C2	22	TS35V	47	TS8CCRV	5
TS16CCRDV 50	S16CCR	38	T\$4008	30	TS8PW	3
TS16CCRV 50 TS4012R 41 TS90PJ 2 TS16PW 33 TS4016 30 TSSB1R 3 TS16PWS 34 TS4016DB 30 TSSB24I 3 TS16RN 42 TS4016R 41 TSSB32 3 TS16T 20 TS4024 30 TSSB3R 3 TS17VT 20 TS4024DB 30 TSSB48 3 TS17VT 48 TS4024R 41 TSSB4C 3 TS18RN 43 TS4025R 41 TSSWR 2 TS1SW 26 TS4025RN 41 TSSWR 3	S16CCRD	38	T\$4008R	41	TS8RN	4
TS16PW 33	S16CCRDV	50	TS4012	30	TS8T	2
TS16PWS 34 TS4016DB 30 TSSB24I 3 TS16RN 42 TS4016R 41 TSSB32 3 TS16T 20 TS4024 30 TSSB3R 3 TS17VT 20 TS4024DB 30 TSSB48 3 TS17VT 48 TS4024R 41 TSSB4C 3 TS18RN 43 TS4025R 41 TSSWR 2 TS1SW 26 TS4025RN 41 TSSWR 3	S16CCRV	50	TS4012R	41	TS90PJ	2
TS16RN 42 TS4016R 41 TSSB32 3 TS16T 20 TS4024 30 TSSB3R 3 TS17VT 20 TS4024DB 30 TSSB48 3 TS17VT 48 TS4024R 41 TSSB4C 3 TS18RN 43 TS4025R 41 TSSWR 2 TS1SW 26 TS4025RN 41 TSSWR 3	S16PW	33	T\$4016	30	TSSB1R	3
TS16T 20 TS4024 30 TSSB3R 3 TS17VT 20 TS4024DB 30 TSSB48 3 TS17VT 48 TS4024R 41 TSSB4C 3 TS18RN 43 TS4025R 41 TSSWR 2 TS1SW 26 TS4025RN 41 TSSWR 3	S16PWS	34	T\$4016DB	30	TSSB24I	3
S17VT 20 TS4024DB 30 TSSB48 3 S17VT 48 TS4024R 41 TSSB4C 3 S18RN 43 TS4025R 41 TSSWR 2 S1SW 26 TS4025RN 41 TSSWR 3	S16RN	42	TS4016R	41	TSSB32	3
S17VT 48 TS4024R 41 TSSB4C 3 S18RN 43 TS4025R 41 TSSWR 2 S1SW 26 TS4025RN 41 TSSWR 3	S16T	20	TS4024	30	TSSB ₃ R	3
TS18RN 43 TS4025R 41 TSSWR 2 TS1SW 26 TS4025RN 41 TSSWR 3	S17VT	20	T\$4024DB	30	TSSB48	3
S1SW 26 TS4025RN 41 TSSWR 3	S17VT	48	T\$4024R	41	TSSB4C	3
	S18RN	43	T\$4025R	41	TSSWR	2
TS1SWV 48 TS4032 30 TSSWRV 4	rs1SW		T\$4025RN	41	TSSWR	3
	ΓS1SWV	48		-	TSSWRV	_

TS4032DB

TS4032R

30


TS20

TS202

26

Essentials

Item	Page	Item	Page	Item	Page
1007CL	77	SLP15B	57	SLP44SA	71
1007SCL	77	SLP16CS	68	SLP45	71
1008CL	77	SLP16FS	68	SLP46	71
1008SCL	77	SLP170D	61	SLP510	63
1009CL	77	SLP174	57	SLP5120	60
1009SCL	77	SLP17D	57	SLP5120CS	68
1010CL	77	SLP17XD	57	SLP5125	60
1010SCL	77	SLP18	58	SLP52	71
605PET	77	SLP18D	58	SLP54P	71
CF6030	81	SLP19	58	SLP54SP	72
CF6035	81	SLP20	62	SLP55	63
CF6040	81	SLP206A	69	SLP56	72
CF6070	81	SLP208	65	SLP57	60
CF6080	81	SLP209	65	SLP58	60
CF6090	81	SLP20D	62	SLP65	60
CF6095	81	SLP210	65	SLP663	69
PL042C	83	SLP212	71	SLP67	60
PL054C	83	SLP218	65	SLP69	63
PLO65C	83	SLP227	65	SLP70	63
PL096C	83	SLP23	62	SLP70W	63
PL115C	83	SLP236	66	SLP72D	72
PL142C	83	SLP25	62	SLP74	72
PLQ116C4R	84	SLP26	58	SLP75	60
PLQ40C5	84	SLP27	58	SLP75D	60
PLQ4oC5F	84	SLP270DFS	68	SLP77	61
PLQ50C4	84	SLP28	69	SLP80	61
PLQ56C4R	84	SLP28oFS	68	SLP82	61
PLQ8oC6R	84	SLP281FS	68	SLP88	61
PLQ98C4	84	SLP29	58	SLP88S	61
SC18S	55	SLP30	58	SLP90	61
SC20XD	55	SLP309	66	SLP95	61
SC210	55	SLP3oC	58	SLP99	61
SC35	55	SLP30S	58	VF8050	79
SC35C2	55	SLP30XS	58	VF8060	79
SC5110S	55	SLP32	59	VF8090	79
SC5130FS	55	SLP3315	68	VF8091	79
SLP017	69	SLP3315CS	68	VF8092	79
SLP10	62	SLP34	71	VF8100	79
SLP104S	57	SLP34DCS	68	VF8109	79
SLP106	64	SLP34DFC	68	VPP727A	7 5
SLP108	64	SLP34S	71	VPP730	7 5
SLP109	64	SLP35	59	VPP737A	75
SLP110	64	SLP36	71	VPP746	75
SLP112A	69	SLP38	59	VPP747A	75
SLP116	65	SLP38D	59	VPP756	75
SLP118	65	SLP40	59	VPP757A	75
SLP119	65	SLP40S	59	VPP781	75
SLP120	65	SLP40XS	59		
SLP14	69	SLP44A	71		



All products are manufactured in the USA





Connecticut

Corporate Headquarters and Shelton Manufacturing

42 Canal Street East Shelton, CT 06484, USA

Georgia

Conyers Manufacturing

2490 Dogwood Drive Building 300 Conyers, GA 30013, USA

McDonough Manufacturing

100 Constitution Drive McDonough, GA 30253, USA

Michigan

Gladwin Manufacturing

705 Weaver Court Gladwin, MI 48624, USA

Utah

Salt Lake City Manufacturing

1927 South 4650 West Salt Lake City, UT 84104, USA

Contact Information

Phone 800-826-5567 x 7046 **Fax** 203-924-0370 **Email** info@inlineplastics.com

inlineplastics.com













