

Product Catalog



Simple.
Safe. Secure.
Sustainable.









Trusted since 1968



Creator

of the tamper evident & tamper resistant thermoformed market!



US manufacturing plants

Devoted single family owned since 1968



#1

trusted tamper evident & tamper resistant brand

100+

tamper protection options



Dedicated retail and processor category experts!

pac

FREE packaging automation advice to customers!

Recyclable*

#1

for product clarity



First

tamper protection in both PET and polypropylene product lines



The Inline Way: Pairing Family with Innovation

Family evokes tradition and stability. Innovation, on the other hand, is ground-breaking and outside the lines. At Inline Plastics, our culture bridges these two, creating an environment where our family business fuses our core values with a passion for creativity and ingenuity. The result is new technologies backed by an over 50-year commitment to quality and service. This balance allows Inline Plastics to continuously bring new packaging solutions to the marketplace, while maintaining a family atmosphere for our employees, our suppliers, and our customers.

The Next Generation

4

My father and uncle founded Inline Plastics in the 1960's. Thirty years later, I came on board. And in 2018, my daughter, Alicia Orkisz Fitze, joined the organization. Through decades of growth and change, ownership and control by the Orkisz family has remained consistent.

With this catalog, we are excited to reveal the latest in a long history of new product releases with the launch of Safe-T-Chef®. Utilizing our patented tear-strip technology, Inline is releasing the first tamper resistant, tamper evident, and leak resistant polypropylene product offering designed for hot food applications. A new facility in Conyers, GA, one of our five locations, will manufacture a complete polypropylene line featuring a wide variety of options in various shapes, sizes and capacities—with more items to follow soon!

We Care

Families take care of each other. Innovation provides new tools to make that easier. From our Innovation Center, to sales and marketing, as well as manufacturing, we integrate the latest technologies to create exceptional products backed by the highest customer service.

We also care about improving the world around us. This extends from the simplest, making life easier for a consumer, to large-scale initiatives that reduce environmental impacts. All Inline PET products are made with 10% post-consumer content, and manufactured using the lowest carbon footprint. All Safe-T-Chef® products are made with all clear polypropylene, making it easy to sort through materials recovery facilities (MRFs).



We look forward to working with you!

Join Us

Use this catalog to get started. It is full of all the details on our extensive family of products. Then reach out to our teams at InlinePlastics.com, or our Chief Fun Officer, Lemon at lemon@inlineplastics.com for more information and next steps. The Inline family is ready with innovative solutions for all your packaging needs.

Thomas Orking

Tom Orkisz



Over 50 Years of Experience

Inline Plastics Corp.







1968

1985

1988

1999

Inline Plastics is incorporated by Rudolph and Gene Orkisz

Inline Plastics launches SureLock® technology Inline Plastics receives first patent for a locking mechanism

Tom Orkisz becomes Owner, President and CEO of Inline Plastics









2003

2006

2009

2018

The opening of Inline Plastics Salt Lake City, UT Plant

Launch of first Safe-T-Fresh® line, after receiving official patent The opening of Inline Plastics McDonough, GA Plant Refreshed branding and website to coincide with the future vision of the company

reborn.





Orkisz Legacy
Continues:
Third Generation,
Alicia Orkisz Fitze,
joins the Inline team

2020

2022

Two important launches:

- Reborn, all PET products made with 10% postconsumer content
- Refreshed smooth, modern design to the medium and large Safe-T-Fresh® Rectangles

Safe-T-Chef® launched, the first tamper evident, tamper resistant, leak resistant family of polypropylene products Opening of new Inline Plastics polypropylene plant in Conyers, GA and new manufacturing plant in Gladwin, MI Hi! I'm Ace. I am your catalog tour guide











Essentials
SureLock*

Essentials
ValuPack*

Essentials
Cakes

Safe-T-Fresh Rectangles

Essentials
VisiblyFresh*

Safe-T-Fresh Squares


Essentials
CrystalFresh*

Safe-T-Fresh[®] Rounds

Essentials
Platters

Table of Contents

Focus on Sustainability	8
Packaging Automation Solutions	10
Safe-T-Chef [®]	12
Safe-T-Fresh®	16
Safe-T-Fresh® Rectangles	18
Safe-T-Fresh® Squares	28
Safe-T-Fresh [®] Rounds	36
Safe-T-Fresh® Vented Solutions	46
Essentials	52
Essentials SureChoice®	54
Essentials SureLock [®]	56
Essentials ValuPack®	74
Essentials Cakes	76
Essentials Visibly Fresh®	78
Essentials Crystal Fresh®	80
Essentials Platters	82
reborn. vs Traditional PET	85
Material Specifications	86
Product Specification Guide	87
Terms and Conditions	88
Index	89
Locations	90
Contact	91









reborn.



PET is reborn at Inline Plastics

All our PET products are made in part with post-consumer recycled content






PACKAGING FOR A BETTER PLANET

Inline Plastics is the first thermoformed food packaging manufacturer to utilize post-consumer content made with cutting edge technology called Advanced Recycling.

We call this PET material rDPET (recycled Direct to Sheet PET). Through our 'reborn' process, all of our PET products are made with 10% post-consumer content.



By using rDPET™vs. traditional PET, Inline Plastics...





Generates over

50% energy

savings when

producing rDPET™



Decreases carbon

of forest per year

112,000 acres

Oľ



Saves greenhouse emissions equal to 233 million miles driven rDPET™ is a high performing food-grade packaging material reborn with 10% post-consumer content and the lowest carbon footprint on the market today







Custom Automation Packaging Solutions

The only thermoformed packaging manufacturer in the industry providing in-house automation solutions

De-Nesters | Conveyors | Labeling Systems | High Speed Closers


翩

See how much our automation solutions can help you save by scanning the QR code or visiting us at www.inlineplastics.com/automation-calculator




Designed to pick and place empty packages onto a packing conveyor quickly, accurately, and efficiently.

We can turn or flip the package into the desired position, as well as add vibration to settle food within.



Over 50 Years of Experience

Could you benefit from our automation services? Our Automation team provides reliable and effective solutions with an in-depth evaluation process. This experienced team of automation specialists identifies areas of opportunity for increasing efficiency, providing room for growth and increased sales resulting in greater profits.



We can develop an entire packaging line or design around existing equipment.

ip Safe-T-Chef®



First Polypropylene Family of Tamper Evident Products in the Market

Designed for a variety of hot food applications



Tamper Evident

Proven patented technology



High Clarity

Showcases contents, highlights food's appeal



Smooth Modern Design

Attractive shape and curved smooth walls create scoopable corners to reach every last bite



Perfect for Hot Food

Great for microwaves, heat lamps, and hot displays



Crave consumer trust?





Polypropylene Packaging for Hot Food Applications



Tamper Protection

Proven patented technology gives consumers confidence that food has remained sealed. Great for delivery!



Full Transparency

Exceptional clarity because shoppers like to see the food they buy.



Sustainability

All-clear packaging—be ready as the shift away from black carbon plastics continues.





Scan to learn more

InlinePlastics.com/hot



Item



C5512XD

Description	120Z
UPC	707068013057
Product ID (cm)	12.5 X 12.5 X 5.9
Product OD (cm)	15.4 X 14.9 X 6.7
Case Pack	264
Case Weight (kg)	5.2
тіні	6 x 5
Case OD (cm)	61 X 32.7 X 46.2
Case Cubic Meters	0.09
Base / Lid Ratio	50/50













	C5524D	C5532D	C7R20D	C9624D	C9635D
Description	240Z	320Z	200Z	240Z	350z
UPC	707068012937	707068012968	707068012975	707068012999	707068013019
Product ID (cm)	12.5 X 12.5 X 7.9	12.5 X 12.5 X 10.2	17.5 X 17.5 X 4.6	22.4 X 13.7 X 4.9	22.4 X 13.7 X 6.2
Product OD (cm)	15.4 X 14.9 X 8.6	15.4 X 14.9 X 10.8	20 X 19.8 X 5.2	25.1 X 16.8 X 5.7	25.1 X 16.8 X 6.8
Case Pack	240	224	240	136	128
Case Weight (kg)	5.9	6.9	6.7	5.3	5.5
ТіНі	6 x 5	6 x 5	4 X 4	6 x 5	6 x 5
Case OD (cm)	61 X 32.7 X 46.2	61 X 32.7 X 46.2	61 X 45.2 X 57.5	50.8 X 38.9 X 47.3	50.8 X 38.9 X 47.3
Case Cubic Meters	0.09	0.09	0.16	0.09	0.09
Base / Lid Ratio	75/25	80/20	65/35	55/45	60/40



Item



C5512XDV

Description	120z vented
UPC	707068013040
Product ID (cm)	12.5 X 12.5 X 5.9
Product OD (cm)	15.4 X 14.9 X 6.7
Case Pack	264
Case Weight (kg)	5.2
ТіНі	6 x 5
Case OD (cm)	61 X 32.7 X 46.2
Case Cubic Meters	0.09



Base / Lid Ratio



50/50











	C5524DV	C5532DV	C7R20DV	C9624DV	C9635DV
Description	24oz vented	32oz vented	200z vented	24oz vented	35oz vented
UPC	707068012944	707068012951	707068012982	707068013002	707068013026
Product ID (cm)	12.5 X 12.5 X 7.9	12.5 X 12.5 X 10.2	17.5 X 17.5 X 4.6	22.4 X 13.7 X 4.9	22.4 X 13.7 X 6.2
Product OD (cm)	15.4 X 14.9 X 8.6	15.4 X 14.9 X 10.8	20 X 19.8 X 5.2	25.1 X 16.8 X 5.7	25.1 X 16.8 X 6.8
Case Pack	240	224	240	136	128
Case Weight (kg)	5.9	6.9	6.7	5.3	5.5
TiHi	6 x 5	6 x 5	4 x 4	6 x 5	6 x 5
Case OD (cm)	61 X 32.7 X 46.2	61 X 32.7 X 46.2	61 X 45.2 X 57.5	50.8 X 38.9 X 47.3	50.8 X 38.9 X 47.3
Case Cubic Meters	0.09	0.09	0.16	0.09	0.09
Base / Lid Ratio	75/25	80/20	65/35	55/45	60/40



Safe-T-Fresh®

Secure.



Trusted Since 1968

Largest tamper evident product portfolio available.
All PET products are made with 10% post-consumer content derived from Advanced Recycling.





Learn more at inlineplastics.com/secure





Market Leader in Tamper Evident, Tamper Resistant Food Packaging













Tamper Evident & Tamper Resistant as Easy as 1, 2, 3







Market Favorite with Exceptional Quality

Extensive variety to meet a wide range of applications



Expansive Selection

Ranging from 6 to 128 fl oz with both hangable and vented options



Built for Safety

The first tamper evident and tamper resistant package you'll find everywhere



Robust Design

Made to stack easily and create visually beautiful product displays



All-Purpose

Perfect for many markets and applications





ltem				
	TS6	TS8	T\$12	TS16
Description	6oz	8oz	120Z	16oz
UPC	707068010476	707068005632	707068005175	707068005182
Product ID (cm)	9.5 X 11.1 X 2.2	9.5 X 11.1 X 3.3	9.5 X 11.1 X 4.4	9.5 X 11.1 X 5.7
Product OD (cm)	12.4 X 14.6 X 2.9	12.4 X 14.6 X 4	12.4 X 14.6 X 5.1	12.4 X 14.6 X 6.7
Case Pack	240	240	240	240
Case Weight (kg)	4.2	4.4	4.7	5.2
тіні	10 X 5	10 X 5	10 X 5	10 X 5
Case OD (cm)	41.3 X 30.3 X 49.5			
Case Cubic Meters	0.06	0.06	0.06	0.06
Base / Lid Ratio	100/0	N/A	N/A	N/A



Safe-T-Fresh® Hangable Rectangles

Make food displays effortless



Item	TS6T	TS8T	TS12T	TS16T	TSANIT
	1301	1361	13121	13101	TS17VT
Description	6oz	8oz	120Z	160Z	170Z
UPC	707068010483	707068006974	707068006981	707068006998	707068010001
Product ID (cm)	9.5 X 11.1 X 2.2	9.5 X 11.1 X 3.3	9.5 X 11.1 X 4.4	9.5 X 11.1 X 5.7	9.5 X 13.3 X 4.9
Product OD (cm)	12.4 X 14.6 X 2.9	12.4 X 14.6 X 4	12.4 X 14.6 X 5.1	12.4 X 14.6 X 6.7	11.4 X 16.8 X 5.1
Case Pack	240	240	240	240	320
Case Weight (kg)	4.2	4.4	4.7	5.2	6.6
тіні	10 X 5	10 X 5	10 X 5	10 X 5	6 x 5
Case OD (cm)	41.3 X 30.3 X 49.5	60.8 X 32.5 X 46.7			
Case Cubic Meters	0.06	0.06	0.06	0.06	0.09
Base / Lid Ratio	100/0	N/A	N/A	N/A	NA


Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.



Item: Floor-Rack

3-Tier Safe-T-Fresh[®] For Hangable Rectangles Floor-Rack: 18 hooks and sign holder

Dimensions	49.5 cm diameter x 160 cm tall
Case Pack	1
Case Weight (kg)	3.2
Case Cubic Meters	0.5
UPC Code	707068009784









Item: Counter-Rack

3-Tier Safe-T-Fresh® For Hangable Rectangles Counter-Rack: 12 hooks and sign holder

Dimensions	30.5 cm diameter x 30.5 cm tall
Case Pack	1
Case Weight (kg)	2.3
Case Cubic Meters	0.3
UPC Code	707068009135





ltem	FILE STATE OF THE	A By			
	TS20	TS24	TS30	T\$32	TS16C2
Description	200Z	240Z	300z	320Z	1x 90z, 1x 70z
UPC	707068009975	707068005540	707068012791	707068005557	707068012159
Product ID (cm)	16.4 X 10.8 X 3.7	16.4 X 10.8 X 4.9	16.4 X 10.8 X 5.7	16.4 X 10.8 X 6.2	*Varies
Product OD (cm)	18.7 X 14.3 X 4.6	18.7 X 14.3 X 5.9	18.7 X 14.3 X 6.7	18.7 X 14.3 X 7.1	18.7 X 14.3 X 4.6
Case Pack	200	200	200	200	200
Case Weight (kg)	7.2	7.2	8.2	8.2	7.9
ТіНі	5 x 6	5 x 6	5 x 6	5 x 6	5 x 6
Case OD (cm)	59.2 X 40.2 X 37.8	59.2 X 40.2 X 37.8	59.2 X 40.2 X 37.8	59.2 X 40.2 X 37.8	59.2 X 40.2 X 37.8
Case Cubic Meters	0.09	0.09	0.09	0.09	0.09
Base / Lid Ratio	100/0	100/0	100/0	100/0	100/0



Item **TS35** Description 350Z UPC 707068006707 Product ID (cm) 19.8 X 17.3 X 3.8 Product OD (cm) 22.4 X 20.2 X 4.8 **Case Pack** 150 Case Weight (kg) 8.7 5 X 5 Case OD (cm) 60.6 X 41.3 X 45.6 **Case Cubic Meters** 0.11 Base / Lid Ratio 100/0

Need larger capacity?

We have your back with durability & dependability



	4	11
Item		70









	TS48	TS64	TS64D	TS64L	TS90PJ
Description	480z	64oz	820z	64oz	900z
UPC	707068006233	707068006240	707068011268	707068006899	707068011596
Product ID (cm)	19.8 X 17.3 X 5.2	19.8 X 17.3 X 6.8	19.8 X 17.3 X 8.1	19.8 X 17.3 X 6.8	18.7 X 16.2 X 10.8
Product OD (cm)	22.4 X 20.2 X 6	22.4 X 20.2 X 7.8	22.4 X 20.2 X 8.7	22.4 X 20.2 X 7.8	22.2 X 20 X 11
Case Pack	150	150	150	150	128
Case Weight (kg)	10	10.9	10.9	9.2	11.6
тіні	5 × 5	5 × 5	5 × 5	5 X 5	5 × 5
Case OD (cm)	60.6 X 41.3 X 45.6				
Case Cubic Meters	0.11	0.11	0.11	0.11	0.11
Base / Lid Ratio	100/0	100/0	75/25	100/0	100/0



Item **TS112** Description 1120Z UPC 707068012470 Product ID (cm) 29.1 X 17.1 X 7.6 Product OD (cm) 31.8 X 20.2 X 8.6 Case Pack 60 Case Weight (kg) 7.1 8 x 5 Case OD (cm) 41.4 X 32.9 X 50.3 **Case Cubic Meters** 0.07 Base / Lid Ratio 100/0

Maximum Capacity



Customize your offerings with Flip n' Mix Trays

Mix and match to build configurations from 2 to 6 toppings

Flip n' Mix trays for the TS35 - TS90PJ (FMT2LRT & FMT3LRT)





2 Compartments

3 Compartments





$$3 + 3 = 6$$









Item FMT2MRT FMT₃MRT Description 2X 20Z 2X 2OZ, 1X 1OZ UPC 707068012180 707068012173 *Varies *Varies Product ID (cm) 16.7 X 7.9 X 2.1 Product OD (cm) 16.7 X 7.9 X 2.1 360 360 **Case Pack** Case Weight (kg) 2.1 2.3 19 x 6 19 x 6 Case OD (cm) 45.2 X 36.7 X 15.2 45.2 X 36.7 X 15.2 **Case Cubic Meters** 0.03 0.03 Base / Lid Ratio N/A N/A

Flip n' Mix Trays

Make your dreams come true



Compatible with TS20, TS24, TS32

Item		-	
	FMT2LRT	FMT3LRT	
Description	2X 2OZ	2X 10Z, 1X 20Z	
UPC	707068012197	707068011947	
Product ID (cm)	*Varies	*Varies	
Product OD (cm)	17.6 X 9.2 X 2.1	17.6 X 9.2 X 2.1	
Case Pack	360	360	
Case Weight (kg)	2.1	2.3	
ТіНі	6 x 10	6 x 10	
Case OD (cm)	45.2 X 36.7 X 15.2	45.2 X 36.7 X 15.2	
Case Cubic Meters	0.03	0.03	
Base / Lid Ratio	N/A	N/A	








ltem					
	TS202	TS1SW	TS ₅ X ₅	TS5X5ST	TSSWR
Description	400z	170Z	250Z	270z	210Z
UPC	707068006684	707068009982	707068011411	707068011862	707068012029
Product ID (cm)	20.2 X 8.3 X 7	15.6 X 7.6 X 9	11.7 X 11.7 X 6	11.7 X 11.7 X 5.9	13.3 X 13.5 X 5.1
Product OD (cm)	23.2 X 12.9 X 7.6	18.6 X 10.5 X 9.2	14.9 X 14.6 X 6.7	14.9 X 14.6 X 7	15.6 X 16.2 X 6.5
Case Pack	150	288	272	272	252
Case Weight (kg)	5.9	7.7	5.8	6.5	9.1
ТіНі	9 × 5	5 x 6	8 x 4	8 x 4	6 x 5
Case OD (cm)	47.8 X 27.3 X 49.8	61.3 X 38.3 X 41	50.6 X 30.6 X 56.8	50.6 X 30.6 X 56.8	60.8 X 33.8 X 46.5
Case Cubic Meters	0.07	0.10	0.09	0.09	0.10
Base / Lid Ratio	50/50	100/0	60/40	50/50	55/45

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.





Industry Innovator Tamper Evident, Tamper Resistant Technology Trusted for 15+ years



SIMPLICITY

One step to tamper evidence, simply close the lid—no shrink band/heat tunnel needed

SKU RATIONALIZATION

Single piece clamshell, no mismatching bases/lids, no shrink bands needed

LEAK RESISTANT PERIMETER SEAL

Seals in freshness, keeps product and its surroundings clean and dry

EASY TO AUTOMATE

With Inline's Automation Team involved throughout product development





Well Crafted, Sturdy Squares

Showcase the contents while optimizing critical shelf space



Exceptional Clarity

Provides clear view of contents



Versatility

Whether on the go or taking out, perfect for many markets and applications



Find Your Size

Ranging from 2 to 64 fl oz, we have what you need



Leak Resistant

Seals in freshness, prevents spills



ltem	T\$3002	T\$3004	T\$3006	T\$3008
Description	20Z	40Z	6oz	8oz
UPC	707068012272	707068012289	707068012296	707068012302
Product ID (cm)	7 X 7 X 1.6	7 X 7 X 3.3	7 X 7 X 4.9	7 X 7 X 6.5
Product OD (cm)	9.2 X 8.7 X 2.7	9.2 X 8.7 X 4.4	9.2 X 8.7 X 6	9.2 X 8.7 X 7.6
Case Pack	336	312	288	288
Case Weight (kg)	3.1	3.4	4	4.5
Тіні	5 x 11	5 x 11	5 X 11	5 X 11
Case OD (cm)	56 X 40.5 X 19.4			
Case Cubic Meters	0.04	0.04	0.04	0.04
Base / Lid Ratio	100/0	100/0	100/0	100/0

Our 7x7 Snacker Sizes

Perfect for on-the-go





Item	T\$4008	TS4012	T\$4016		ually sible O's	
Description	8oz	120Z	160z	IOXI	03	
UPC	707068011497	707068011503	707068011510	ST.	THE STATE OF THE S	
Product ID (cm)	10.2 X 10.2 X 2.5	10.2 X 10.2 X 4.1	10.2 X 10.2 X 6.5			
Product OD (cm)	12.2 X 12.7 X 4	12.2 X 12.7 X 5.4	12.2 X 12.7 X 7.5			
Case Pack	300	288	276			
Case Weight (kg)	6	6.6	7.3			
ТіНі	6 x 6	6 x 6	6 x 6	12	-191	
Case OD (cm)	69.4 X 26.4 X 37	69.4 X 26.4 X 37	69.4 X 26.4 X 37			
Case Cubic Meters	0.07	0.07	0.07			
Base / Lid Ratio	100/0	100/0	100/0			
ltem	T\$4024	TS4032	TS4016DB	TS4024DB	TS4032DB	
Description	240Z	320Z	150Z	230Z	300z	
UPC	707068011527	707068011534	707068012234	707068012241	707068012524	
Product ID (cm)	10.2 X 10.2 X 8.9	10.2 X 10.2 X 11.6	10.2 X 10.2 X 4.6	10.2 X 10.2 X 7.1	10.2 X 10.2 X 9.7	
Product OD (cm)	12.2 X 12.7 X 10	12.2 X 12.7 X 12.9	12.2 X 12.7 X 7.5	12.2 X 12.7 X 10	12.2 X 12.7 X 12.9	
Case Pack	264	240	276	264	240	
Case Weight (kg)	9.6	10.6	7.3	10.3	10.6	
тіні	6 x 6	6 x 6	6 x 6	6 x 6	6 x 6	
Case OD (cm)	69.4 X 26.4 X 37	69.4 X 26.4 X 37	69.4 X 26.4 X 37	69.4 X 26.4 X 37	69.4 X 26.4 X 37	
Case Cubic Meters	0.07	0.07	0.07	0.07	0.07	
Base / Lid Ratio	100/0	100/0	100/0	100/0	100/0	



Item TS₅X₅ TS5X5ST Description 270Z 250Z UPC 707068011411 707068011862 Product ID (cm) 11.7 X 11.7 X 6 11.7 X 11.7 X 5.9 Product OD (cm) 14.9 X 14.6 X 6.7 14.9 X 14.6 X 7 **Case Pack** 272 272 Case Weight (kg) 5.8 6.5 TiHi 8 x 4 8 x 4 Case OD (cm) 50.6 X 30.6 X 56.8 50.6 X 30.6 X 56.8 **Case Cubic Meters** 0.09 0.09 Base / Lid Ratio 60/40 50/50

It's hip to be square. **Multi-Use** 12x12 Packaging

Deli, fruit, veggies & more








п,	٠.	_	

Base / Lid Ratio



100/0






100/0



55/45

100/0





Compartments:


Organized & functional packaging for customizable variety




ltem			A P
	TSSB4C	TSSB1R	TSSB3R
Description	4X 2.50Z	1x 6oz, 1x 16oz	2X 40Z, 2X 50Z
UPC	707068012098	707068011763	707068011770
Product ID (cm)	*Varies	*Varies	*Varies
Product OD (cm)	15.6 X 16.2 X 3.8	15.6 X 16.2 X 5.6	15.6 X 16.2 X 5.7
Case Pack	252	252	252
Case Weight (kg)	9.1	10.2	10.2
ТіНі	6 x 5	6 x 5	6 x 5
Case OD (cm)	60.8 X 33.8 X 46.5	60.8 X 33.8 X 46.5	60.8 X 33.8 X 46.5
Case Cubic Meters	0.10	0.10	0.10
Base / Lid Ratio	100/0	100/0	100/0







Item			
	TS8PW	TS12PW	TS16PW
Description	8oz	120Z	160z
UPC	707068011916	707068011923	707068011930
Product ID (cm)	11.6 X 11.6 X 4.1	11.6 X 11.6 X 5.4	11.6 X 11.6 X 6.5
Product OD (cm)	15.1 X 14.6 X 4.4	15.1 X 14.6 X 5.7	15.1 X 14.6 X 6.8
Case Pack	168	168	164
Case Weight (kg)	4.2	4.7	5.3
ТіНі	6 x 8	6 x 8	6 x 8
Case OD (cm)	60.3 X 31.3 X 29.8	60.3 X 31.3 X 29.8	60.3 X 31.3 X 29.8
Case Cubic Meters	0.06	0.06	0.06
Base / Lid Ratio	66/34	66/34	66/34







ltem					
	TS16PWS	TS24PW	TS24PWF	TS24PWXF	TS32PW
Description	160z	240z	240Z	240Z	320Z
UPC	707068011855	707068011848	707068011985	707068012494	707068011817
Product ID (cm)	16 X 16 X 4.8	16 X 16 X 5.9	16 X 16 X 4.8	16 X 16 X 3.5	16 X 16 X 7.1
Product OD (cm)	19.5 X 19.1 X 5.1	19.5 X 19.1 X 6.4	19.5 X 19.1 X 5.1	19.5 X 19.1 X 4.4	19.5 X 19.1 X 7.6
Case Pack	174	174	174	174	168
Case Weight (kg)	7.6	7.6	7.6	7.6	8.5
тіні	5 x 6	5 x 6	5 x 6	5 x 6	5 x 6
Case OD (cm)	60.2 X 40.5 X 39.1				
Case Cubic Meters	0.10	0.10	0.10	0.10	0.10
Base / Lid Ratio	66/34	66/34	90/10	100/0	66/34





Elegant

Seal in freshness with leak resistance



3 Lid styles available


Item



Large 20x20 Family Sizes



Thank goodness for leak resistance







Ultra Clear, Well-Rounded Designs

A wide variety, great for produce, deli, and grab & go



Grab & Go OptionsPerfect for snacking in the car, eating on the go



Expansive SelectionFrom 8 oz to 80 oz make finding solutions easy



Clamshell Design
Single piece allows for efficient inventory management



VersatilePerfect for many markets and applications





Your Solution for Grab & Go

ltem	9	9	
	TS8CCR	TS8CCRD	TS11CCRJT
Description	8oz	8oz	110Z
UPC	707068010766	707068010773	707068010759
Product ID (cm)	8.9 X 8.9 X 6	8.9 X 8.9 X 8.6	8.9 X 8.9 X 7.9
Product OD (cm)	11.1 X 11.3 X 6.2	11.1 X 11.3 X 8.7	11.1 X 11.3 X 8.1
Case Pack	272	272	256
Case Weight (kg)	3.9	3.9	4.5
тіні	10 X 5	10 X 5	10 X 5
Case OD (cm)	51.3 X 24 X 44.3	51.3 X 24 X 44.3	51.3 X 24 X 44.3
Case Cubic Meters	0.05	0.05	0.05
Base / Lid Ratio	100/0	60/40	100/0



Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.



ltem	TS12CCQ	TS12CCR	TS12CCRD	TS16CCR	TS16CCRD
Description	120Z	120Z	120Z	160z	16oz
UPC	707068010780	707068010193	707068010209	707068010797	707068010803
Product ID (cm)	8.9 X 8.9 X 8.4	8.9 X 8.9 X 8.7	8.9 X 8.9 X 11.1	8.9 X 8.9 X 11.1	8.9 X 8.9 X 13.7
Product OD (cm)	11.1 X 11.4 X 8.9	11.1 X 11.3 X 8.9	11.1 X 11.3 X 11.3	11.1 X 11.3 X 11.3	11.1 X 11.3 X 13.8
Case Pack	232	256	256	232	232
Case Weight (kg)	5	4.5	4.5	5.4	5.4
Тіні	10 X 5	10 X 5	10 X 5	10 X 5	10 X 5
Case OD (cm)	51.3 X 24 X 44.3	51.3 X 24 X 44.3	51.3 X 24 X 44.3	51.3 X 24 X 44.3	51.3 X 24 X 44.3
Case Cubic Meters	0.05	0.05	0.05	0.05	0.05
Base / Lid Ratio	100/0	100/0	70/30	100/0	75/25










Make multi-layer snacking easy



ltem				
	CC2Q	CC2R	CC4R	CCLR
Description	20Z	20Z	40Z	Lid
UPC	707068011145	707068010599	707068010605	707068010612
Product ID (cm)	6.7 X 6.7 X 2.4	6.8 X 6.8 X 2.4	6.8 X 6.8 X 4.4	7.6 X 7.6 X 0.6
Product OD (cm)	9.2 X 9.2 X 1.9	9.2 X 9.2 X 2.4	9.2 X 9.2 X 4.4	7.6 X 7.6 X 1
Case Pack	1200	1200	1200	1200
Case Weight (kg)	4.3	4.3	5.3	3.3
TiHi	9 x 5	9 x 5	9 x 5	12 X 5
Case OD (cm)	40.2 X 31.6 X 47.6	40.2 X 31.6 X 47.6	40.2 X 31.6 X 47.6	32.2 X 26.5 X 44.3
Case Cubic Meters	0.06	0.06	0.06	0.04
Base / Lid Ratio	N/A	N/A	N/A	N/A





Item: Floor-Car Cup-Rack

The Safe-T-Fresh® Cup 5-Tier Floor Rack is a wire floor rack that will hold 30 cups. Sign holder included. White epoxy finish. Easy to assemble.

Dimensions	40.6 cm diameter x 155 cm tall
Case Pack	1
Case Weight (kg)	3.2
Case Cubic Meters	0.5
UPC Code	707068010636





Item: Counter-Car Cup-Rack

The Safe-T-Fresh® Cup 2-Tier Counter Rack is a wire counter top rack that will hold 12 cups. Sign holder included. White epoxy finish. Easy to assemble.

Dimensions	35 cm diameter x 44.6 cm tall
Case Pack	1
Case Weight (kg)	1.4
Case Cubic Meters	0.2
UPC Code	707068010629




ltem	T\$4008R	T\$4012R	Rounds	S	
Description	80z	120Z	Great		
UPC	707068011541	707068011558	for Del		
Product ID (cm)	10.6 X 10.6 X 2.9	10.6 X 10.6 X 4.4	Providing		400
Product OD (cm)	13.5 X 13 X 4.3	13.5 X 13 X 5.9	time savin	lg l	
Case Pack	340	320	options		
Case Weight (kg)	9.4	10.3	Just in time		PA - Showing
ТіНі	6 x 5	6 x 5			
Case OD (cm)	64.9 X 28.1 X 48.9	64.9 X 28.1 X 48.9			THE PARTY OF THE P
Case Cubic Meters	0.09	0.09			
Base / Lid Ratio	100/0	100/0	ථිරි		
ltem					
	TS4016R	T\$4024R	T\$4025R	T\$4025RN	T\$4032R
Description	160Z	240Z	250Z	250Z	320Z
UPC	707068011565	707068011572	707068012463	707068011732	707068011589
Product ID (cm)	10.6 X 10.6 X 6	10.6 X 10.6 X 9.2	10.6 X 10.6 X 10.6	10.6 X 10.6 X 10.6	10.6 X 10.6 X 13.3
Product OD (cm)	13.5 X 13 X 7.5	13.5 X 13 X 10.6	13.5 X 13 X 12.1	13.5 X 13 X 12.1	13.5 X 13 X 14.8
Case Pack	300	280	270	270	240
Case Weight (kg)	11.4	11.7	11.3	11.3	11.6
TiHi	6 x 5	6 x 5	6 x 5	6 x 5	6 x 5
Case OD (cm)	64.9 X 28.1 X 48.9				
Case Cubic Meters	0.09	0.09	0.09	0.09	0.09
Base / Lid Ratio	100/0	100/0	100/0	100/0	100/0



12 cm Round Popular Bowl Sizes


Keep food fresh, with maximum convenience







Item			
	TS8RN	TS12RN	TS16RN
Description	8oz	120Z	160z
UPC	707068010940	707068010964	707068010988
Product ID (cm)	11.9 X 11.9 X 4.6	11.9 X 11.9 X 5.9	11.9 X 11.9 X 7.3
Product OD (cm)	14.9 X 14.6 X 5.1	14.9 X 14.6 X 6.5	14.9 X 14.6 X 7.9
Case Pack	240	240	240
Case Weight (kg)	4.9	5.4	5.9
ТіНі	6 x 5	6 x 5	6 x 5
Case OD (cm)	61 X 32.4 X 47.9	61 X 32.4 X 47.9	61 X 32.4 X 47.9
Case Cubic Meters	0.09	0.09	0.09
Base / Lid Ratio	90/10	90/10	75/25







Item					
	TS18RN	TS24RN	TS32RN	TS48RDP	TS48RN
Description	180z	240Z	320Z	48oz deep	480z
UPC	707068011008	707068011022	707068011046	707068009906	707068011077
Product ID (cm)	14.6 X 14.6 X 5.6	14.6 X 14.6 X 7.3	14.6 X 14.6 X 9.2	14.6 X 14.6 X 11.3	21.6 X 21.6 X 6.5
Product OD (cm)	17.8 X 17.8 X 6.2	17.8 X 17.8 X 7.9	17.8 X 17.8 X 9.8	17.8 X 17.8 X 11.9	24.6 X 24.8 X 7.3
Case Pack	150	150	150	138	100
Case Weight (kg)	5.4	5.9	6.6	7.9	7.5
тіні	5 x 6	5 x 6	5 x 6	5 x 6	6 x 4
Case OD (cm)	55.4 X 37.9 X 42.2	51 X 40.8 X 49.7			
Case Cubic Meters	0.09	0.09	0.09	0.09	0.10
Base / Lid Ratio	90/10	80/20	80/20	83/17	80/20

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.





Item			
	TS52R3N	TS64RN	TS80RN
Description	3X 170Z	64oz	800z
UPC	707068011091	707068011107	707068011121
Product ID (cm)	*Varies	21.6 X 21.6 X 8.3	21.6 X 21.6 X 9.5
Product OD (cm)	24.6 X 24.8 X 8.6	24.6 X 24.8 X 8.9	24.6 X 24.8 X 10.2
Case Pack	100	100	96
Case Weight (kg)	10	7.5	8.7
тіні	6 x 4	6 x 4	6 x 4
Case OD (cm)	51 X 40.8 X 49.7	51 X 40.8 X 49.7	51 X 40.8 X 49.7
Case Cubic Meters	0.10	0.10	0.10
Base / Lid Ratio	100/0	85/15	80/20



45







Tamper EvidentFor life's *gotcha* moments...






Vented Options

Our vented line has strategically placed vents to accommodate air flow and prevent excess moisture or pressure from building up in the package causing food to spoil. We have four variations to adapt to multiple product needs.

They consist of narrow, channel, microvents, and recessed vents.

Types of Vents



Narrow Vents

Side and bottom vents allow moisture and gases to escape and maintain the freshness of herbs, fresh vegetables, and uncut fruit.

Channel Vents

Large vents in the seal area enable airflow through the package. Great for produce needing excess air.

Microvents

These unique microvents allow food gases to escape, maintaining product freshness.

Recessed Vents

One to two notches located opposite the hinge. Great for sandwiches with excess condensation.



Base / Lid Ratio

100/0

Item	CII)	ALILY		Channel Ve	ents
	TS20V	TS24V	TS32V	111	
Description	200Z	24oz vented	320Z		
UPC	707068012258	707068012210	707068012265		
Product ID (cm)	16.4 X 10.8 X 3.7	16.4 X 10.8 X 4.9	16.4 X 10.8 X 6.2		
Product OD (cm)	18.7 X 14.3 X 4.6	18.7 X 14.3 X 5.9	18.7 X 14.3 X 7.1		
Case Pack	200	200	200		
Case Weight (kg)	7.2	7.2	8.2		
Тіні	5 x 6	5 x 6	5 x 6		
Case OD (cm)	59.2 X 40.2 X 37.8	59.2 X 40.2 X 37.8	59.2 X 40.2 X 37.8		
Case Cubic Meters	0.09	0.09	0.09	.15 cm H x 2	2.5 cm W
Base / Lid Ratio	100/0	100/0	100/0	8 vents—2 on each	side of the lid
Item		A Ly	9		
Item	TS35V	TS48V	TS64LV	TS112V	TS128V
Item Description	TS35V 350z	TS48V 48oz	TS64LV 640z	TS112V 1120z vented	TS128V 128oz vented
Description	350z	48oz	64oz	1120z vented	128oz vented
Description UPC	350z 707068010742	480z 707068010735	640z 707068010728	1120z vented 707068012067	128oz vented 707068011640
Description UPC Product ID (cm)	350z 707068010742 18.7 X 16.2 X 4.1	48oz 707068010735 18.7 X 16.2 X 5.1	640z 707068010728 19.8 X 17.3 X 6.8	1120z vented 707068012067 29.2 X 17.3 X 7.6	128oz vented 707068011640 29.1 X 17.1 X 10.3
Description UPC Product ID (cm) Product OD (cm)	350z 707068010742 18.7 X 16.2 X 4.1 22.2 X 20 X 4.8	480z 707068010735 18.7 X 16.2 X 5.1 22.2 X 20 X 6	640z 707068010728 19.8 X 17.3 X 6.8 22.4 X 20.2 X 7.8	1120z vented 707068012067 29.2 X 17.3 X 7.6 31.8 X 20.2 X 8.6	128oz vented 707068011640 29.1 X 17.1 X 10.3 31.8 X 20.2 X 11.1
Description UPC Product ID (cm) Product OD (cm) Case Pack	350z 707068010742 18.7 X 16.2 X 4.1 22.2 X 20 X 4.8	48oz 707068010735 18.7 X 16.2 X 5.1 22.2 X 20 X 6	640z 707068010728 19.8 X 17.3 X 6.8 22.4 X 20.2 X 7.8	1120z vented 707068012067 29.2 X 17.3 X 7.6 31.8 X 20.2 X 8.6	128oz vented 707068011640 29.1 X 17.1 X 10.3 31.8 X 20.2 X 11.1
Description UPC Product ID (cm) Product OD (cm) Case Pack Case Weight (kg)	350z 707068010742 18.7 X 16.2 X 4.1 22.2 X 20 X 4.8 150 8.7	480z 707068010735 18.7 X 16.2 X 5.1 22.2 X 20 X 6 150	640z 707068010728 19.8 X 17.3 X 6.8 22.4 X 20.2 X 7.8 150 9.2	1120z vented 707068012067 29.2 X 17.3 X 7.6 31.8 X 20.2 X 8.6 60 7.1	128oz vented 707068011640 29.1 X 17.1 X 10.3 31.8 X 20.2 X 11.1 60 7.1


100/0

100/0

95/5

100/0






Recessed Vents



Item

	TS17VT
Description	170z
UPC	707068010001
Product ID (cm)	9.5 X 13.3 X 4.9
Product OD (cm)	11.4 X 16.8 X 5.1
Case Pack	320
Case Weight (kg)	6.6
тіні	6 x 5
Case OD (cm)	60.8 X 32.5 X 46.7
Case Cubic Meters	0.09
Base / Lid Ratio	NA

Narrow Vents







Microvents





Item **TS8CCRV TS8CCRDV** Description 8oz vented 8oz vented UPC 707068011206 707068011213 8.9 X 8.9 X 8.6 Product ID (cm) 8.9 X 8.9 X 6 Product OD (cm) 11.1 X 11.3 X 6.2 11.1 X 11.3 X 8.7 272 272 **Case Pack** Case Weight (kg) 4.1 4.1 TiHi 10 X 5 10 X 5 Case OD (cm) 51.3 X 24 X 44.3 51.3 X 24 X 44.3 **Case Cubic Meters** 0.05 0.05 Base / Lid Ratio 100/0 60/40

Microvents



.15 cm W x .05 cm D
One to three vents depending on product

Item					
	TS12CCRV	TS12CCRDV	TS16CCRV	TS16CCRDV	
Description	120z vented	120z vented	16oz vented	16oz vented	
UPC	707068011176	707068011183	707068011220	707068011237	
Product ID (cm)	8.9 X 8.9 X 8.7	8.9 X 8.9 X 11.1	8.9 X 8.9 X 11.1	8.9 X 8.9 X 13.7	
Product OD (cm)	11.1 X 11.3 X 8.9	11.1 X 11.3 X 11.3	11.1 X 11.3 X 11.3	11.1 X 11.3 X 13.8	
Case Pack	256	256	232	232	
Case Weight (kg)	4.9	4.5	5.4	5.4	9
тіні	10 X 5	10 X 5	10 X 5	10 X 5	
Case OD (cm)	51.3 X 24 X 44.3	51.3 X 24 X 44.3	51.3 X 24 X 44.3	51.3 X 24 X 44.3	
Case Cubic Meters	0.05	0.05	0.05	0.05	
Base / Lid Ratio	N/A	70/30	N/A	75/25	









Economical, Efficient, and Dependable

Our large Essentials portfolio provides a comprehensive blend of packaging solutions for every market and application.





Diversified brand of clamshell and two piece all-clear PET packaging





EssentialsSureChoice*





Essentials
SureLock*





Essentials
ValuPack*





EssentialsCakes





Essentials VisiblyFresh*





Essentials
CrystalFresh*





EssentialsPlatters







Wide Variety of Ultra Clear Shapes and Sizes

Make your contents center stage



Smooth Sleek Design

Robust design has minimal ribbing while remaining structurally sound



Please Recycle Me

We encourage recycling, however there may not be recycling available in all areas yet; please check locally



Chamfered Corners

Extra support when products are stacked either on the shelf or during transportation



Enhanced Stacking

Product is secure, made possible with interlocking base and lid



ltem			8		63	
	SC18S	SC20XD	SC210	SC35	SC35C2	
Description	300z	420Z	370z	600z	2x 300z	
UPC	707068012807	707068012753	707068012746	707068012227	707068012326	
Product ID (cm)	20.2 X 8.7 X 5.4	11 X 10.8 X 10.3	25.6 X 12.7 X 4.6	21.1 X 12.5 X 8.3	*Varies	
Product OD (cm)	21.7 X 11.4 X 5.9	13.5 X 14.4 X 11.4	27.3 X 16.5 X 5.9	22.5 X 13.5 X 8.6	22.5 X 13.5 X 8.6	
Case Pack	300	375	200	500	460	
Case Weight (kg)	6.8	12.9	7.2	15.8	15.6	
тіні	8 x 5	5 x 7	6 x 6	4 X 5	5 × 5	
Case OD (cm)	52.9 X 24 X 46	59.8 X 42.4 X 31.4	55.7 X 33.8 X 35.2	55.4 X 51.9 X 47.3	55.4 X 51.9 X 47.3	
Case Cubic Meters	0.06	0.08	0.07	0.14	0.14	
Base / Lid Ratio	50/50	50/50	70/30	50/50	50/50	

Item		
	SC5110S	SC5130FS
Description	850z	730z
UPC	707068012517	707068012814
Product ID (cm)	19.1 X 19.1 X 3.7	19.5 X 17.1 X 6
Product OD (cm)	21.1 X 20.8 X 5.1	21.3 X 20.2 X 6.5
Case Pack	200	160
Case Weight (kg)	8.5	8.6
ТіНі	6 x 5	6 x 5
Case OD (cm)	45.2 X 38.9 X 44.1	42.7 X 33.8 X 46
Case Cubic Meters	0.08	0.07
Base / Lid Ratio	65/35	60/40







The Standard in Dependability

The most complete line of clamshell packaging for every need



Easy to Secure

Package and its contents
will not be damaged while
opening or closing



SureLock® Security

Double line locks provide maximum security and prevent lids from opening



Sanitary Lid Design
Sanitary lid design overlaps
base to keep out crumbs and
other contaminants



Stackability
Conserve valuable shelf
space while creating
eye-catching displays





Item	SLP104S	SLP15B	SLP174	SLP17D	SLP17XD	
Description	380z	490z	350z	210Z	280Z	
UPC	707068009111	707068007421	707068007452	707068007469	707068007476	
Product ID (cm)	22.5 X 11 X 4.9	18.7 X 9.5 X 8.7	16.8 X 8.7 X 7.6	16.8 X 8.7 X 4.4	16.8 X 8.7 X 6.2	
Product OD (cm)	24.1 X 14 X 5.1	20.3 X 12.1 X 9.2	18.4 X 11.3 X 7.9	18.4 X 11.3 X 4.6	18.4 X 11.3 X 6.5	
Case Pack	300	500	400	400	400	
Case Weight (kg)	9.1	12.5	7.6	6.4	7	
тіні	8 x 5	5 X 4	6 x 6	6 x 6	6 x 6	
Case OD (cm)	42.7 X 30 X 50.2	54.1 X 41.9 X 50.5	46.5 X 37.3 X 38.4	46.5 X 37.3 X 38.4	46.5 X 37.3 X 38.4	
Case Cubic Meters	0.06	0.11	0.07	0.07	0.07	
Base / Lid Ratio	45/55	55/45	50/50	65/35	50/50	

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.

Essentials SureLock $^{(\!R\!)}$ Rectangles



ltem		SLP18	SLP18D	SLP19	SLP26	SLP27
Descri	ption	260z	360z	480z	330z	530z
UPC		707068007483	707068007490	707068008862	707068007018	707068007728
Produc	ct ID (cm)	20 X 8.9 X 4.4	20 X 8.9 X 6.7	20 X 8.9 X 8.7	16 X 12.4 X 4.9	16 X 12.4 X 8.4
Produc	ct OD (cm)	21.6 X 11.3 X 4.8	21.6 X 11.3 X 6.8	21.6 X 11.3 X 8.9	17.6 X 14.9 X 5.2	17.6 X 14.9 X 8.9
Case P	ack	300	300	300	300	300
Case V	Veight (kg)	6.8	8.2	8.2	6.2	8.8
ТіНі		8 x 5	9 x 5	9 x 5	6 x 7	6 x 6
Case O	DD (cm)	52.9 X 24 X 46	59.2 X 23 X 46.7	59.2 X 23 X 46.7	53.5 X 36 X 31.8	60.5 X 30.8 X 36.7
Case C	Cubic Meters	0.06	0.06	0.06	0.06	0.07
Base /	Lid Ratio	50/50	65/35	50/50	60/40	70/30
ltem		SLP29	SLP30	SLP30C	SLP30S	SLP30XS
Descri	ption	360z	520Z	530z	470z	440Z
UPC		707068007742	707068007759	707068007797	707068007803	707068009074
Produc	ct ID (cm)	15.9 X 12.4 X 5.7	22.2 X 14.6 X 5.2	22.2 X 14.6 X 5.2	22.2 X 14.6 X 4.6	22.2 X 14.6 X 4
Produc	ct OD (cm)	17.6 X 15.1 X 6.4	23.8 X 17.1 X 5.6	23.8 X 17.1 X 5.6	23.8 X 17.1 X 5.2	23.8 X 17.1 X 4.6
Case P	ack	300	300	300	300	300
Case V	Veight (kg)	8.6	9.4	10	9.4	9.4
ТіНі		6 x 6	7 × 5	7 × 5	7 × 5	7×5
Case O	DD (cm)	60.5 X 30.8 X 36.7	50.3 X 35.4 X 49.1			
Case C	Cubic Meters	0.07	0.09	0.09	0.09	0.09
Base /	Lid Ratio	85/15	55/45	55/45	50/50	55/45



Item	SLP32	SLP35	SLP38	SLP38D	SLP40
Description	620Z	590z	670z	770z	740Z
UPC	707068008602	707068007865	707068007070	707068007087	707068007902
Product ID (cm)	21.4 X 13.7 X 6.2	21.1 X 12.5 X 8.3	22.5 X 11.3 X 8.7	22.5 X 11.1 X 9.5	22.2 X 14.6 X 7.5
Product OD (cm)	24.1 X 17.3 X 6.7	22.5 X 13.5 X 8.6	24.1 X 14 X 9.2	24.3 X 14 X 10.3	23.8 X 17.1 X 7.8
Case Pack	300	500	192	200	276
Case Weight (kg)	9.4	13.8	8.5	8.9	10.2
тіні	7 × 5	5 × 5	8 x 4	8 x 4	7×5
Case OD (cm)	50.3 X 35.4 X 49.1	55.4 X 41 X 47	50.6 X 28.7 X 50.5	50.6 X 28.7 X 50.5	50.3 X 35.4 X 49.1
Case Cubic Meters	0.09	0.11	0.07	0.07	0.09
Base / Lid Ratio	55/45	50/50	30/70	40/60	60/40
	67				

Item		
	SLP40S	SLP40XS
Description	670z	510Z
UPC	707068007926	707068012647
Product ID (cm)	22.2 X 14.6 X 6.5	22.1 X 14.1 X 5.1
Product OD (cm)	23.8 X 17.1 X 6.8	24.1 X 17.3 X 5.6
Case Pack	300	300
Case Weight (kg)	11.9	11.1
тіні	7 × 5	7 × 5
Case OD (cm)	49.8 X 51.1 X 37	50.3 X 35.4 X 49.1
Case Cubic Meters	0.09	0.09
Base / Lid Ratio	65/35	80/20



TiHi

Case OD (cm)

Case Cubic Meters

Base / Lid Ratio

4 x 6

58.9 X 50.3 X 33

0.10

80/20

4 x 6

66.5 X 42.1 X 33.5

0.09

40/60

4 x 6

66.5 X 42.1 X 33.5

0.09

50/50

Essentials SureLock $^{\mathbb{R}}$ Rectangles



ltem	SLP5120	SLP5125	SLP57	SLP58	SLP65
Description	730z	440z	980z	840z	600z
UPC	707068008053	707068008077	707068008114	707068008138	707068008176
Product ID (cm)	19.5 X 17.5 X 7.1	19.5 X 17 X 4.4	24.9 X 18.3 X 5.9	27.6 X 17.8 X 5.2	28.9 X 10 X 6.4
Product OD (cm)	21 X 19.5 X 7.5	21 X 19.5 X 4.8	27 X 21.1 X 6.7	29.2 X 20.3 X 5.7	31.1 X 13 X 6.7
Case Pack	250	250	300	200	250
Case Weight (kg)	10.1	10.1	15.1	12.3	9.8
ТіНі	6 x 5	6 x 5	4 × 5	5 X 5	7 × 4
Case OD (cm)	48.1 X 40.8 X 44.5	48.1 X 40.8 X 44.5	54.8 X 50.3 X 43.2	40.8 X 41.8 X 61.3	46.5 X 33.2 X 54.3
Case Cubic Meters	0.09	0.09	0.12	0.10	0.08
Base / Lid Ratio	60/40	50/50	45/55	55/45	50/50
ltem		6			
	SLP67	SLP75	SLP75D	One smart cookie!	A Town
Description	450z	670z	710z		
UPC	707068007124	707068007025	707068007032		
Product ID (cm)	30 X 11.9 X 3.5	28.9 X 13.2 X 5.1	28.9 X 13.2 X 5.7	de Shire To	
Product OD (cm)	31.4 X 14.6 X 4.3	31.4 X 15.9 X 5.4	31.4 X 15.9 X 6		
Case Pack	300	300	300		
Case Weight (kg)	13	13.7	14.8	A.F.	



Essentials SureLock $^{(\!R\!)}$ Rectangles

ltem	SLP77	SLP80	SLP82	SLP88	SLP88S
Description	1210Z	1300z	96oz	1940z	1390Z
UPC	707068008244	707068007049	707068009586	707068008282	707068009319
Product ID (cm)	29.4 X 19.7 X 6.8	25.2 X 18.7 X 8.9	25.7 X 17.1 X 6.8	25.9 X 22.2 X 10.8	25.9 X 22.2 X 8.1
Product OD (cm)	31 X 22.2 X 7	26.7 X 21.7 X 9.2	27.3 X 19.7 X 7.5	27.5 X 24.9 X 11.1	27.5 X 24.9 X 8.4
Case Pack	150	300	300	200	200
Case Weight (kg)	10.8	16.7	16.6	14.1	14.1
тіні	4 × 7	4 X 4	4 x 6	4 × 4	4 × 4
Case OD (cm)	56.7 X 45.6 X 32.9	55.4 X 44.3 X 54.9	55.7 X 45.6 X 41	51 X 46.5 X 56.5	56 X 46.5 X 51.8
Case Cubic Meters	0.08	0.13	0.10	0.13	0.13
Base / Lid Ratio	50/50	70/30	60/40	55/45	70/30
ltem	3	6	0	3	Life is what you bake of it.
ltem	SLP90	SLP95	SLP99	SLP170D	bake of it.
Item Description	SLP90 890z	SLP95 1010z	SLP99 1070z	SLP170D 230Z	
	-				bake of it.
Description	89oz	1010Z	1070Z	230Z	bake of it.
Description UPC	89oz 707068008299	1010z 707068008305	1070z 707068008312	230Z 707068011886	bake of it.
Description UPC Product ID (cm)	890z 707068008299 32.2 X 14.1 X 5.9	1010Z 707068008305 32.2 X 14.1 X 6.4	1070z 707068008312 22.9 X 22.9 X 7.8	230Z 707068011886 16.8 X 8.6 X 4.9	bake of it.
Description UPC Product ID (cm) Product OD (cm)	890z 707068008299 32.2 X 14.1 X 5.9 33.8 X 17 X 6.4	1010Z 707068008305 32.2 X 14.1 X 6.4 33.8 X 17 X 7	1070Z 707068008312 22.9 X 22.9 X 7.8 25.1 X 27.1 X 8.3	230Z 707068011886 16.8 X 8.6 X 4.9 18.4 X 11.3 X 5.1	bake of it.
Description UPC Product ID (cm) Product OD (cm) Case Pack	890z 707068008299 32.2 X 14.1 X 5.9 33.8 X 17 X 6.4	1010z 707068008305 32.2 X 14.1 X 6.4 33.8 X 17 X 7	1070z 707068008312 22.9 X 22.9 X 7.8 25.1 X 27.1 X 8.3	230Z 707068011886 16.8 X 8.6 X 4.9 18.4 X 11.3 X 5.1	bake of it.
Description UPC Product ID (cm) Product OD (cm) Case Pack Case Weight (kg)	890z 707068008299 32.2 X 14.1 X 5.9 33.8 X 17 X 6.4 200 10.4	1010Z 707068008305 32.2 X 14.1 X 6.4 33.8 X 17 X 7 200 11.2	1070Z 707068008312 22.9 X 22.9 X 7.8 25.1 X 27.1 X 8.3 150 9.3	230Z 707068011886 16.8 X 8.6 X 4.9 18.4 X 11.3 X 5.1 400 7.9	bake of it.
Description UPC Product ID (cm) Product OD (cm) Case Pack Case Weight (kg) TiHi	890z 707068008299 32.2 X 14.1 X 5.9 33.8 X 17 X 6.4 200 10.4 5 x 6	1010Z 707068008305 32.2 X 14.1 X 6.4 33.8 X 17 X 7 200 11.2 5 X 6	1070z 707068008312 22.9 X 22.9 X 7.8 25.1 X 27.1 X 8.3 150 9.3 6 x 4	230Z 707068011886 16.8 X 8.6 X 4.9 18.4 X 11.3 X 5.1 400 7.9 6 x 6	bake of it.



Maximize your shelf space



Item						
	SLP10	SLP20	SLP20D	SLP23	SLP25	
Description	220Z	270Z	330z	400z	460z	
UPC	707068008848	707068007513	707068007582	707068008541	707068007711	
Product ID (cm)	11.7 X 11.7 X 5.1	11.7 X 11.7 X 6.5	11.7 X 11.7 X 7.8	16.7 X 16.7 X 3.7	14 X 13.8 X 7.9	
Product OD (cm)	13.3 X 14.3 X 5.4	13.3 X 14.3 X 7	13.3 X 14.3 X 7.9	19.2 X 20.3 X 4.4	15.4 X 16.4 X 8.4	
Case Pack	500	500	500	300	500	
Case Weight (kg)	7.5	8.1	8.8	10.7	11.5	
тіні	5 x 8	5 x 8	5 x 7	6 x 6	4 x 6	
Case OD (cm)	58.6 X 40.6 X 28.4	58.6 X 40.6 X 28.4	59.8 X 42.4 X 31.4	52.9 X 42.4 X 40.3	59.2 X 48.1 X 35.2	
Case Cubic Meters	0.07	0.07	0.08	0.09	0.10	
Base / Lid Ratio	65/35	50/50	55/45	70/30	60/40	



ltem	SLP510	SLP55	SLP69	SLP70	SLP70W	
Description	1200Z	550z	430z	1010Z	1010Z	
UPC	707068008039	707068007063	707068008183	707068008190	707068011473	
Product ID (cm)	21.6 X 21.6 X 8.7	19.1 X 19.1 X 7.1	14.3 X 13.5 X 7.6	19.5 X 19.4 X 8.6	19.5 X 19.4 X 8.7	
Product OD (cm)	22.9 X 24.1 X 8.9	21.7 X 22.9 X 7.5	15.7 X 16 X 8.1	21 X 22.2 X 8.9	21 X 22.2 X 8.9	
Case Pack	200	300	300	200	170	
Case Weight (kg)	12.5	15.5	7.9	9.2	11	
тіні	6 x 5	4 × 5	8 x 4	6 x 5	6 x 4	
Case OD (cm)	49.7 X 42.1 X 47.6	51 X 46.8 X 45.7	41.4 X 33.3 X 49.4	45.2 X 36.4 X 44.1	45.2 X 36.4 X 44.1	
Case Cubic Meters	0.10	0.11	0.07	0.07	0.07	
Base / Lid Ratio	55/45	55/45	75/25	60/40	80/20	



Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.





ltem	3		3		SERRORA
	SLP106	SLP108	SLP109	SLP110	A Shill In
Description	310Z	64oz	86oz	1040Z	
UPC	707068007308	707068007315	707068007322	707068007339	
Product ID (cm)	10.2 X 16.5 X 4.9	14.1 X 21.3 X 5.7	17.1 X 24 X 6.4	18.1 X 25.4 X 6.8	
Product OD (cm)	17.8 X 18.7 X 5.2	22.5 X 23.5 X 6.5	25.1 X 26 X 7.3	26.8 X 27.9 X 7.5	
Case Pack	300	200	200	200	7.00
Case Weight (kg)	6.8	9	11.8	12.8	TONO
тіні	6 x 6	7 × 5	6 x 4	6 x 4	
Case OD (cm)	50 X 39.2 X 37.8	49.7 X 34.4 X 46.2	52.9 X 37.6 X 52.4	58.1 X 35.1 X 55.6	Constant and
Case Cubic Meters	0.07	0.08	0.10	0.11	
Base / Lid Ratio	70/30	65/35	65/35	65/35	




Item	3	8	3	
	SLP116	SLP118	SLP119	SLP120
Description	500z	910z	1200Z	1420Z
UPC	707068007353	707068008817	707068007377	707068007384
Product ID (cm)	10.2 X 16.5 X 7.9	14.1 X 21.3 X 8.4	17.1 X 24 X 8.9	18.1 X 25.4 X 9.2
Product OD (cm)	17.8 X 18.7 X 8.4	22.5 X 23.5 X 9.2	25.1 X 26 X 9.7	26.8 X 27.9 X 9.8
Case Pack	300	200	200	200
Case Weight (kg)	9.2	10.2	13.3	15.4
тіні	6 x 6	6 x 5	6 x 4	5 × 4
Case OD (cm)	52.9 X 38.9 X 37.5	49.4 X 39.5 X 47	53.5 X 38.9 X 51.9	57.9 X 38.3 X 55.6
Case Cubic Meters	0.08	0.09	0.11	0.12
Base / Lid Ratio	45/55	45/55	50/50	50/50
ltem	8	8	8	3
	SLP208	SLP209	SLP210	SLP218
Description	250Z	330z	400Z	1140Z
UPC	707068007568	707068007575	707068007599	707068007629
Product ID (cm)	20.8 X 10.3 X 4	23 X 11.4 X 5.6	25.6 X 12.7 X 5.6	14.1 X 21.3 X 11
Product OD (cm)	22.4 X 13.2 X 4.8	24.9 X 15.4 X 5.9	27.1 X 16.5 X 5.9	22.5 X 23.5 X 11.4
Case Pack	250	250	200	150
Case Weight (kg)	5.6	8.8	7.2	9.6
Тіні	9 x 5	6 x 7	6 x 6	7 × 5
Case OD (cm)	44.3 X 27.5 X 47	51.9 X 40.8 X 33	55.7 X 33.8 X 35.2	49.7 X 34.4 X 46.2
Case Cubic Meters	0.06	0.07	0.07	0.08
Base / Lid Ratio	65/35	70/30	70/30	35/65

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.




Item SLP236 SLP309 Description 550Z 760z UPC 707068009104 707068007773 23.2 X 23.7 X 5.7 Product ID (cm) 15.2 X 15.2 X 8.6 Product OD (cm) 17.8 X 18.7 X 9.2 25.1 X 26.2 X 6 Case Pack 200 300 Case Weight (kg) 12.6 10.3 TiHi 5 x 6 6 x 4 Case OD (cm) 52.9 X 37.6 X 52.4 59.2 X 39.5 X 36.8 **Case Cubic Meters** 0.09 0.10 Base / Lid Ratio 40/60 65/35











Because presentation is everything



ltem	SLP16CS	SLP16FS	SLP270DFS	SLP280FS	SLP281FS	
Description	420Z	420z	2X 250Z	910z	2X 420Z	
UPC	707068007094	707068007100	707068008633	707068009388	707068009395	
Product ID (cm)	22.9 X 9.5 X 6	22.9 X 9.5 X 6	*Varies	19.7 X 20.5 X 8.1	*Varies	
Product OD (cm)	24.6 X 12.1 X 6.8	24.6 X 12.1 X 6.8	18.4 X 22.2 X 6	21.6 X 23.3 X 8.3	21.6 X 23.3 X 8.3	
Case Pack	300	300	300	180	180	
Case Weight (kg)	8.4	8.4	12.8	10.4	10.4	
Тіні	7 × 4	7 × 4	4 x 6	6 x 5	6 x 5	
Case OD (cm)	49.4 X 30.6 X 51.9	49.4 X 30.6 X 51.9	56.7 X 45.2 X 38.4	47.8 X 39.8 X 44.8	47.8 X 39.8 X 44.8	
Case Cubic Meters	0.08	0.08	0.10	0.09	0.09	
Base / Lid Ratio	60/40	60/40	60/40	80/20	80/20	
ltem	SI Doors	SI PROPERCY.	SLP34DCS	SI DO ADEC	SI DELOCES	
Description	SLP3315 3X 140Z	SLP3315CS 3X 140Z	2X 350Z	SLP34DFC 690z	SLP5120CS 700z	
UPC	707068007834	707068012012	707068007162	707068011695	707068008060	
Product ID (cm)	*Varies	*Varies	*Varies	13.7 X 20.6 X 7.6	19.5 X 17.5 X 7.1	
Product OD (cm)	21.7 X 16.5 X 5.7	21.7 X 16.5 X 5.7	22.5 X 18.3 X 7.8	22.5 X 18.3 X 7.8	21 X 19.5 X 7.5	
Case Pack	264	240	250	250	250	
Case Weight (kg)	8.8	10.3	11.8	11.8	10.8	
тіні	7 X 5	7 × 5	6 x 5	6 x 5	6 x 5	
Case OD (cm)	51 X 34.4 X 46.7	51 X 34.4 X 46.7	49.7 X 37 X 46	49.7 X 37 X 46	48.1 X 40.8 X 44.5	
Case Cubic Meters	0.08	0.08	0.08	0.08	0.09	
Base / Lid Ratio	65/35	65/35	50/50	65/35	60/40	
						_



Essentials SureLock® Multi Compartment

ltem				6		
	SLP112A	SLP14	SLP206A	SLP017	SLP28	
Description	12X 70Z	4X 40Z	6x 7oz	3X 150Z	2X 170Z	
UPC	707068009760	707068007414	707068009944	707068007230	707068007735	
Product ID (cm)	*Varies	*Varies	*Varies	*Varies	*Varies	
Product OD (cm)	23.8 X 19.5 X 8.9	19.1 X 16.5 X 4.3	12.7 X 19.2 X 9	22.4 X 18.3 X 4.8	22.4 X 12.5 X 5.9	
Case Pack	174	300	192	250	300	
Case Weight (kg)	9.7	9.3	5.1	9.2	7.6	
тіні	6 x 4	6 x 5	6 x 6	5 × 5	8 x 5	
Case OD (cm)	51 X 39.8 X 49.5	50.3 X 39.5 X 35.1	48.1 X 38.9 X 40	60.5 X 37 X 46	51 X 26.2 X 46.2	
Case Cubic Meters	0.10	0.07	0.07	0.10	0.06	
Base / Lid Ratio	50/50	50/50	50/50	60/40	60/40	

Item **SLP663** Description 3x 29oz UPC 707068010230 Product ID (cm) *Varies Product OD (cm) 28.3 X 21.7 X 7.6 **Case Pack** 212 Case Weight (kg) 17.6 TiHi 4 X 5 Case OD (cm) 57.9 X 49.7 X 45.2 Case Cubic Meters 0.13 Base / Lid Ratio 60/40





SureLock® Muffins and Cupcakes

Shaped for perfect dessert displays





Item	CHILL.	Contract of the second	Car	(1)	Car .
	SLP212	SLP34	SLP34S	SLP36	SLP44A
Description	12 standard	12 mini	12 mini	6 standard	4 standard
UPC	707068007612	707068007841	707068007858	707068007889	707068009180
Product ID (cm)	*Varies	*Varies	*Varies	*Varies	*Varies
Product OD (cm)	32.9 X 26 X 8.6	22.1 X 18.1 X 5.7	22.1 X 18.1 X 4.9	23.8 X 17.1 X 6	17 X 17 X 8.4
Case Pack	100	250	250	300	288
Case Weight (kg)	9.2	8.5	8.5	11.1	7.7
тіні	6 x 6	6 x 5	6 x 5	7 × 5	5 × 7
Case OD (cm)	53.5 X 42.7 X 34.9	45.2 X 37 X 46	45.2 X 37 X 46	50.3 X 35.4 X 49.1	61.4 X 35.1 X 35.9
Case Cubic Meters	0.08	0.08	0.08	0.09	0.08
Base / Lid Ratio	45/55	50/50	60/40	60/40	50/50
ltem	SLP44SA	SLP45	SLP46	SLP52	SLP54P
Description	4 standard	4 standard	6 standard	2 large	4 large
UPC	707068009197	707068007988	707068007995	707068008084	707068009708
Product ID (cm)	*Varies	*Varies	*Varies	*Varies	*Varies
Product OD (cm)	17 X 17 X 7	19.4 X 20.5 X 8.3	23.8 X 17.1 X 7.3	22.5 X 13.5 X 8.6	19.4 X 20.5 X 8.3
Case Pack	288	300	300	500	300
Case Weight (kg)	7.7	11.5	10.2	15.8	11.5
тіні	5×7	5 × 5	7 × 5	4 × 5	6 x 6
Case OD (cm)	61.4 X 35.1 X 35.9	60.8 X 41.8 X 40	50.3 X 35.4 X 49.1	55.4 X 51.9 X 47.3	52.9 X 42.4 X 40.3
Case Cubic Meters	0.08	0.10	0.09	0.14	0.09
Base / Lid Ratio	55/45	50/50	50/50	50/50	50/50



Muffin and Cupcake Dimensions

Example:

ID 5.4 cm x 6 cm x 13.5 cm equals
(a) base diameter x (b) crown diameter x (c) height


Mini muffins are generally 1–2 oz Standard size muffins are generally 4.5–5.5 oz Large/Jumbo muffins are generally 6 oz and above

Base Diameter (a) x Crown Diameter (b) x Height (c)

c. Height

b. Diameter at crown (widest part)

a. Diameter at base of muffin






 $For more information, please \ visit in line plastics. com/advanced-product-search.$

ltem		THE PARTY OF THE P	(Con	The same of the sa	
	SLP54SP	SLP56	SLP72D	SLP74	
Description	4 large	6 standard	4 large	4 large	
UPC	707068009692	707068007001	707068008565	707068008220	
Product ID (cm)	*Varies	*Varies	*Varies	*Varies	
Product OD (cm)	19.4 X 20.5 X 7.6	24.3 X 17.6 X 10.2	19.4 X 20.5 X 7.1	21 X 22.2 X 7.9	
Case Pack	300	300	210	300	
Case Weight (kg)	10.7	13.3	8.8	11.6	
ТіНі	6 x 6	6 x 4	6 x 6	4 × 5	
Case OD (cm)	52.9 X 42.4 X 40.3	49.1 X 37 X 50.5	52.9 X 42.4 X 40.3	89.7 X 31.9 X 43.5	4
Case Cubic Meters	0.09	0.09	0.09	0.12	
Base / Lid Ratio	60/40	45/55	50/50	55/45	










Packaging so easy to use, you only remember the treat





Trusted Standard in Food Packaging

Representing the best combination of value and quality



Expansive Selection

With the options of single or multiple use compartments, we have the package for you



SureLock® Security

Double line locks provide maximum security



Sanitary Lid Design

Sanitary lid design overlaps base to keep out crumbs and other contaminants



Stackability

Conserve valuable shelf space while creating eye-catching displays



Case Cubic Meters

Base / Lid Ratio

0.10

60/40

Item	VPP727A	VPP730	VPP737A	VPP746	VPP747A
Description	530z	970z	630z	260Z	720Z
UPC	707068010537	707068008350	707068010544	707068008398	707068010551
Product ID (cm)	20 X 17.1 X 5.2	21 X 19.7 X 7.5	20 X 17.1 X 6	13.2 X 12.5 X 6.7	20 X 17.1 X 7.1
Product OD (cm)	21.4 X 20.2 X 5.4	22.9 X 24 X 7.6	21.4 X 20.2 X 6.2	15.1 X 15.1 X 6.8	21.4 X 20.2 X 7.3
Case Pack	200	200	200	500	200
Case Weight (kg)	7.6	9.5	7.1	8.9	7.1
тіні	9 x 5	8 x 5	9 x 5	4 X 7	9 x 5
Case OD (cm)	41.1 X 34 X 43.8	48.7 X 30.5 X 46.5	41.1 X 34 X 43.8	61 X 49.7 X 31.8	41.1 X 34 X 43.8
Case Cubic Meters	0.06	0.07	0.06	0.10	0.06
Base / Lid Ratio	50/50	50/50	55/45	50/50	50/50
ltem	VPP756	VPP757A	VPP781		
Description	330z	900z	440z	Section 1	S Strait
UPC	707068008411	707068010568	707068008459		and the state of
Product ID (cm)	13.2 X 12.5 X 7.5	20 X 17.1 X 8.3	20.6 X 9.5 X 7.6		
Product OD (cm)	15.1 X 15.1 X 7.8	21.4 X 20.2 X 8.4	22.4 X 12.4 X 8.1		
Case Pack	500	200	300	The state of the s	its.
Case Weight (kg)	8.9	8.2	7.5		1
тіні	4 × 7	9 x 5	8 x 5		6
Case OD (cm)	61 X 49.7 X 31.8	41.1 X 34 X 43.8	55.1 X 25.9 X 46.7		0

0.07

50/50

0.06

60/40





Our Design is a Piece of Cake

Perfect for cakes sized from 17 cm to 25 cm, single or double layers



Variety of Options

Available in dome and shallow lid options, for single and double layer cakes



Enhanced Clarity

Puts contents center stage and increases impulse consumer purchases



Intuitive Design

Easy open tabs reduce damage to icing and decorations when opening and closing



Recyclable*


All-clear PET is the most widely accepted recyclable material

*Products may not be recyclable in all areas yet; please check locally



Item					
	605PET	1007CL	1007SCL	1008CL	1008SCL
Description	7" & 8" half cake	7" double layer	7" single layer	8" double layer	8" single layer
UPC	707068006394	707068013095	707068013101	707068013125	707068013132
Product ID (cm)	24.4 X 14.0 X 11.1	19.1 X 20.8 X 11.3	19.1 X 20.8 X 7.3	21 X 23.2 X 11.7	21 X 23.2 X 8.4
Product OD (cm)	27.5 X 16.5 X 11.4	23 X 26 X 12.7	23 X 26 X 8.7	25.7 X 28.6 X 13	25.7 X 28.6 X 9.8
Case Pack	100	100	100	100	100
Case Weight (kg)	6.3	7.4	6.7	9	8.2
ТіНі	6 x 4	4 × 5	4 × 5	4 × 5	4 × 5
Case OD (cm)	56.0 X 36.0 X 59.4	49.7 X 49.7 X 46	49.7 X 49.7 X 46	53.2 X 53.2 X 46	53.2 X 53.2 X 41.3
Case Cubic Meters	0.12	0.11	0.11	0.13	0.12
Base / Lid Ratio	2 piece	2 piece	2 piece	2 piece	2 piece
Item				1010SCL	
Description	1009CL 9" double layer	9" single layer	1010CL 10" double layer	10103CL 10" single layer	
UPC	707068013156	707068013163	707068013187	707068013194	
Product ID (cm)	24.1 X 25.7 X 13.2	24.1 X 25.7 X 9	26.4 X 28.4 X 12.4	26.8 X 28.4 X 8.6	
Product OD (cm)	27.9 X 31.6 X 14.6	27.9 X 31.6 X 10.5	30.8 X 34.0 X 14.0	30.8 X 34 X 10.2	
Case Pack	50	50	50	50	
Case Weight (kg)	5.6	5.1	0.68	6	Cake it easy!
тіні			•	8 x 4	
	8 x 4	8 x 4	8 x 4	0 / 4	
Case OD (cm)	8 x 4 45.6 X 29.5 X 58.4	8 x 4 45.6 X 29.5 X 58.4	8 X 4 46.5 X 32.4 X 63.5	46.5 X 32.4 X 63.5	
Case OD (cm) Case Cubic Meters					





Where Value and Freshness Meet

Enhance product shelf life with perimeter seal technology



Enhanced Clarity

Puts contents center stage and increases impulse consumer purchases



Expansive Selection

From bakery to deli and produce, with single and multiple compartments—you're covered



Intuitive Design

Textured grip allows for easy opening



Efficient Stacking

Efficient and stable stacking allow for eye-catching product displays



Case OD (cm)

Case Cubic Meters

Base / Lid Ratio

48.6 X 28.7 X 48.6

0.07

50/50

ltem	VF8050	VF8060	VF8090	VF8091	VF8092	
Description	240z	36oz	87oz	68oz	490z	
UPC	707068010063	707068010148	707068010117	707068010100	707068010094	
Product ID (cm)	11.7 X 11.7 X 6.2	13.7 X 12.5 X 7.5	20.3 X 17.5 X 8.3	20.3 X 17.5 X 7	20.3 X 17.5 X 4.9	
Product OD (cm)	14.1 X 14.3 X 6.5	16 X 15.2 X 7.8	22.7 X 20 X 8.6	22.7 X 20 X 7.3	22.7 X 20 X 5.2	
Case Pack	330	330	110	110	110	
Case Weight (kg)	5.9	7.2	5.6	5.3	5	
тіні	6 x 5	6 x 5	5 X 10	5 X 10	5 X 10	
Case OD (cm)	61.4 X 29.7 X 43.5	61.4 X 31.9 X 48.6	61.4 X 41 X 24.3	61.4 X 41 X 24.3	61.4 X 41 X 24.3	
Case Cubic Meters	0.08	0.10	0.06	0.06	0.06	
Base / Lid Ratio	65/35	55/45	60/40	50/50	50/50	
ltem	VF8100	VF8109	What a looker! Clearly top shelf.			
Description	910z	1x 24oz, 2x 10oz	\ \	× ///2=		
UPC	707068010070	707068010087				
Product ID (cm)	21.4 X 21.4 X 7.3	*Varies			(A)	
Product OD (cm)	23.8 X 23.8 X 7.6	23.8 X 23.8 X 7.6	1500			
Case Pack	100	100	Trimer.	SEE SEE		
Case Weight (kg)	6	6.3				
ТіНі	8 x 5	8 x 5		A MANAGEMENT		
				AND THE RESIDENCE OF THE PARTY		

48.6 X 28.7 X 48.6

0.07

50/50





Merchandising Made Crystal Clear

Our advanced seal design controls moisture to keep food fresh



Perimeter Seal Enhances shelf life and keeps food fresh



Enhanced Clarity
Puts food center stage
and increases impulse
consumer purchases



Efficient Stacking
Efficient and stable stacking
allows for eye-catching
product displays



Intuitive Design
Textured grip tabs allow
for easy opening



Case Pack

TiHi

Case Weight (kg)

Case OD (cm)

Case Cubic Meters

Base / Lid Ratio

132

7.8


5 x 6

61.1 X 35.1 X 36.8

0.08

60/40

ltem	CF6030	CF6035	CF6040	CF6070	CF6080	
Description	530z	600z	750z	1010Z	1300z	
UPC	707068010315	707068010322	707068010339	707068010346	707068010353	
Product ID (cm)	22.2 X 14.6 X 4.6	21.1 X 11 X 7.6	22.2 X 14.6 X 7	19.5 X 19.4 X 7.9	23.7 X 18.7 X 8.6	
Product OD (cm)	24.8 X 17.1 X 5.2	23.7 X 13.5 X 8.3	24.8 X 17.1 X 7.6	21.9 X 22.1 X 8.6	27.6 X 21.4 X 9.2	
Case Pack	140	192	132	132	132	
Case Weight (kg)	5.6	6.6	6.1	6.8	8.8	
ТіНі	5 x 9	9 x 5	5 x 9	4 X 10	4 x 8	
Case OD (cm)	61.4 X 35.6 X 26.4	46.7 X 28.3 X 49.2	61.4 X 35.6 X 26.4	61.3 X 45.1 X 23.7	61.1 X 43.8 X 29.2	
Case Cubic Meters	0.06	0.06	0.06	0.07	0.08	
Base / Lid Ratio	55/45	50/50	60/40	60/40	70/30	
ltem	CF6090	CF6095				
Description	900z	1010Z	STATE			
UPC	707068010360	707068010377		N makes	THE STATE OF THE S	
Product ID (cm)	32.2 X 14.1 X 5.9	32.2 X 14.1 X 6.4			E. S.	
Product OD (cm)	34.9 X 17.1 X 6.5	34.9 X 17.1 X 7			N. C.	
				A COMPANY TO SERVICE		



If there is a whisk, there is a way!

132

7.8


5 x 6

61.1 X 35.1 X 36.8

0.08

50/50





Your Every Event Platters

Superior clarity makes contents stand out for enhanced product visibility



Variety of Options

Available in 4–7 compartments with 40–142 fl. oz capacities



Round or Rectangular

Select the right shape for your application



Enhanced Clarity

All clear material allow Material Recovery Facilities (MRFs) to effectively sort*

*Products may not be recyclable in all areas yet; please check locally



Optimal Merchandising

Options for sturdy stacking or reverse display to maximize the food viewing window



Item		OP	(A)	(PA)	9
	PL042C	PL054C	PLO65C	PL096C	PL115C
Description	4x 9oz, 1x 6oz	4x 120z, 1x 60z	4x 150z, 1x 60z	4x 200z, 1x 160z	4x 250z, 1x 160z
UPC	707068005502	707068005519	707068005526	707068005755	707068005748
Product ID (cm)	*Varies	*Varies	*Varies	*Varies	*Varies
Product OD (cm)	26 X 26 X 5.7	26 X 26 X 7	26 X 26 X 8.3	33 X 33 X 7	33 X 33 X 8.3
Case Pack	100	100	100	50	50
Case Weight (kg)	7.7	7.7	8.8	7.8	8.3
тіні	8 x 3	8 x 3	8 x 3	4 x 7	4 × 7
Case OD (cm)	53.7 X 27.1 X 60	53.7 X 27.1 X 60	53.8 X 27.1 X 67.6	79.2 X 34.8 X 34.6	79.2 X 34.8 X 34.6
Case Cubic Meters	0.09	0.09	0.10	0.10	0.10
Base / Lid Ratio	2 piece	2 piece	2 piece	2 piece	2 piece

Item	PL142C	
Description	4X 300Z, 1X 220Z	
UPC	707068005731	
Product ID (cm)	*Varies	
Product OD (cm)	33 X 33 X 10.2	
Case Pack	50	
Case Weight (kg)	8.8	
ТіНі	4 X 7	
Case OD (cm)	84.6 X 34.8 X 34.6	
Case Cubic Meters	0.10	
Base / Lid Ratio	2 piece	

*For more information, please see inlineplastics.com




ltem	PLQ4oC5	PLQ4oC5F	PLQ50C4	PLQ56C4R	PLQ8oC6R
Description	1x16oz, 4x6oz	1x16oz, 4x6oz	4X12.50Z	1x6oz, 4x12.5oz	1X170Z, 4X12.50Z, 2X70Z
UPC	707068013248	707068013309	707068013231	707068013255	707068013224
Product ID (cm)	*Varies	*Varies	*Varies	*Varies	*Varies
Product OD (cm)	27.9 X 17.8 X 4.1	27.9 X 17.8 X 4.1	27.9 X 17.8 X 5.1	27.9 X 17.8 X 6	35.6 X 27.9 X 4.6
Case Pack	125	125	125	125	60
Case Weight (kg)	8.5	7.3	7.9	8.1	8.2
Тіні	6x4	6x4	6x4	6x4	6x4
Case OD (cm)	46.5 X 37.6 X 58.7				
Case Cubic Meters	0.10	0.10	0.10	0.10	0.10
Base / Lid Ratio	2 piece				

Item		
	PLQ98C4	PLQ116C4R
Description	4x25oz	1x18oz, 4x25oz
UPC	707068013217	707068013200
Product ID (cm)	*Varies	*Varies
Product OD (cm)	35.6 X 27.9 X 4.8	35.6 X 27.9 X 5.9
Case Pack	60	60
Case Weight (kg)	7.6	7.8
ТіНі	6x4	6x4
Case OD (cm)	46.5 X 37.6 X 58.7	46.5 X 37.6 X 58.7
Case Cubic Meters	0.10	0.10
Base / Lid Ratio	2 piece	2 piece



rDPET™ reduces Carbon Footprint by 50%*

*Compared to traditional PET sheet





Commonly used materials for the manufacture of clamshell and two piece food containers.


Material Type			
Tracerial Type			
	РЕТ ⚠	OPS 🙆	PP 🙆
Material	Polyethylene	Polystyrene	Polypropylene
Clarity	Excellent	Excellent	Good
FDA Compliant to	CFR 21 #177.1630	CFR 21 #177.1640	CFR 21 #177.1520
Specific Gravity (g/cc)	1.33	1.05	0.9
Temperature Range ⁽¹⁾	0°F - 140°F	20°F - 170°F	0°F – 220°F
Barrier Properties			
Water Vapor	Good	Fair	Excellent
Gas	Excellent	Fair	Excellent
Oxygen Transmission Rate (CC/100 in² - 24hr - atm)	5 - 15	350	150 - 220
Chemical Resistance			
Acids	Good	Good	Good
Strong Oxidizing Acids	Excellent	Poor	Excellent
Alkalies	Fair	Excellent	Excellent
Hydrocarbon Solvents	Excellent	Poor	Good to Excellent
Alcohols	Excellent	Excellent	Excellent
Fat, Grease & Oil	Excellent	Good	Good
Sugars, Syrups	Excellent	Excellent	Excellent
Temperature Tolerance			
Blast Freezer	Poor	Poor	Poor
Freezer	Good	Fair	Good
Refrigerated	Excellent	Very Good	Excellent
Heat Lamps	Poor	Good	Excellent
Microwave	Poor	Fair	Good
Oven	Not Recommended	Not Recommended	Not Recommended

⁽¹⁾ Temperature specifications may vary depending on components used to make raw materials.

Disclaimer: We strongly recommend that customers test products under their specific conditions to determine fitness for use. Please feel free to obtain free samples through our website, inlineplastics.com, or contact your Inline Plastics' representative.



How to Measure our Packaging



Standard volumes listed are base + lid volumes combined. These are in fluid ounces.

All IDs are measured at the hinge line.

The IDs for circular compartments (cupcakes, muffins, pies) list bottom diameter, top diameter, and height including lid. Outside Dimensions (OD) are consistent with the diagram, and are listed in order of Length (along hinge) x Width x Height.



Purchase Order Requirements

All purchase orders must be written for a minimum of 500 (combined) cases to one delivery location in order to qualify for prepaid freight. Safe-T-Fresh® items must be ordered in full pallet quantities per item. The minimum item order quantity for all non-Safe-T-Fresh items is one full pallet layer with the exception of CC2R, CC4R, and CCLR which may be ordered by the case. Orders for less than 500 cases will be subject to a \$100 administration fee and the Customer agrees to pay the full freight charge. Inline Plastics reserves the right to select the carrier, routing and rates for shipments less than 500 cases.

Purchase Order Lead Time

Orders for stock items are generally available to ship within 10 business days of Purchase Order confirmation date by Inline Plastics. Confirmation is sent within 24 hours of the receipt of the Purchase Order. Weekends and holidays do not count as business days in lead time calculations. Please contact our Customer Experience team for the lead time on non-stock items.

Purchase Order Policy

Purchase Orders must be in writing and include the following information:

- 1. Inline Plastics item number
- 2. Number of cases ordered
- 3. Price per case
- 4. Purchase Order number
- 5. Requested delivery date
- 6. Delivery address
- 7. Delivery appointment contact information
- 8. Customer's e-mail (and fax number if applicable)

Email the original Purchase Order and any revisions directly to:

customerservice@inlineplastics.com

To arrange EDI transactions, please call to speak with a representative at 800-826-5567

Purchase Order Match

Prior to submitting an order with Inline, please ensure all Purchase Orders reflect the correct prices. Orders submitted with incorrect prices may result in a delay until the discrepancy is resolved. Inline will attempt to resolve any discrepancies in a timely manner.

Customer Pick-Ups

Customer Pick Up (CPU) is available at Inline Plastics' discretion. Please contact Customer Experience to make any arrangements.

Invoicing

Terms: 1% 10, Net 30 days from date of invoice.

Product Warranty

Inline Plastics warrants that all products are manufactured free of defects in workmanship. Inline makes no warranty of any other kind, expressed or implied.

Shipping Policy

- 1. Orders within the continental U.S. and Canada are shipped prepaid freight with Inline's standard transit lead times for orders meeting the minimum requirements.
- The maximum number of full pallets that can fit in a truckload (53' Trailer) is 30.
- 3. Upon receipt of a shipment any discrepancies regarding shortages and/or damages must be noted on the POD and BOL. For all shortage claims, the claimant must file the claim within nine months of the shipment date.

Return Goods Policy

- 1. No return items will be accepted without prior approval.
- **2.** Return freight is the responsibility of the Customer for all returns due to overstock, wrong product ordered or other Customer related issues.
- Items must be returned within six (6) months from shipment and invoicing by Inline.
- 4. All items being returned must be in good condition, in original unopened cartons, without any damage to the product; otherwise it will be refused for credit.
- 5. Once a product return has been approved, Customer is issued a Return Authorization Number (RA Number), and advised of the amount of the credit that may be issued by Inline upon receipt of RESALEABLE* product pending QA inspection.
- **6.** The amount of credit issued by Inline will be the price paid by the Customer less the following:
 - a) A 20% restocking fee
 - b) The freight cost incurred by Inline to ship the product from the Customer's warehouse back to the originating plant
 - c) Any product rejected during QA inspection
- 7. Embossed or special order items may not be returned.
- **8.** All requests for Return Authorization should be directed to Customer Experience, 800-826-5567 or customerservice@inlineplastics.com.

*Resaleable product must pass Inline Plastics' Quality Assurance inspection.

Customer Experience 800-826-5567





Item	Page	Item	Page	Item	Page
C5512XD	14	C9624D	14	C5532DV	15
C5524D	14	C9635D	14	C7R20DV	15
C5532D	14	C5512XDV	15	C9624DV	15
C7R20D	14	C5524DV	15	C9635DV	15



Item	Page	Item	Page	Item	Page
CC2Q	39	T\$202V	48	TS48	23
CC2R	39	TS20MV	49	TS48PW	35
CC4R	39	TS20V	47	TS48RDP	43
CCLR	39	TS24	22	TS48RN	43
FMT2LRT	25	TS24MV	49	TS48V	47
FMT2MRT	25	TS24PW	34	TS52R3N	44
FMT3LRT	25	TS24PWF	34	TS5X5	26
FMT3MRT	25	TS24PWXF	34	TS5X5	31
TS112	24	TS24RN	43	TS5X5ST	26
TS112V	47	TS24RNV	49	TS5X5ST	31
TS11CCRJT	37	TS24V	47	TS6	19
TS12	19	TS30	22	TS64	23
TS128V	47	TS3002	29	TS64D	23
TS12CCQ	38	TS3004	29	TS64L	23
TS12CCR	38	T\$3006	29	TS64LV	47
TS12CCRD	38	T\$3008	29	TS64PW	35
TS12CCRDV	50	TS32	22	TS64RN	44
TS12CCRV	50	TS32PW	34	TS6T	20
TS12PW	33	TS32PWF	35	TS8	19
TS12RN	42	TS32PWXF	35	TS8oRN	44
TS12RNV	49	TS32RN	43	TS8CCR	37
TS12T	20	TS32V	47	TS8CCRD	37
TS16	19	TS35	23	TS8CCRDV	50
TS16C2	22	TS35V	47	TS8CCRV	50
TS16CCR	38	TS4008	30	TS8PW	33
TS16CCRD	38	TS4008R	41	TS8RN	42
TS16CCRDV	50	TS4012	30	TS8T	20
TS16CCRV	50	TS4012R	41	TS9oPJ	23
TS16PW	33	TS4016	30	TSSB1R	32
TS16PWS	34	TS4016DB	30	TSSB24I	31
TS16RN	42	TS4016R	41	TSSB32	31
TS16T	20	TS4024	30	TSSB3R	32
TS17VT	20	T\$4024DB	30	TSSB48	31
TS17VT	48	TS4024R	41	TSSB4C	32
TS18RN	43	T\$4025R	41	TSSWR	26
TS1SW	26	T\$4025RN	41	TSSWR	31
TS1SWV	48	T\$4032	30	TSSWRV	48
	7~		30		70

TS4032DB

TS4032R

30


TS20

TS202

26

Essentials

Item	Page	Item	Page	Item	Page
1007CL	77	SLP15B	57	SLP44SA	71
1007SCL	77	SLP16CS	68	SLP45	71
1008CL	77	SLP16FS	68	SLP46	71
1008SCL	77	SLP170D	61	SLP510	63
1009CL	77	SLP174	57	SLP5120	60
1009SCL	77	SLP17D	57	SLP5120CS	68
1010CL	77	SLP17XD	57	SLP5125	60
1010SCL	77	SLP18	58	SLP52	71
605PET	77	SLP18D	58	SLP54P	71
CF6030	81	SLP19	58	SLP54SP	72
CF6035	81	SLP20	62	SLP55	63
CF6040	81	SLP206A	69	SLP56	72
CF6070	81	SLP208	65	SLP57	60
CF6080	81	SLP209	65	SLP58	60
CF6090	81	SLP20D	62	SLP65	60
CF6095	81	SLP210	65	SLP663	69
PL042C	83	SLP212	71	SLP67	60
PL054C	83	SLP218	65	SLP69	63
PLO65C	83	SLP227	65	SLP70	63
PL096C	83	SLP23	62	SLP70W	63
PL115C	83	SLP236	66	SLP72D	72
PL142C	83	SLP25	62	SLP74	72
PLQ116C4R	84	SLP26	58	SLP75	60
PLQ4oC5	84	SLP27	58	SLP75D	60
PLQ4oC5F	84	SLP270DFS	68	SLP77	61
PLQ50C4	84	SLP28	69	SLP80	61
PLQ56C4R	84	SLP280FS	68	SLP82	61
PLQ8oC6R	84	SLP281FS	68	SLP88	61
PLQ98C4	84	SLP29	58	SLP88S	61
SC18S	55	SLP30	58	SLP90	61
SC20XD	55	SLP309	66	SLP95	61
SC210	55	SLP3oC	58	SLP99	61
SC35	55	SLP30S	58	VF8050	79
SC35C2	55	SLP30XS	58	VF8060	79
SC5110S	55	SLP32	59	VF8090	79
SC5130FS	55	SLP3315	68	VF8091	79
SLP017	69	SLP3315CS	68	VF8092	79
SLP10	62	SLP34	71	VF8100	79
SLP104S	57	SLP34DCS	68	VF8109	79
SLP106	64	SLP34DFC	68	VPP727A	7 5
SLP108	64	SLP34S	71	VPP730	75
SLP109	64	SLP35	59	VPP737A	7 5
SLP110	64	SLP36	71	VPP746	75
SLP112A	69	SLP38	59	VPP747A	7 5
SLP116	65	SLP38D	59	VPP756	75
SLP118	65	SLP40	59	VPP757A	75
SLP119	65	SLP40S	59	VPP781	75
SLP120	65	SLP40XS	59		
SLP14	69	SLP44A	71		



All products are manufactured in the USA







Corporate Headquarters and Shelton Manufacturing

42 Canal Street East Shelton, CT 06484, USA

Georgia

Conyers Manufacturing

2490 Dogwood Drive Building 300 Conyers, GA 30013, USA

McDonough Manufacturing

100 Constitution Drive McDonough, GA 30253, USA

Michigan

Gladwin Manufacturing

705 Weaver Court Gladwin, MI 48624, USA

Utah

Salt Lake City Manufacturing

1927 South 4650 West Salt Lake City, UT 84104, USA

Contact Information

Phone 800-826-5567 x 7046 **Fax** 203-924-0370 **Email** info@inlineplastics.com

inlineplastics.com













