

Product Catalog



Simple.
Safe. Secure.
Sustainable.









Trusted since 1968



Creator

of the tamper evident & tamper resistant thermoformed market!



US manufacturing plants

Devoted single family owned since 1968



#1

trusted tamper evident & tamper resistant brand

100+

tamper protection options



Dedicated retail and processor category experts!

FREE packaging auton

packaging automation advice to customers!

Recyclable*

#1

for product clarity



First

tamper protection in both PET and polypropylene product lines



The Inline Way: Pairing Family with Innovation

Family evokes tradition and stability. Innovation, on the other hand, is ground-breaking and outside the lines. At Inline Plastics, our culture bridges these two, creating an environment where our family business fuses our core values with a passion for creativity and ingenuity. The result is new technologies backed by an over 50-year commitment to quality and service. This balance allows Inline Plastics to continuously bring new packaging solutions to the marketplace, while maintaining a family atmosphere for our employees, our suppliers, and our customers.

The Next Generation

4

My father and uncle founded Inline Plastics in the 1960's. Thirty years later, I came on board. And in 2018, my daughter, Alicia Orkisz Fitze, joined the organization. Through decades of growth and change, ownership and control by the Orkisz family has remained consistent.

With this catalog, we are excited to reveal the latest in a long history of new product releases with the launch of Safe-T-Chef®. Utilizing our patented tear-strip technology, Inline is releasing the first tamper resistant, tamper evident, and leak resistant polypropylene product offering designed for hot food applications. A new facility in Conyers, GA, one of our five locations, will manufacture a complete polypropylene line featuring a wide variety of options in various shapes, sizes and capacities—with more items to follow soon!

We Care

Families take care of each other. Innovation provides new tools to make that easier. From our Innovation Center, to sales and marketing, as well as manufacturing, we integrate the latest technologies to create exceptional products backed by the highest customer service.

We also care about improving the world around us. This extends from the simplest, making life easier for a consumer, to large-scale initiatives that reduce environmental impacts. All Inline PET products are made with 10% post-consumer content, and manufactured using the lowest carbon footprint. All Safe-T-Chef® products are made with all clear polypropylene, making it easy to sort through materials recovery facilities (MRFs).



We look forward to working with you!

Join Us

Use this catalog to get started. It is full of all the details on our extensive family of products. Then reach out to our teams at InlinePlastics.com, or our Chief Fun Officer, Lemon at lemon@inlineplastics.com for more information and next steps. The Inline family is ready with innovative solutions for all your packaging needs.

Thomas Orking

Tom Orkisz



Over 50 Years of Experience

Inline Plastics Corp.







1968

1985

1988

1999

Inline Plastics is incorporated by Rudolph and Gene Orkisz

Inline Plastics launches SureLock® technology Inline Plastics receives first patent for a locking mechanism

Tom Orkisz becomes Owner, President and CEO of Inline Plastics









2003

2006

2009

2018

The opening of Inline Plastics Salt Lake City, UT Plant

Launch of first Safe-T-Fresh® line, after receiving official patent The opening of Inline Plastics McDonough, GA Plant Refreshed branding and website to coincide with the future vision of the company

Orkisz Legacy
Continues:
Third Generation,
Alicia Orkisz Fitze,
joins the Inline team







2020

2022

Two important launches:

- Reborn, all PET products made with 10% postconsumer content
- Refreshed smooth, modern design to the medium and large Safe-T-Fresh® Rectangles

Safe-T-Chef® launched, the first tamper evident, tamper resistant, leak resistant family of polypropylene products

Opening of new Inline Plastics polypropylene plant in Conyers, GA and new manufacturing plant in Gladwin, MI Hi! I'm Ace. I am your catalog tour guide











Essentials
SureLock*

Essentials
ValuPack*

Essentials
Cakes

Safe-T-Fresh Rectangles

Essentials
VisiblyFresh®

Safe-T-Fresh Squares


Essentials
CrystalFresh*

Safe-T-Fresh[®] Rounds

Essentials
Platters

Table of Contents

Focus on Sustainability	8
Packaging Automation Solutions	10
Safe-T-Chef [®]	12
Safe-T-Fresh [®]	16
Safe-T-Fresh [®] Rectangles	18
Safe-T-Fresh [®] Squares	28
Safe-T-Fresh [®] Rounds	36
Safe-T-Fresh® Vented Solutions	46
Essentials	52
Essentials SureChoice®	54
Essentials SureLock®	56
Essentials ValuPack®	74
Essentials Cakes	76
Essentials Visibly Fresh [®]	78
Essentials Crystal Fresh®	80
Essentials Platters	82
reborn. vs Traditional PET	85
Material Specifications	86
Product Specification Guide	87
Terms and Conditions	88
Index	89
Locations	90
Contact	91









reborn.



PET is reborn at Inline Plastics

All our PET products are made in part with post-consumer recycled content






PACKAGING FOR A BETTER PLANET

Inline Plastics is the first thermoformed food packaging manufacturer to utilize post-consumer content made with cutting edge technology called Advanced Recycling.

We call this PET material rDPET (recycled Direct to Sheet PET). Through our 'reborn' process, all of our PET products are made with 10% post-consumer content.



By using rDPET™vs. traditional PET, Inline Plastics...





Generates over

50% energy

savings when

producing rDPET™



Decreases carbon

of forest per year

112,000 acres

Oľ



Saves greenhouse emissions equal to 233 million miles driven rDPET™ is a high performing food-grade packaging material reborn with 10% post-consumer content and the lowest carbon footprint on the market today







Custom Automation Packaging Solutions

<u>The only thermoformed</u> packaging manufacturer in the industry providing in-house automation solutions


De-Nesters | Conveyors | Labeling Systems | High Speed Closers

m

See how much our automation solutions can help you save by scanning the QR code or visiting us at www.inlineplastics.com/automation-calculator



Designed to pick and place empty packages onto a packing conveyor quickly, accurately, and efficiently.






We can **turn or flip** the package into the desired position, as well as add **vibration** to settle food within.

11' - 0" -

Over 50 Years of Experience

Could you benefit from our automation services? Our Automation team provides reliable and effective solutions with an in-depth evaluation process. This experienced team of automation specialists identifies areas of opportunity for increasing efficiency, providing room for growth and increased sales resulting in greater profits.



We can develop an entire packaging line or design around existing equipment.

ip Safe-T-Chef®



First Polypropylene Family of Tamper Evident Products in the Market

Designed for a variety of hot food applications



Tamper Evident

Proven patented technology



High Clarity

Showcases contents, highlights food's appeal



Smooth Modern Design

Attractive shape and curved smooth walls create scoopable corners to reach every last bite



Perfect for Hot Food

Great for microwaves, heat lamps, and hot displays



Crave consumer trust?





Polypropylene Packaging for Hot Food Applications



Tamper Protection

Proven patented technology gives consumers confidence that food has remained sealed. Great for delivery!



Full Transparency

Exceptional clarity because shoppers like to see the food they buy.



Sustainability

All-clear packaging—be ready as the shift away from black carbon plastics continues.





Scan to learn more

InlinePlastics.com/hot



Item



C5512XD

	933.2XB
Description	120Z
UPC	707068013057
Product ID (in)	4.9 x 4.9 x 2.3
Product OD (in)	6.1 x 5.9 x 2.6
Case Pack	264
Case Weight (lbs)	11.4
ТіНі	6 x 5
Case OD (in)	24 X 12.9 X 18.2
Case Cubic Ft	3.3
Base / Lid Ratio	50/50













	C5524D	C5532D	C7R20D	C9624D	C9635D
Description	240Z	320Z	200Z	240Z	350z
UPC	707068012937	707068012968	707068012975	707068012999	707068013019
Product ID (in)	4.9 x 4.9 x 3.1	4.9 × 4.9 × 4	6.9 x 6.9 x 1.8	8.8 x 5.4 x 1.9	8.8 x 5.4 x 2.4
Product OD (in)	6.1 x 5.9 x 3.4	6.1 x 5.9 x 4.3	7.9 x 7.8 x 2.1	9.9 x 6.6 x 2.3	9.9 x 6.6 x 2.7
Case Pack	240	224	240	136	128
Case Weight (lbs)	12.9	15.2	14.7	11.8	12.1
ТіНі	6 x 5	6 x 5	4 X 4	6 x 5	6 x 5
Case OD (in)	24 X 12.9 X 18.2	24 X 12.9 X 18.2	24 X 17.8 X 22.6	20 X 15.3 X 18.6	20 x 15.3 x 18.6
Case Cubic Ft	3.3	3.3	5.6	3.3	3.3
Base / Lid Ratio	75/25	80/20	65/35	55/45	60/40



Item



C5512XDV

Description	120z vented		
UPC	707068013040		
Product ID (in)	4.9 X 4.9 X 2.3		
Product OD (in)	6.1 x 5.9 x 2.6		
Case Pack	264		
Case Weight (lbs)	11.4		
Тіні	6 x 5		
Case OD (in)	24 X 12.9 X 18.2		
Case Cubic Ft	3.3		



Item

Base / Lid Ratio



50/50









26
4
7
.6



Safe-T-Fresh®

Secure.



Trusted Since 1968

Largest tamper evident product portfolio available. All PET products are made with 10% post-consumer content derived from Advanced Recycling.





Learn more at inlineplastics.com/secure





Market Leader in Tamper Evident, Tamper Resistant Food Packaging













Tamper Evident & Tamper Resistant as Easy as 1, 2, 3







Market Favorite with Exceptional Quality

Extensive variety to meet a wide range of applications



Expansive Selection

Ranging from 6 to 128 fl oz with both hangable and vented options



Built for Safety

The first tamper evident and tamper resistant package you'll find everywhere



Robust Design

Made to stack easily and create visually beautiful product displays



All-Purpose

Perfect for many markets and applications





Item				
	TS6	TS8	T\$12	TS16
Description	6oz	8oz	120Z	160z
UPC	707068010476	707068005632	707068005175	707068005182
Product ID (in)	3.8 x 4.4 x 0.9	3.8 x 4.4 x 1.3	3.8 x 4.4 x 1.8	3.8 x 4.4 x 2.3
Product OD (in)	4.9 x 5.8 x 1.1	4.9 x 5.8 x 1.6	4.9 x 5.8 x 2	4.9 x 5.8 x 2.6
Case Pack	240	240	240	240
Case Weight (lbs)	9.2	9.8	10.4	11.5
TiHi	10 X 5	10 X 5	10 X 5	10 X 5
Case OD (in)	16.3 X 11.9 X 19.5			
Case Cubic Ft	2.2	2.2	2.2	2.2
Base / Lid Ratio	100/0	N/A	N/A	N/A



Safe-T-Fresh® Hangable Rectangles

Make food displays effortless



Ite	m						
		TS6T	TS8T	TS12T	TS16T	TS17VT	
Des	cription	6oz	8oz	120Z	160z	170z	
UPC		707068010483	707068006974	707068006981	707068006998	707068010001	
Proc	duct ID (in)	3.8 x 4.4 x 0.9	3.8 × 4.4 × 1.3	3.8 x 4.4 x 1.8	3.8 x 4.4 x 2.3	3.8 x 5.3 x 1.9	
Proc	duct OD (in)	4.9 x 5.8 x 1.1	4.9 × 5.8 × 1.6	4.9 x 5.8 x 2	4.9 x 5.8 x 2.6	4.5 x 6.6 x 2	
Case	e Pack	240	240	240	240	320	
Case	e Weight (lbs)	9.2	9.8	10.4	11.5	14.6	
TiHi		10 X 5	10 X 5	10 X 5	10 X 5	6 x 5	
Case	e OD (in)	16.3 X 11.9 X 19.5	23.9 X 12.8 X 18.4				
Case	e Cubic Ft	2.2	2.2	2.2	2.2	3.3	
Base	e / Lid Ratio	100/0	N/A	N/A	N/A	NA	


Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.



Item: Floor-Rack

3-Tier Safe-T-Fresh[®] For Hangable Rectangles Floor-Rack: 18 hooks and sign holder

Dimensions	19 ½" diameter x 63" tall
Case Pack	1
Case Weight (lbs)	7.0
Case Cubic Feet	1.83
UPC Code	707068009784









Item: Counter-Rack

3-Tier Safe-T-Fresh® For Hangable Rectangles Counter-Rack: 12 hooks and sign holder

Dimensions	12" diameter x 12" tall
Case Pack	1
Case Weight (lbs)	5.0
Case Cubic Feet	1.17
UPC Code	707068009135





Item					
	TS20	TS24	TS30	TS32	TS16C2
Description	200Z	240Z	300Z	320Z	1x 90z, 1x 70z
UPC	707068009975	707068005540	707068012791	707068005557	707068012159
Product ID (in)	6.4 x 4.3 x 1.4	6.4 x 4.3 x 1.9	6.4 x 4.3 x 2.3	6.4 x 4.3 x 2.4	*Varies
Product OD (in)	7.4 x 5.6 x 1.8	7.4 x 5.6 x 2.3	7.4 x 5.6 x 2.6	7.4 x 5.6 x 2.8	7.4 × 5.6 × 1.8
Case Pack	200	200	200	200	200
Case Weight (lbs)	15.9	15.9	18.1	18.1	17.4
ТіНі	5 x 6	5 x 6	5 x 6	5 x 6	5 x 6
Case OD (in)	23.3 X 15.8 X 14.9				
Case Cubic Ft	3.2	3.2	3.2	3.2	3.2
Base / Lid Ratio	100/0	100/0	100/0	100/0	100/0



Item **TS35** Description 350Z UPC 707068006707 Product ID (in) 7.8 x 6.8 x 1.5 Product OD (in) 8.8 x 7.9 x 1.9 **Case Pack** 150 Case Weight (lbs) 19.2 5 X 5 Case OD (in) 23.9 x 16.3 x 17.9

Need larger capacity?

We have your back with durability & dependability



Item

Case Cubic Ft

Base / Lid Ratio



4.0

100/0









	TS48	TS64	TS64D	TS64L	TS90PJ
Description	480z	640z	820z	640z	900z
UPC	707068006233	707068006240	707068011268	707068006899	707068011596
Product ID (in)	7.8 x 6.8 x 2.1	7.8 x 6.8 x 2.7	7.8 x 6.8 x 3.2	7.8 x 6.8 x 2.7	7.4 × 6.4 × 4.3
Product OD (in)	8.8 x 7.9 x 2.4	8.8 x 7.9 x 3.1	8.8 x 7.9 x 3.4	8.8 x 7.9 x 3.1	8.8 x 7.9 x 4.3
Case Pack	150	150	150	150	128
Case Weight (lbs)	22.1	24	24	20.2	25.5
тіні	5 X 5	5 X 5	5 X 5	5 X 5	5 × 5
Case OD (in)	23.9 X 16.3 X 17.9				
Case Cubic Ft	4.0	4.0	4.0	4.0	4.0
Base / Lid Ratio	100/0	100/0	75/25	100/0	100/0



Item **TS112** Description 1120Z **UPC** 707068012470 Product ID (in) 11.4 x 6.8 x 3 Product OD (in) 12.5 X 7.9 X 3.4 Case Pack 60 Case Weight (lbs) 15.7 8 x 5 Case OD (in) 16.3 x 12.9 x 19.8 **Case Cubic Ft** 2.4 Base / Lid Ratio 100/0

Maximum Capacity



Customize your offerings with Flip n' Mix Trays

Mix and match to build configurations from 2 to 6 toppings

Flip n' Mix trays for the TS35 - TS90PJ (FMT2LRT & FMT3LRT)





2 Compartments

3 Compartments






















Item FMT2MRT FMT3MRT Description 2X 20Z 2X 2OZ, 1X 1OZ **UPC** 707068012180 707068012173 *Varies Product ID (in) *Varies Product OD (in) 6.6 x 3.1 x 0.8 6.6 x 3.1 x 0.8 **Case Pack** 360 360 Case Weight (lbs) 4.6 5.1 19 x 6 19 x 6 Case OD (in) 17.8 x 14.4 x 6 17.8 x 14.4 x 6 **Case Cubic Ft** 0.9 0.9 Base / Lid Ratio N/A N/A


Flip n' Mix Trays

Make your dreams come true



Compatible with TS20, TS24, TS32

Item









Item					
	TS202	TS1SW	TS ₅ X ₅	TS5X5ST	TSSWR
Description	400Z	170Z	250Z	270Z	210Z
UPC	707068006684	707068009982	707068011411	707068011862	707068012029
Product ID (in)	7.9 x 3.3 x 2.8	6.1 x 3 x 3.6	4.6 x 4.6 x 2.4	4.6 x 4.6 x 2.3	5.3 × 5.3 × 2
Product OD (in)	9.1 x 5.1 x 3	7.3 x 4.1 x 3.6	5.9 x 5.8 x 2.6	5.9 x 5.8 x 2.8	6.1 x 6.4 x 2.6
Case Pack	150	288	272	272	252
Case Weight (lbs)	13	17	12.7	14.2	20
тіні	9 x 5	5 x 6	8 x 4	8 x 4	6 x 5
Case OD (in)	18.8 x 10.8 x 19.6	24.1 x 15.1 x 16.1	19.9 X 12.1 X 22.4	19.9 X 12.1 X 22.4	23.9 X 13.3 X 18.3
Case Cubic Ft	2.3	3.4	3.1	3.1	3.4
Base / Lid Ratio	50/50	100/0	60/40	50/50	55/45

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.





Industry Innovator
Tamper Evident, Tamper Resistant Technology
Trusted for 15+ years



SIMPLICITY

One step to tamper evidence, simply close the lid—no shrink band/heat tunnel needed

SKU RATIONALIZATION

Single piece clamshell, no mismatching bases/lids, no shrink bands needed

LEAK RESISTANT PERIMETER SEAL

Seals in freshness, keeps product and its surroundings clean and dry

EASY TO AUTOMATE

With Inline's Automation Team involved throughout product development





Well Crafted, Sturdy Squares

Showcase the contents while optimizing critical shelf space



Exceptional Clarity

Provides clear view of contents



Versatility

Whether on the go or taking out, perfect for many markets and applications



Find Your Size

Ranging from 2 to 64 fl oz, we have what you need



Leak Resistant

Seals in freshness, prevents spills



ltem	T\$3002	T\$3004	T\$3006	T\$3008	
Description	20Z	40Z	6oz	8oz	
UPC	707068012272	707068012289	707068012296	707068012302	
Product ID (in)	2.8 x 2.8 x 0.6	2.8 x 2.8 x 1.3	2.8 x 2.8 x 1.9	2.8 x 2.8 x 2.6	
Product OD (in)	3.6 x 3.4 x 1.1	3.6 x 3.4 x 1.8	3.6 x 3.4 x 2.4	3.6 x 3.4 x 3	
Case Pack	336	312	288	288	
Case Weight (lbs)	6.9	7.4	8.7	9.9	
тіні	5 X 11	5 X 11	5 x 11	5 X 11	
Case OD (in)	22.1 X 15.9 X 7.6				
Case Cubic Ft	1.6	1.6	1.6	1.6	
Base / Lid Ratio	100/0	100/0	100/0	100/0	

Our 3 x 3 Snacker Sizes Perfect for on-the-go





Item					ually sible
	T\$4008	T\$4012	T\$4016	4X4	's
Description	8oz	120Z	160z		
UPC	707068011497	707068011503	707068011510		
Product ID (in)	4 X 4 X 1	4 x 4 x 1.6	4 X 4 X 2.6		
Product OD (in)	4.8 x 5 x 1.6	4.8 x 5 x 2.1	4.8 x 5 x 2.9		
Case Pack	300	288	276		
Case Weight (lbs)	13.1	14.5	16.1		
Тіні	6 x 6	6 x 6	6 x 6		757
Case OD (in)	27.3 X 10.4 X 14.6	27.3 X 10.4 X 14.6	27.3 X 10.4 X 14.6		
Case Cubic Ft	2.4	2.4	2.4		
Base / Lid Ratio	100/0	100/0	100/0		
Item					
Description	T\$4024	T\$4032	TS4016DB	T\$4024DB	T\$4032DB
UPC	240Z	320Z	150Z	230Z	300z
	707068011527	707068011534	707068012234	707068012241	707068012524
Product ID (in)	4 × 4 × 3.5	4 × 4 × 4.6	4 x 4 x 1.8	4 x 4 x 2.8	4 x 4 x 3.8
Product OD (in)	4.8 x 5 x 3.9	4.8 x 5 x 5.1	4.8 x 5 x 2.9	4.8 x 5 x 3.9	4.8 x 5 x 5.1
Case Pack	264	240	276	264	240
Case Weight (lbs)	21.3	23.3	16.1	22.8	23.3
тіні	6 x 6	6 x 6	6 x 6	6 x 6	6 x 6
Case OD (in)	27.3 X 10.4 X 14.6				
Case Cubic Ft	2.4	2.4	2.4	2.4	2.4
Base / Lid Ratio	100/0	100/0	100/0	100/0	100/0



Item TS5X5ST **TS5X5** Description 250Z 270Z UPC 707068011411 707068011862 Product ID (in) 4.6 x 4.6 x 2.4 4.6 x 4.6 x 2.3 Product OD (in) 5.9 x 5.8 x 2.6 5.9 x 5.8 x 2.8 272 **Case Pack** 272 Case Weight (lbs) 12.7 14.2 TiHi 8 x 4 8 x 4 Case OD (in) 19.9 X 12.1 X 22.4 19.9 X 12.1 X 22.4 Case Cubic Ft 3.1 3.1 Base / Lid Ratio 60/40 50/50

Multi-Use 5x5 Packaging Deli, fruit, veggies & more







•	_		
п	-	•	











	TSSB24I	TSSB32	TSSB48	TSSWR
Description	240Z	320z	48oz	210Z
UPC	707068012142	707068012135	707068011787	707068012029
Product ID (in)	5.3 x 5.3 x 1.9	5.4 X 5.4 X 2.3	5.3 x 5.3 x 3.6	5.3 X 5.3 X 2
Product OD (in)	6.1 x 6.4 x 2.4	6.1 x 6.4 x 2.6	6.1 x 6.4 x 4.1	6.1 x 6.4 x 2.6
Case Pack	252	252	216	252
Case Weight (lbs)	24.3	27.3	28.3	20
тіні	6 x 5	6 x 5	6 x 5	6 x 5
Case OD (in)	23.9 X 13.3 X 18.3			
Case Cubic Ft	3.4	3.4	3.4	3.4
Base / Lid Ratio	100/0	100/0	100/0	55/45







Compartments:


Organized & functional packaging for customizable variety




ltem			
	TSSB4C	TSSB1R	TSSB3R
Description	4X 2.50Z	1x 6oz, 1x 16oz	2X 40Z, 2X 50Z
UPC	707068012098	707068011763	707068011770
Product ID (in)	*Varies	*Varies	*Varies
Product OD (in)	6.1 x 6.4 x 1.5	6.1 x 6.4 x 2.2	6.1 x 6.4 x 2.3
Case Pack	252	252	252
Case Weight (lbs)	20	22.5	22.5
тіні	6 x 5	6 x 5	6 x 5
Case OD (in)	23.9 X 13.3 X 18.3	23.9 X 13.3 X 18.3	23.9 X 13.3 X 18.3
Case Cubic Ft	3.4	3.4	3.4
Base / Lid Ratio	100/0	100/0	100/0








Item	To the same of the		
	TS8PW	TS12PW	TS16PW
Description	8oz	120Z	16oz
UPC	707068011916	707068011923	707068011930
Product ID (in)	4.6 x 4.6 x 1.6	4.6 x 4.6 x 2.1	4.6 x 4.6 x 2.6
Product OD (in)	5.9 x 5.8 x 1.8	5.9 x 5.8 x 2.3	5.9 x 5.8 x 2.7
Case Pack	168	168	164
Case Weight (lbs)	9.4	10.4	11.6
тіні	6 x 8	6 x 8	6 x 8
Case OD (in)	23.8 X 12.3 X 11.8	23.8 X 12.3 X 11.8	23.8 x 12.3 x 11.8
Case Cubic Ft	2.0	2.0	2.0
Base / Lid Ratio	66/34	66/34	66/34







Item						
	TS16PWS	TS24PW	TS24PWF	TS24PWXF	TS32PW	
Description	160z	240Z	240Z	240Z	320Z	
UPC	707068011855	707068011848	707068011985	707068012494	707068011817	
Product ID (in)	6.3 x 6.3 x 1.9	6.3 x 6.3 x 2.3	6.3 x 6.3 x 1.9	6.3 x 6.3 x 1.4	6.3 x 6.3 x 2.8	
Product OD (in)	7.7 X 7.5 X 2	7.7 × 7.5 × 2.5	7.7 X 7.5 X 2	7.7 x 7.5 x 1.8	7.7 × 7.5 × 3	
Case Pack	174	174	174	174	168	
Case Weight (lbs)	16.7	17.6	16.7	16.7	18.7	
тіні	5 x 6	5 x 6	5 x 6	5 x 6	5 x 6	
Case OD (in)	23.7 X 15.9 X 15.4	23.7 × 15.9 × 15.4				
Case Cubic Ft	3.4	3.4	3.4	3.4	3.4	
Base / Lid Ratio	66/34	66/34	90/10	100/0	66/34	



Item TS32PWF TS32PWXF Description 320Z 320Z **UPC** 707068011978 707068012500 Product ID (in) 6.3 x 6.3 x 2.3 6.3 x 6.3 x 1.8 Product OD (in) 7.7 X 7.5 X 2.4 7.7 x 7.5 x 2.3 168 168 **Case Pack** Case Weight (lbs) 18.7 18.7 5 x 6 5 x 6 Case OD (in) 23.7 X 15.9 X 15.4 23.7 X 15.9 X 15.4 **Case Cubic Ft** 3.4 3.4 Base / Lid Ratio 90/10 100/0

Elegant 7x7

Seal in freshness with leak resistance



3 Lid styles available

Item





	TS48PW	TS64PW
Description	480z	64oz
UPC	707068011831	707068011824
Product ID (in)	8 x 8 x 2.9	8 x 8 x 3.5
Product OD (in)	9.3 x 9.2 x 3	9.3 x 9.2 x 3.6
Case Pack	88	80
Case Weight (lbs)	15.5	16.8
тіні	7 × 5	7×5
Case OD (in)	19.1 x 13.1 x 18.6	19.1 x 13.1 x 18.6
Case Cubic Ft	2.7	2.7
Base / Lid Ratio	66/34	66/34

Large 8x8 Family Sizes



Thank goodness for leak resistance







Ultra Clear, Well-Rounded Designs

A wide variety, great for produce, deli, and grab & go



Grab & Go OptionsPerfect for snacking in the car, eating on the go



Expansive SelectionFrom 8 oz to 80 oz make finding solutions easy



Clamshell Design
Single piece allows for efficient inventory management



VersatilePerfect for many markets and applications





Your Solution for Grab & Go

ltem			
	TS8CCR	TS8CCRD	TS11CCRJT
Description	8oz	8oz	110Z
UPC	707068010766	707068010773	707068010759
Product ID (in)	3.5 X 3.5 X 2.4	3.5 × 3.5 × 3.4	3.5 × 3.5 × 3.1
Product OD (in)	4.4 X 4.4 X 2.4	4.4 × 4.4 × 3.4	4.4 × 4.4 × 3.2
Case Pack	272	272	256
Case Weight (lbs)	8.6	9	10
тіні	10 X 5	10 X 5	10 X 5
Case OD (in)	20.2 X 9.4 X 17.4	20.2 X 9.4 X 17.4	20.2 x 9.4 x 17.4
Case Cubic Ft	1.9	1.9	1.9
Base / Lid Ratio	100/0	60/40	100/0





Item	TS12CCQ	TS12CCR	TS12CCRD	TS16CCR	T\$16CCRD	
Description	120Z	120Z	120Z	160z	160z	
UPC	707068010780	707068010193	707068010209	707068010797	707068010803	
Product ID (in)	3.5 x 3.5 x 3.3	3.5 × 3.5 × 3.4	3.5 × 3.5 × 4.4	3.5 × 3.5 × 4.4	3.5 × 3.5 × 5.4	
Product OD (in)	4.4 × 4.5 × 3.5	4.4 x 4.4 x 3.5	4.4 × 4.4 × 4.4	4.4 X 4.4 X 4.4	4.4 × 4.4 × 5.4	
Case Pack	232	256	256	232	232	
Case Weight (lbs)	11.1	10	10	11.9	11.9	
тіні	10 X 5					
Case OD (in)	20.2 X 9.4 X 17.4					
Case Cubic Ft	1.9	1.9	1.9	1.9	1.9	
Base / Lid Ratio	100/0	100/0	70/30	100/0	75/25	









Make multi-layer snacking easy



Item		A P		
	CC2Q	CC2R	CC4R	CCLR
Description	20Z	20Z	40Z	Lid
UPC	707068011145	707068010599	707068010605	707068010612
Product ID (in)	2.6 x 2.6 x 0.9	2.7 X 2.7 X O.9	2.7 X 2.7 X 1.8	3 x 3 x o.3
Product OD (in)	3.6 x 3.6 x 0.8	3.6 x 3.6 x 0.9	3.6 x 3.6 x 1.8	3 × 3 × 0.4
Case Pack	1200	1200	1200	1200
Case Weight (lbs)	9.4	9.4	11.7	7.3
ТіНі	9 x 5	9 x 5	9 x 5	12 X 5
Case OD (in)	15.8 x 12.4 x 18.8	15.8 x 12.4 x 18.8	15.8 x 12.4 x 18.8	12.7 X 10.4 X 17.4
Case Cubic Ft	2.1	2.1	2.1	1.3
Base / Lid Ratio	N/A	N/A	N/A	N/A





Item: Floor-Car Cup-Rack

The Safe-T-Fresh® Cup 5-Tier Floor Rack is a wire floor rack that will hold 30 cups. Sign holder included. White epoxy finish. Easy to assemble.

Dimensions	16" diameter x 61" tall
Case Pack	1
Case Weight (lbs)	7.0
Case Cubic Feet	1.81
UPC Code	707068010636





Item: Counter-Car Cup-Rack

The Safe-T-Fresh® Cup 2-Tier Counter Rack is a 13 13/16" wire counter top rack that will hold 12 cups. Sign holder included. White epoxy finish. Easy to assemble.

Dimensions	13 ¹³ /16" diameter x 17 ⁹ /16" tall
Case Pack	1
Case Weight (lbs)	3.0
Case Cubic Feet	0.57
UPC Code	707068010629



Item			
	T\$4008R	TS4012R	
Description	8oz	120Z	
UPC	707068011541	707068011558	
Product ID (in)	4.2 X 4.2 X 1.1	4.2 x 4.2 x 1.8	
Product OD (in)	5.3 x 5.1 x 1.7	5.3 X 5.1 X 2.3	
Case Pack	340	320	
Case Weight (lbs)	20.8	22.7	
ТіНі	6 x 5	6 x 5	
Case OD (in)	25.6 x 11.1 x 19.3	25.6 x 11.1 x 19.3	
Case Cubic Ft	3.2	3.2	
Base / Lid Ratio	100/0	100/0	

4" Rounds Great for Deli Providing time saving options





-	














It	em						
		TS4016R	T\$4024R	T\$4025R	T\$4025RN	T\$4032R	
De	escription	160z	240Z	250Z	250Z	320Z	
UI	PC	707068011565	707068011572	707068012463	707068011732	707068011589	
Pr	oduct ID (in)	4.2 X 4.2 X 2.4	4.2 x 4.2 x 3.6	4.2 X 4.2 X 4.2	4.2 X 4.2 X 4.2	4.2 x 4.2 x 5.3	
Pr	oduct OD (in)	5.3 X 5.1 X 2.9	5.3 X 5.1 X 4.2	5.3 x 5.1 x 4.8	5.3 x 5.1 x 4.8	5.3 x 5.1 x 5.8	
Ca	se Pack	300	280	270	270	240	
Ca	se Weight (lbs)	25.1	25.7	24.8	24.8	25.6	
Ti	Hi	6 x 5	6 x 5	6 x 5	6 x 5	6 x 5	
Ca	se OD (in)	25.6 x 11.1 x 19.3					
Ca	se Cubic Ft	3.2	3.2	3.2	3.2	3.2	
Ва	se / Lid Ratio	100/0	100/0	100/0	100/0	100/0	



5" Round Popular Bowl Sizes


Keep food fresh, with maximum convenience







Item			
	TS8RN	TS12RN	TS16RN
Description	8oz	120Z	160z
UPC	UPC 707068010940		707068010988
Product ID (in)	4.7 × 4.7 × 1.8	4.7 × 4.7 × 2.3	4.7 × 4.7 × 2.9
Product OD (in)	5.9 x 5.8 x 2	5.9 x 5.8 x 2.6	5.9 x 5.8 x 3.1
Case Pack	240	240	240
Case Weight (lbs)	10.7	11.9	13.1
тіні	6 x 5	6 x 5	6 x 5
Case OD (in)	24 X 12.8 X 18.9	24 X 12.8 X 18.9	24 X 12.8 X 18.9
Case Cubic Ft	3.3	3.3	3.3
Base / Lid Ratio	90/10	90/10	75/25







Item					
	TS18RN	TS24RN	TS32RN	TS48RDP	TS48RN
Description	180z	240Z	320Z	48oz deep	480z
UPC	707068011008	707068011022	707068011046	707068009906	707068011077
Product ID (in)	5.8 x 5.8 x 2.2	5.8 x 5.8 x 2.9	5.8 x 5.8 x 3.6	5.8 x 5.8 x 4.4	8.5 x 8.5 x 2.6
Product OD (in)	7 × 7 × 2.4	7 x 7 x 3.1	7 x 7 x 3.9	7 × 7 × 4.7	9.7 x 9.8 x 2.9
Case Pack	150	150	150	138	100
Case Weight (lbs)	11.8	12.9	14.5	17.4	16.5
ТіНі	5 x 6	5 x 6	5 x 6	5 x 6	6 x 4
Case OD (in)	21.8 x 14.9 x 16.6	20.1 X 16.1 X 19.6			
Case Cubic Ft	3.1	3.1	3.1	3.1	3.6
Base / Lid Ratio	90/10	80/20	80/20	83/17	80/20





Item			
	TS52R3N	TS64RN	TS80RN
Description	3X 170Z	640z	800Z
UPC	707068011091	707068011107	707068011121
Product ID (in)	*Varies	8.5 x 8.5 x 3.3	8.5 x 8.5 x 3.8
Product OD (in)	9.7 x 9.8 x 3.4	9.7 x 9.8 x 3.5	9.7 × 9.8 × 4
Case Pack	100	100	96
Case Weight (lbs)	22.1	16.5	19.2
Тіні	6 x 4	6 x 4	6 x 4
Case OD (in)	20.1 X 16.1 X 19.6	20.1 X 16.1 X 19.6	20.1 x 16.1 x 19.6
Case Cubic Ft	3.6	3.6	3.6
Base / Lid Ratio	100/0	85/15	80/20









Tamper Evident For life's *gotchα* moments...






Vented Options

Our vented line has strategically placed vents to accommodate air flow and prevent excess moisture or pressure from building up in the package causing food to spoil. We have four variations to adapt to multiple product needs.

They consist of narrow, channel, microvents, and recessed vents.

Types of Vents



Narrow Vents

Side and bottom vents allow moisture and gases to escape and maintain the freshness of herbs, fresh vegetables, and uncut fruit.

Channel Vents

Large vents in the seal area enable airflow through the package. Great for produce needing excess air.



These unique microvents allow food gases to escape, maintaining product freshness.

Recessed Vents

One to two notches located opposite the hinge. Great for sandwiches with excess condensation.



Item TS₃₂V TS₂oV TS24V Description 200Z 24oz vented 320Z UPC 707068012258 707068012210 707068012265 Product ID (in) 6.4 x 4.3 x 1.4 6.4 x 4.3 x 1.9 6.4 x 4.3 x 2.4 7.4 x 5.6 x 1.8 7.4 x 5.6 x 2.8 Product OD (in) 7.4 x 5.6 x 2.3 200 200 200 **Case Pack** Case Weight (lbs) 18.1 15.9 15.9 5 x 6 TiHi 5 x 6 5 x 6 Case OD (in) 23.3 X 15.8 X 14.9 23.3 X 15.8 X 14.9 23.3 X 15.8 X 14.9 **Case Cubic Ft** 3.2 3.2 3.2 8 vents—2 on each side of the lid Base / Lid Ratio 100/0 100/0 100/0 Item

Channel Vents





	TS ₃₅ V	TS48V	TS64LV	TS112V	TS128V
Description	350z	48oz	64oz	1120z vented	128oz vented
UPC	707068010742	707068010735	707068010728	707068012067	707068011640
Product ID (in)	7.4 x 6.4 x 1.6	7.4 x 6.4 x 2	7.4 x 6.4 x 2.9	11.5 x 6.8 x 3	11.4 x 6.8 x 4.1
Product OD (in)	8.8 x 7.9 x 1.9	8.8 x 7.9 x 2.4	8.8 x 7.9 x 3.1	12.5 X 7.9 X 3.4	12.5 x 7.9 x 4.4
Case Pack	150	150	150	60	60
Case Weight (lbs)	19.2	22.1	20.2	15.7	15.7
тіні	5 X 5	5 X 5	5 X 5	8 x 5	8 x 5
Case OD (in)	23.9 x 16.3 x 17.9	23.9 X 16.3 X 17.9	23.9 x 16.3 x 17.9	16.3 X 12.9 X 19.8	16.3 X 12.9 X 19.8
Case Cubic Ft	4.0	4.0	4.0	2.4	2.4
Base / Lid Ratio	100/0	100/0	100/0	100/0	95/5



Item


UPC

TiHi

Case Cubic Ft

Base / Lid Ratio

Base / Lid Ratio



2.3

50/50

Recessed Vents



One to two vents depending on product

Item


NA

3.4

100/0

	TS17VT
Description	170Z
UPC	707068010001
Product ID (in)	3.8 x 5.3 x 1.9
Product OD (in)	4.5 x 6.6 x 2
Case Pack	320
Case Weight (lbs)	14.6
Тіні	6 x 5
Case OD (in)	23.9 x 12.8 x 18.4
Case Cubic Ft	3.3

Narrow Vents



3.4

55/45



Item TS20MV TS24MV Description 200z vented 24oz vented **UPC** 707068012760 707068012777 Product ID (in) 6.4 x 4.3 x 1.4 6.4 x 4.3 x 1.9 Product OD (in) 7.4 x 5.6 x 1.8 7.4 x 5.6 x 2.3 **Case Pack** 200 200 Case Weight (lbs) 15.9 15.9 5 x 6 TiHi 5 x 6 Case OD (in) 23.3 X 15.8 X 14.9 23.3 X 15.8 X 14.9 **Case Cubic Ft** 3.2 3.2 Base / Lid Ratio 100/0 100/0 Item TS₁₂RNV TS24RNV 120z vented 240z vented Description 707068011893 **UPC** 707068011909 Product ID (in) 5.8 x 5.8 x 2.9 4.7 X 4.7 X 2.3 Product OD (in) 5.9 x 5.8 x 2.6 7 X 7 X 3.1 Case Pack 240 150 Case Weight (lbs) 11.9 12.9 TiHi 6 x 5 5 x 6 Case OD (in) 24 X 12.8 X 18.9 21.8 x 14.9 x 16.6 Case Cubic Ft 3.3 3.1 Base / Lid Ratio 90/10 80/20

Microvents






Item TS8CCRV TS8CCRDV Description 8oz vented 8oz vented **UPC** 707068011206 707068011213 Product ID (in) 3.5 X 3.5 X 2.4 3.5 x 3.5 x 3.4 Product OD (in) 4.4 X 4.4 X 2.4 4.4 X 4.4 X 3.4 Case Pack 272 272 Case Weight (lbs) 9 9 TiHi 10 X 5 10 X 5 Case OD (in) 20.2 X 9.4 X 17.4 20.2 X 9.4 X 17.4 **Case Cubic Ft** 1.9 1.9 Base / Lid Ratio 100/0 60/40

Microvents



	-	














Economical, Efficient, and Dependable

Our large Essentials portfolio provides a comprehensive blend of packaging solutions for every market and application.





Diversified brand of clamshell and two piece all-clear PET packaging





EssentialsSureChoice*





Essentials
SureLock*





Essentials
ValuPack*





EssentialsCakes





Essentials VisiblyFresh*





Essentials
CrystalFresh®





EssentialsPlatters







Wide Variety of Ultra Clear Shapes and Sizes

Make your contents center stage



Smooth Sleek Design

Robust design has minimal ribbing while remaining structurally sound



Please Recycle Me

We encourage recycling, however there may not be recycling available in all areas yet; please check locally



Chamfered Corners

Extra support when products are stacked either on the shelf or during transportation



Enhanced Stacking

Product is secure, made possible with interlocking base and lid



Item			6			
	SC18S	SC20XD	SC210	SC35	SC35C2	
Description	300z	420Z	370z	600z	2X 300Z	
UPC	707068012807	707068012753	707068012746	707068012227	707068012326	
Product ID (in)	7.9 x 3.4 x 2.1	4.3 x 4.3 x 4.1	10.1 x 5 x 1.8	8.3 x 4.9 x 3.3	*Varies	
Product OD (in)	8.6 x 4.5 x 2.3	5.3 × 5.7 × 4.5	10.8 x 6.5 x 2.3	8.9 x 5.3 x 3.4	8.9 x 5.3 x 3.4	
Case Pack	300	375	200	500	460	
Case Weight (lbs)	14.9	28.5	15.8	34.9	34.3	
тіні	8 x 5	5 × 7	6 x 6	4 x 5	5 x 5	
Case OD (in)	20.8 x 9.4 x 18.1	23.6 x 16.7 x 12.4	21.9 X 13.3 X 13.9	21.8 x 20.4 x 18.6	21.8 x 20.4 x 18.6	
Case Cubic Ft	2.1	2.8	2.3	4.8	4.8	
Base / Lid Ratio	50/50	50/50	70/30	50/50	50/50	
		(100)	Theren	135		

Item		
	SC5110S	SC5130FS
Description	850z	730Z
UPC	707068012517	707068012814
Product ID (in)	7.5 × 7.5 × 1.4	7.7 x 6.8 x 2.4
Product OD (in)	8.3 x 8.2 x 2	8.4 x 7.9 x 2.6
Case Pack	200	160
Case Weight (lbs)	18.7	19
тіні	6 x 5	6 x 5
Case OD (in)	17.8 x 15.3 x 17.4	16.8 x 13.3 x 18.1
Case Cubic Ft	2.7	2.3
Base / Lid Ratio	65/35	60/40







The Standard in Dependability

The most complete line of clamshell packaging for every need



Easy to Secure

Package and its contents
will not be damaged while
opening or closing



SureLock® Security

Double line locks provide maximum security and prevent lids from opening



Sanitary Lid Design
Sanitary lid design overlaps
base to keep out crumbs and
other contaminants



StackabilityConserve valuable shelf space while creating eye-catching displays





ltem	SLP104S	SLP15B	SLP174	SLP17D	SLP17XD	
	-	3LF 15B	3LF1/4	3LP1/D		
Description	380z	490Z	350Z	210Z	280Z	
UPC	707068009111	707068007421	707068007452	707068007469	707068007476	
Product ID (in)	8.9 x 4.3 x 1.9	7.4 × 3.8 × 3.4	6.6 x 3.4 x 3	6.6 x 3.4 x 1.8	6.6 x 3.4 x 2.4	
Product OD (in)	9.5 × 5.5 × 2	8 x 4.8 x 3.6	7.3 × 4.4 × 3.1	7.3 × 4.4 × 1.8	7.3 × 4.4 × 2.6	
Case Pack	300	500	400	400	400	
Case Weight (lbs)	20	27.6	16.7	14.2	15.4	
тіні	8 x 5	5 × 4	6 x 6	6 x 6	6 x 6	
Case OD (in)	16.8 x 11.8 x 19.8	21.3 x 16.5 x 19.9	18.3 X 14.7 X 15.1	18.3 X 14.7 X 15.1	18.3 x 14.7 x 15.1	
Case Cubic Ft	2.3	4.0	2.4	2.4	2.4	
Base / Lid Ratio	45/55	55/45	50/50	65/35	50/50	

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.

Essentials SureLock $^{(\!R\!)}$ Rectangles



Description 2607 3607 4807 3307 5307 5307	lten	n	SLP18	SLP18D	SLP19	SLP26	SLP27	
Product ID (in) 7,9 x 3,5 x 1.8 7,9 x 3,5 x 2.6 7,9 x 3,5 x 3,4 6,3 x 4,9 x 1.9 6,3 x 4,9 x 3,3 Product OD (in) 8.5 x 4,4 x 1.9 8.5 x 4,4 x 2.7 8.5 x 4,4 x 3,5 6.9 x 5,9 x 2.1 6.9 x 5,9 x 3.5 Case Pack 300 300 300 300 300 TiNI 8 x 5 9 x 5 9 x 5 6 x 7 6 x 6 Case OD (in) 20.8 x 9.4 x 18.1 23.3 x 9.1 x 18.4 23.3 x 9.1 x 18.4 21.1 x 14.2 x 12.5 23.8 x 12.1 x 14.4 Case Cubic Pt 2.1 2.2 2.2 2.2 2.4 Base / Lid Ratio 50/50 65/35 50/50 60/40 70/30 Itom SLP29 SLP30 SLP30S SLP30S SLP30SS Product ID (in) 6.3 x 4.9 x 2.3 8.8 x 5.8 x 2.1 8.8 x 5.8 x 2.1 8.8 x 5.8 x 1.8 8.8 x 5.8 x 1.6 Product ID (in) 6.9 x 5.9 x 2.5 9.4 x 6.8 x 2.2 9.4 x 6.8 x 2.2 9.4 x 6.8 x 2.1 9.4 x 6.8 x 2.2 9.4 x 6.8 x 2.1	Descr	ription	260Z	360z		330z		
Product OD (in) 8.5 x 4.4 x 1.9 8.5 x 4.4 x 2.7 8.5 x 4.4 x 3.5 6.9 x 5.9 x 2.1 6.9 x 5.9 x 3.5	UPC		707068007483	707068007490	707068008862	707068007018	707068007728	
Case Pack 300 300 300 300 300 300 300	Produ	uct ID (in)	7.9 x 3.5 x 1.8	7.9 x 3.5 x 2.6	7.9 × 3.5 × 3.4	6.3 x 4.9 x 1.9	6.3 x 4.9 x 3.3	
Title	Produ	uct OD (in)	8.5 x 4.4 x 1.9	8.5 x 4.4 x 2.7	8.5 x 4.4 x 3.5	6.9 x 5.9 x 2.1	6.9 x 5.9 x 3.5	
Titii 8 x 5 9 x 5 9 x 5 6 x 7 6 x 6 Case OD (iii) 20.8 x 9.4 x 18.1 23.3 x 9.1 x 18.4 23.3 x 9.1 x 18.4 21.1 x 14.2 x 12.5 23.8 x 12.1 x 14.4 4 Case Cubic Ft 2.1 2.2 2.2 2.2 2.4 Base / Lid Ratio 50/50 65/35 50/50 60/40 70/30 Item SLP29 SLP30 SLP30 SLP30C SLP30S SLP30XS Description 360z 520z 530z 470z 440z UPC 707068007742 707068007759 707068007797 707068007803 707068009074 Product ID (iii) 6.3 x 4.9 x 2.3 8.8 x 5.8 x 2.1 8.8 x 5.8 x 2.1 8.8 x 5.8 x 1.8 8.8 x 5.8 x 1.6 Product OD (iii) 6.9 x 5.9 x 2.5 9.4 x 6.8 x 2.2 9.4 x 6.8 x 2.2 9.4 x 6.8 x 2.1 9.4 x 6.8 x 1.8 Case Pack 300 300 300 300 300 Case Weight (Ibs) 18.9 20.8 22 20.8 20.8 Titi 6x6 7x5 7x5 7x5 7x5 Case OD (iii) 23.8 x 12.1 x 14.4 19.8 x 13.9 x 19.3 19.8	Case I	Pack	300	300	300	300	300	
Case OD (in) 20.8 x 9.4 x 18.1 23.3 x 9.1 x 18.4 23.3 x 9.1 x 18.4 21.1 x 14.2 x 12.5 23.8 x 12.1 x 14.4 Case Cubic Ft 2.1 2.2 2.2 2.2 2.4 Base / Lid Ratio 50/50 65/35 50/50 60/40 70/30 SLP29 SLP30 SLP30C SLP30S Description 360Z 520Z 530Z 470Z 440Z UPC 707068007742 707068007759 707068007797 707068007803 707068009074 Product ID (in) 6.3 x 4.9 x 2.3 8.8 x 5.8 x 2.1 8.8 x 5.8 x 1.8 8.8 x 5.8 x 1.6 Product OD (in) 6.9 x 5.9 x 2.5 9.4 x 6.8 x 2.2 9.4 x 6.8 x 2.2 9.4 x 6.8 x 2.1 9.4 x 6.8 x 2.2 9.4 x 6.8 x 2.1	Case \	Weight (lbs)	14.9	18.2	18.2	13.7	19.5	
Case Cubic Ft 2.1 2.2 2.2 2.2 2.4	ТіНі		8 x 5	9 x 5	9 x 5	6 x 7	6 x 6	
SLP29 SLP30 SLP30C SLP30S SLP30SS	Case (OD (in)	20.8 x 9.4 x 18.1	23.3 x 9.1 x 18.4	23.3 x 9.1 x 18.4	21.1 X 14.2 X 12.5	23.8 x 12.1 x 14.4	
SLP29 SLP30 SLP30C SLP30S SLP30XS	Case (Cubic Ft	2.1	2.2	2.2	2.2	2.4	
SLP29 SLP30 SLP30C SLP30S SLP30XS Description 360z 520z 530z 470z 440z UPC 707068007742 707068007759 707068007797 707068007803 707068009074 Product ID (in) 6.3 x 4.9 x 2.3 8.8 x 5.8 x 2.1 8.8 x 5.8 x 2.1 8.8 x 5.8 x 1.8 8.8 x 5.8 x 1.6 Product OD (in) 6.9 x 5.9 x 2.5 9.4 x 6.8 x 2.2 9.4 x 6.8 x 2.2 9.4 x 6.8 x 2.1 9.4 x 6.8 x 1.8 Case Pack 300 300 300 300 300 Case Weight (lbs) 18.9 20.8 22 20.8 20.8 TiHi 6 x 6 7 x 5 7 x 5 7 x 5 7 x 5 Case OD (in) 23.8 x 12.1 x 14.4 19.8 x 13.9 x 19.3 Case Cubic Ft 2.4 3.1 3.1 3.1 3.1	Base /	/ Lid Ratio	50/50	65/35	50/50	60/40	70/30	
Description 360z 520z 530z 470z 440z UPC 707068007742 707068007759 707068007797 707068007803 707068009074 Product ID (in) 6.3 x 4.9 x 2.3 8.8 x 5.8 x 2.1 8.8 x 5.8 x 2.1 8.8 x 5.8 x 1.8 8.8 x 5.8 x 1.6 Product OD (in) 6.9 x 5.9 x 2.5 9.4 x 6.8 x 2.2 9.4 x 6.8 x 2.2 9.4 x 6.8 x 2.1 9.4 x 6.8 x 1.8 Case Pack 300 300 300 300 300 Case Weight (lbs) 18.9 20.8 22 20.8 20.8 TiHi 6 x 6 7 x 5 7 x 5 7 x 5 7 x 5 Case OD (in) 23.8 x 12.1 x 14.4 19.8 x 13.9 x 19.3 Case Cubic Ft 2.4 3.1 3.1 3.1 3.1	lten	n	SI P20	SI P2O	SI P2OC	SI P2OS	SIPROXS	
Product ID (in) 6.3 x 4.9 x 2.3 8.8 x 5.8 x 2.1 8.8 x 5.8 x 2.1 8.8 x 5.8 x 1.8 8.8 x 5.8 x 1.6 Product OD (in) 6.9 x 5.9 x 2.5 9.4 x 6.8 x 2.2 9.4 x 6.8 x 2.2 9.4 x 6.8 x 2.1 9.4 x 6.8 x 1.8 Case Pack 300 300 300 300 300 Case Weight (lbs) 18.9 20.8 22 20.8 20.8 TiHi 6 x 6 7 x 5 7 x 5 7 x 5 7 x 5 Case OD (in) 23.8 x 12.1 x 14.4 19.8 x 13.9 x 19.3 Case Cubic Ft 2.4 3.1 3.1 3.1 3.1	Descr	ription						
Product OD (in) 6.9 x 5.9 x 2.5 9.4 x 6.8 x 2.2 9.4 x 6.8 x 2.2 9.4 x 6.8 x 2.1 9.4 x 6.8 x 1.8 Case Pack 300 300 300 300 300 Case Weight (lbs) 18.9 20.8 22 20.8 20.8 TiHi 6 x 6 7 x 5 7 x 5 7 x 5 Case OD (in) 23.8 x 12.1 x 14.4 19.8 x 13.9 x 19.3 Case Cubic Ft 2.4 3.1 3.1 3.1 3.1	UPC		707068007742	707068007759	707068007797	707068007803	707068009074	
Case Pack 300 300 300 300 300 Case Weight (lbs) 18.9 20.8 22 20.8 20.8 TiHi 6 x 6 7 x 5 7 x 5 7 x 5 7 x 5 Case OD (in) 23.8 x 12.1 x 14.4 19.8 x 13.9 x 19.3 Case Cubic Ft 2.4 3.1 3.1 3.1 3.1	Produ	uct ID (in)	6.3 x 4.9 x 2.3	8.8 x 5.8 x 2.1	8.8 x 5.8 x 2.1	8.8 x 5.8 x 1.8	8.8 x 5.8 x 1.6	
Case Weight (lbs) 18.9 20.8 22 20.8 20.8 TiHi 6 x 6 7 x 5 7 x 5 7 x 5 7 x 5 Case OD (in) 23.8 x 12.1 x 14.4 19.8 x 13.9 x 19.3 Case Cubic Ft 2.4 3.1 3.1 3.1 3.1	Produ	uct OD (in)	6.9 x 5.9 x 2.5	9.4 x 6.8 x 2.2	9.4 x 6.8 x 2.2	9.4 x 6.8 x 2.1	9.4 x 6.8 x 1.8	
TiHi 6 x 6 7 x 5 7 x 5 7 x 5 7 x 5 Case OD (in) 23.8 x 12.1 x 14.4 19.8 x 13.9 x 19.3 Case Cubic Ft 2.4 3.1 3.1 3.1 3.1	Case I	Pack	300	300	300	300	300	
Case OD (in) 23.8 x 12.1 x 14.4 19.8 x 13.9 x 19.3 Case Cubic Ft 2.4 3.1 3.1 3.1 3.1 3.1	Case \				22	20.8	20.8	
Case Cubic Ft 2.4 3.1 3.1 3.1 3.1		Weight (lbs)	18.9	20.8	22			
	Тіні	Weight (lbs)				7×5	7 × 5	
Base / Lid Ratio 85/15 55/45 55/45 50/50 55/45			6 x 6	7×5	7×5			
	Case (OD (in)	6 x 6 23.8 x 12.1 x 14.4	7 × 5 19.8 × 13.9 × 19.3	7 × 5 19.8 × 13.9 × 19.3	19.8 x 13.9 x 19.3	19.8 x 13.9 x 19.3	



ltem					
	SLP32	SLP35	SLP38	SLP38D	SLP40
Description	620z	590z	670z	770z	740Z
UPC	707068008602	707068007865	707068007070	707068007087	707068007902
Product ID (in)	8.4 x 5.4 x 2.4	8.3 x 4.9 x 3.3	8.9 x 4.4 x 3.4	8.9 x 4.4 x 3.8	8.8 x 5.8 x 2.9
Product OD (in)	9.5 x 6.8 x 2.6	8.9 x 5.3 x 3.4	9.5 x 5.5 x 3.6	9.6 x 5.5 x 4.1	9.4 x 6.8 x 3.1
Case Pack	300	500	192	200	276
Case Weight (lbs)	20.8	30.3	18.8	19.5	22.6
тіні	7 × 5	5 X 5	8 x 4	8 x 4	7×5
Case OD (in)	19.8 x 13.9 x 19.3	21.8 x 16.1 x 18.5	19.9 X 11.3 X 19.9	19.9 X 11.3 X 19.9	19.8 x 13.9 x 19.3
Case Cubic Ft	3.1	3.8	2.6	2.6	3.1
Base / Lid Ratio	55/45	50/50	30/70	40/60	60/40






Essentials SureLock® Rectangles



ltem	SLP5120	SLP5125	SLP57	SLP58	SLP65
Description	730Z	440z	98oz	84oz	600z
UPC	707068008053	707068008077	707068008114	707068008138	707068008176
Product ID (in)	7.7 x 6.9 x 2.8	7.7 x 6.7 x 1.8	9.8 x 7.2 x 2.3	10.9 x 7 x 2.1	11.4 x 3.9 x 2.5
Product OD (in)	8.3 x 7.7 x 2.9	8.3 x 7.7 x 1.9	10.6 x 8.3 x 2.6	11.5 x 8 x 2.3	12.3 X 5.1 X 2.6
Case Pack	250	250	300	200	250
Case Weight (lbs)	22.2	22.2	33.2	27.1	21.7
Тіні	6 x 5	6 x 5	4 × 5	5 X 5	7 × 4
Case OD (in)	18.9 x 16.1 x 17.5	18.9 x 16.1 x 17.5	21.6 x 19.8 x 17	16.1 x 16.4 x 24.1	18.3 x 13.1 x 21.4
Case Cubic Ft	3.1	3.1	4.2	3.7	3.0
Base / Lid Ratio	60/40	50/50	45/55	55/45	50/50
ltem	SLP67	SLP75	SLP75D	One smart cookie!	
Description	450Z	670z	710z		00
UPC	707068007124	707068007025	707068007032	1 10	








Essentials SureLock $^{(\!R\!)}$ Rectangles

Item	SLP77	SLP80	SLP82	SLP88	SLP88S
Description	1210Z	1300z	96oz	1940z	1390Z
UPC	707068008244	707068007049	707068009586	707068008282	707068009319
Product ID (in)	11.6 x 7.8 x 2.7	9.9 × 7.4 × 3.5	10.1 x 6.8 x 2.7	10.2 x 8.8 x 4.3	10.2 x 8.8 x 3.2
Product OD (in)	12.2 X 8.8 X 2.8	10.5 x 8.6 x 3.6	10.8 x 7.8 x 2.9	10.8 x 9.8 x 4.4	10.8 x 9.8 x 3.3
Case Pack	150	300	300	200	200
Case Weight (lbs)	23.8	36.9	36.6	31.1	31.1
Тіні	4×7	4 X 4	4 x 6	4 X 4	4 × 4
Case OD (in)	22.3 X 17.9 X 12.9	21.8 x 17.4 x 21.6	21.9 X 17.9 X 16.1	20.1 X 18.3 X 22.3	22.1 X 18.3 X 20.4
Case Cubic Ft	3.0	4.8	3.7	4.7	4.8
Base / Lid Ratio	50/50	70/30	60/40	55/45	70/30
ltem					Life is what you bake of it.
ltem	SLP90	SLP95	SLP99	SLP170D	Life is what you bake of it.
Item Description	SLP90 890z	SLP95 10102	SLP99 1070z	SLP170D 230Z	Life is what you
					Life is what you bake of it.
Description	89oz	1010Z	1070z	230z	Life is what you bake of it.
Description UPC	89oz 707068008299	1010z 707068008305	1070z 707068008312	230Z 707068011886	Life is what you bake of it.
Description UPC Product ID (in)	890z 707068008299 12.7 x 5.6 x 2.3	1010Z 707068008305 12.7 x 5.6 x 2.5	1070z 707068008312 9 x 9 x 3.1	230Z 707068011886 6.6 x 3.4 x 1.9	Life is what you bake of it.
Description UPC Product ID (in) Product OD (in)	890z 707068008299 12.7 x 5.6 x 2.3 13.3 x 6.7 x 2.5	1010Z 707068008305 12.7 x 5.6 x 2.5 13.3 x 6.7 x 2.8	1070z 707068008312 9 x 9 x 3.1 9.9 x 10.7 x 3.3	230Z 707068011886 6.6 x 3.4 x 1.9 7.3 x 4.4 x 2	Life is what you bake of it.
Description UPC Product ID (in) Product OD (in) Case Pack	890z 707068008299 12.7 x 5.6 x 2.3 13.3 x 6.7 x 2.5	1010Z 707068008305 12.7 × 5.6 × 2.5 13.3 × 6.7 × 2.8 200	1070z 707068008312 9 x 9 x 3.1 9.9 x 10.7 x 3.3	230Z 707068011886 6.6 x 3.4 x 1.9 7.3 x 4.4 x 2 400	Life is what you bake of it.
Description UPC Product ID (in) Product OD (in) Case Pack Case Weight (lbs)	890z 707068008299 12.7 × 5.6 × 2.3 13.3 × 6.7 × 2.5 200 23	1010Z 707068008305 12.7 × 5.6 × 2.5 13.3 × 6.7 × 2.8 200 24.7	1070Z 707068008312 9 X 9 X 3.1 9.9 X 10.7 X 3.3 150 20.5	230Z 707068011886 6.6 x 3.4 x 1.9 7.3 x 4.4 x 2 400 17.4	Life is what you bake of it.
Description UPC Product ID (in) Product OD (in) Case Pack Case Weight (lbs) TiHi	890z 707068008299 12.7 x 5.6 x 2.3 13.3 x 6.7 x 2.5 200 23 5 x 6	1010Z 707068008305 12.7 x 5.6 x 2.5 13.3 x 6.7 x 2.8 200 24.7 5 x 6	1070z 707068008312 9 x 9 x 3.1 9.9 x 10.7 x 3.3 150 20.5 6 x 4	230Z 707068011886 6.6 x 3.4 x 1.9 7.3 x 4.4 x 2 400 17.4 6 x 6	Life is what you bake of it.



Maximize your shelf space



ltem						
	SLP10	SLP20	SLP20D	SLP23	SLP25	
Description	220Z	270Z	330z	400z	460z	
UPC	707068008848	707068007513	707068007582	707068008541	707068007711	
Product ID (in)	4.6 x 4.6 x 2	4.6 x 4.6 x 2.6	4.6 x 4.6 x 3.1	6.6 x 6.6 x 1.4	5.5 x 5.4 x 3.1	
Product OD (in)	5.3 × 5.6 × 2.1	5.3 x 5.6 x 2.8	5.3 x 5.6 x 3.1	7.6 x 8 x 1.8	6.1 x 6.4 x 3.3	
Case Pack	500	500	500	300	500	
Case Weight (lbs)	16.5	17.9	19.3	23.7	25.4	
Тіні	5 x 8	5 x 8	5 x 7	6 x 6	4 x 6	
Case OD (in)	23.1 X 16 X 11.2	23.1 X 16 X 11.2	23.6 x 16.7 x 12.4	20.8 x 16.7 x 15.9	23.3 X 18.9 X 13.9	
Case Cubic Ft	2.4	2.4	2.8	3.2	3.5	
Base / Lid Ratio	65/35	50/50	55/45	70/30	60/40	





ltem	SLP510	SLP55	SLP69	SLP70	SLP70W
Description	1200Z	550z	430Z	1010Z	1010Z
UPC	707068008039	707068007063	707068008183	707068008190	707068011473
Product ID (in)	8.5 x 8.5 x 3.4	7.5 x 7.5 x 2.8	5.6 x 5.3 x 3	7.7 x 7.6 x 3.4	7.7 × 7.6 × 3.4
Product OD (in)	9 × 9.5 × 3.5	8.6 x 9 x 2.9	6.2 x 6.3 x 3.2	8.3 x 8.8 x 3.5	8.3 x 8.8 x 3.5
Case Pack	200	300	300	200	170
Case Weight (lbs)	27.5	34.2	17.4	20.2	24.3
Тіні	6 x 5	4 X 5	8 x 4	6 x 5	6 x 4
Case OD (in)	19.6 x 16.6 x 18.8	20.1 X 18.4 X 18	16.3 X 13.1 X 19.4	17.8 x 14.3 x 17.4	17.8 x 14.3 x 17.4
Case Cubic Ft	3.5	3.9	2.4	2.6	2.6
Base / Lid Ratio	55/45	55/45	75/25	60/40	80/20



Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.





ltem	SLP106	SLP108	SIPro	SLP110	
	3LP106	3LP108	SLP109	SLPIIO	
Description	310z	64oz	86oz	1040z	The state of the s
UPC	707068007308	707068007315	707068007322	707068007339	
Product ID (in)	4 x 6.5 x 1.9	5.6 x 8.4 x 2.3	6.8 x 9.4 x 2.5	7.1 X 10 X 2.7	
Product OD (in)	7 X 7.4 X 2.1	8.9 x 9.3 x 2.6	9.9 X 10.3 X 2.9	10.6 x 11 x 2.9	
Case Pack	300	200	200	200	
Case Weight (lbs)	15.1	19.8	26	28.2	
Тіні	6 x 6	7 × 5	6 x 4	6 x 4	
Case OD (in)	19.7 X 15.4 X 14.9	19.6 x 13.6 x 18.2	20.8 X 14.8 X 20.6	22.9 X 13.8 X 21.9	Contract of the Contract of th
Case Cubic Ft	2.6	2.8	3.7	4.0	LE BOUND
Base / Lid Ratio	70/30	65/35	65/35	65/35	




ltem	SLP116	SLP118	SLP119	SLP120	
Description	500z	910z	1200z	1420Z	
UPC	707068007353	707068008817	707068007377	707068007384	
Product ID (in)	4 x 6.5 x 3.1	5.6 x 8.4 x 3.3	6.8 x 9.4 x 3.5	7.1 x 10 x 3.6	
Product OD (in)	7 × 7.4 × 3.3	8.9 x 9.3 x 3.6	9.9 x 10.3 x 3.8	10.6 x 11 x 3.9	
Case Pack	300	200	200	200	
Case Weight (lbs)	20.3	22.5	29.3	34	Pie like you very much
ТіНі	6 x 6	6 x 5	6 x 4	5 X 4	
Case OD (in)	20.8 x 15.3 x 14.8	19.4 X 15.6 X 18.5	21.1 X 15.3 X 20.4	22.8 x 15.1 x 21.9	
Case Cubic Ft	2.7	3.2	3.8	4.3	G B
Base / Lid Ratio	45/55	45/55	50/50	50/50	ඵ්ඡ්
ltem		6			
	SLP208	SLP209	SLP210	SLP218	SLP227
Description	250Z	330z	400z	1140Z	640Z
UPC	707068007568	707068007575	707068007599	707068007629	707068007674
Product ID (in)	8.2 x 4.1 x 1.6				7.3 x 7.4 x 2.8
	0.2 % 4.1 % 1.0	9.1 X 4.5 X 2.2	10.1 X 5 X 2.2	5.6 x 8.4 x 4.3	/·3 x /·4 x 2·0
Product OD (in)	8.8 x 5.2 x 1.9	9.1 x 4.5 x 2.2 9.8 x 6.1 x 2.3	10.1 x 5 x 2.2	5.6 x 8.4 x 4.3 8.9 x 9.3 x 4.5	8 x 8.4 x 3.1
Product OD (in) Case Pack					
	8.8 x 5.2 x 1.9	9.8 x 6.1 x 2.3	10.7 x 6.5 x 2.3	8.9 x 9.3 x 4.5	8 x 8.4 x 3.1
Case Pack	8.8 x 5.2 x 1.9 250	9.8 x 6.1 x 2.3 250	10.7 x 6.5 x 2.3	8.9 x 9.3 x 4.5	8 x 8.4 x 3.1 200
Case Pack Case Weight (lbs)	8.8 x 5.2 x 1.9 250 12.4	9.8 x 6.1 x 2.3 250 19.5	10.7 x 6.5 x 2.3 200 15.8	8.9 x 9.3 x 4.5 150 21.1	8 x 8.4 x 3.1 200 20.7
Case Pack Case Weight (lbs)	8.8 x 5.2 x 1.9 250 12.4 9 x 5	9.8 x 6.1 x 2.3 250 19.5 6 x 7	10.7 x 6.5 x 2.3 200 15.8 6 x 6	8.9 x 9.3 x 4.5 150 21.1 7 x 5	8 x 8.4 x 3.1 200 20.7 6 x 4

Note: Product photos are not proportional to each other and specifications should be referenced for accurate sizing. All dimensions are L x W x H.




Item SLP236 SLP309 Description 550Z 760z UPC 707068009104 707068007773 Product ID (in) 6 x 6 x 3.4 9.1 x 9.3 x 2.3 Product OD (in) 7 x 7.4 x 3.6 9.9 X 10.3 X 2.4 Case Pack 200 300 Case Weight (lbs) 22.8 27.7 TiHi 5 x 6 6 x 4 Case OD (in) 20.8 x 14.8 x 20.6 23.3 X 15.6 X 14.5 Case Cubic Ft 3.0 3.7 Base / Lid Ratio 40/60 65/35











Because presentation is everything



Item	SLP16CS	SLP16FS	SLP270DFS	SLP280FS	SLP281FS
Description	420Z	420Z	2X 250Z	910z	2X 420Z
UPC	707068007094	707068007100	707068008633	707068009388	707068009395
Product ID (in)	9 x 3.8 x 2.4	9 x 3.8 x 2.4	*Varies	7.8 x 8.1 x 3.2	*Varies
Product OD (in)	9.7 × 4.8 × 2.7	9.7 x 4.8 x 2.7	7.3 x 8.8 x 2.4	8.5 x 9.2 x 3.3	8.5 x 9.2 x 3.3
Case Pack	300	300	300	180	180
Case Weight (lk	18.5	18.5	28.2	22.9	22.9
TiHi	7 × 4	7 × 4	4 x 6	6 x 5	6 x 5
Case OD (in)	19.4 x 12.1 x 20.4	19.4 X 12.1 X 20.4	22.3 X 17.8 X 15.1	18.8 x 15.7 x 17.6	18.8 x 15.7 x 17.6
Case Cubic Ft	2.8	2.8	3.5	3.0	3.0
Base / Lid Ratio	60/40	60/40	60/40	80/20	80/20
Item	SLP3315	SLP3315CS	SLP34DCS	SLP34DFC	SLP5120CS
Item Description	SLP3315 3x 140z	SLP3315CS 3X 140Z	SLP34DCS 2x 350z	SLP34DFC 690z	SLP5120CS 700z
Description	3x 14oz	3X 140Z	2x 350z	69oz	700Z
Description UPC	3x 14oz 707068007834 *Varies	3X 140Z 707068012012	2X 350Z 707068007162	690z 707068011695	700z 707068008060
Description UPC Product ID (in)	3x 14oz 707068007834 *Varies	3x 14oz 707068012012 *Varies	2x 350z 707068007162 *Varies	690z 707068011695 5.4 x 8.1 x 3	700z 707068008060 7.7 x 6.9 x 2.8
Description UPC Product ID (in) Product OD (in)	3x 14oz 707068007834 *Varies 8.6 x 6.5 x 2.3 264	3x 14oz 707068012012 *Varies 8.6 x 6.5 x 2.3	2X 350Z 707068007162 *Varies 8.9 X 7.2 X 3.1	690z 707068011695 5.4 x 8.1 x 3 8.9 x 7.2 x 3.1	700z 707068008060 7.7 x 6.9 x 2.8 8.3 x 7.7 x 2.9
Description UPC Product ID (in) Product OD (in) Case Pack	3x 14oz 707068007834 *Varies 8.6 x 6.5 x 2.3	3x 14oz 707068012012 *Varies 8.6 x 6.5 x 2.3	2x 350z 707068007162 *Varies 8.9 x 7.2 x 3.1 250	690z 707068011695 5.4 x 8.1 x 3 8.9 x 7.2 x 3.1 250	700z 707068008060 7.7 x 6.9 x 2.8 8.3 x 7.7 x 2.9
Description UPC Product ID (in) Product OD (in) Case Pack Case Weight (lk)	3x 14oz 707068007834 *Varies 8.6 x 6.5 x 2.3 264 19.4	3x 14oz 7o7o68o12o12 *Varies 8.6 x 6.5 x 2.3 240 22.8	2X 350Z 707068007162 *Varies 8.9 X 7.2 X 3.1 250 26.1	690z 707068011695 5.4 x 8.1 x 3 8.9 x 7.2 x 3.1 250 26.1	700z 707068008060 7.7 x 6.9 x 2.8 8.3 x 7.7 x 2.9 250 23.8
Description UPC Product ID (in) Product OD (in) Case Pack Case Weight (lk)	3x 14oz 707068007834 *Varies 8.6 x 6.5 x 2.3 264 19.4 7 x 5	3x 14oz 707068012012 *Varies 8.6 x 6.5 x 2.3 240 22.8 7 x 5	2X 350Z 707068007162 *Varies 8.9 X 7.2 X 3.1 250 26.1 6 X 5	690z 707068011695 5.4 x 8.1 x 3 8.9 x 7.2 x 3.1 250 26.1 6 x 5	700z 707068008060 7.7 x 6.9 x 2.8 8.3 x 7.7 x 2.9 250 23.8 6 x 5



Essentials SureLock $^{\mathbb{R}}$ Multi Compartment

ltem	SLP112A	SLP14	SLP206A	SLP017	SLP28	
Description	12X 70Z	4X 40Z	6x 70z	3x 150z	2X 170Z	
UPC	707068009760	707068007414	707068009944	707068007230	707068007735	
Product ID (in)	*Varies	*Varies	*Varies	*Varies	*Varies	
Product OD (in)	9.4 x 7.7 x 3.5	7.5 x 6.5 x 1.7	5 x 7.6 x 3.6	8.8 x 7.2 x 1.9	8.8 x 4.9 x 2.3	
Case Pack	174	300	192	250	300	
Case Weight (lbs)	21.3	20.5	11.2	20.2	16.8	
тіні	6 x 4	6 x 5	6 x 6	5 × 5	8 x 5	
Case OD (in)	20.1 X 15.7 X 19.5	19.8 x 15.6 x 13.8	18.9 x 15.3 x 15.8	23.8 x 14.6 x 18.1	20.1 X 10.3 X 18.2	
Case Cubic Ft	3.6	2.5	2.6	3.6	2.2	
Base / Lid Ratio	50/50	50/50	50/50	60/40	60/40	

Item **SLP663** Description 3x 29oz UPC 707068010230 Product ID (in) *Varies Product OD (in) 11.1 x 8.6 x 3 **Case Pack** 212 Case Weight (lbs) 38.8 TiHi 4 X 5 Case OD (in) 22.8 x 19.6 x 17.8 Case Cubic Ft 4.6 60/40 Base / Lid Ratio





SureLock® Muffins and Cupcakes

Shaped for perfect dessert displays





ltem			Contract of the second	A STATE OF THE STA	
	SLP212	SLP34	SLP34S	SLP36	SLP44A
Description	12 standard	12 mini	12 mini	6 standard	4 standard
UPC	707068007612	707068007841	707068007858	707068007889	707068009180
Product ID (in)	*Varies	*Varies	*Varies	*Varies	*Varies
Product OD (in)	12.9 X 10.3 X 3.4	8.7 x 7.1 x 2.3	8.7 x 7.1 x 1.9	9.4 x 6.8 x 2.4	6.7 x 6.7 x 3.3
Case Pack	100	250	250	300	288
Case Weight (lbs)	20.2	18.7	18.7	24.4	16.9
тіні	6 x 6	6 x 5	6 x 5	7 × 5	5 × 7
Case OD (in)	21.1 x 16.8 x 13.8	17.8 x 14.6 x 18.1	17.8 x 14.6 x 18.1	19.8 x 13.9 x 19.3	24.2 x 13.8 x 14.1
Case Cubic Ft	2.8	2.7	2.7	3.1	2.7
Base / Lid Ratio	45/55	50/50	60/40	60/40	50/50
ltem	SLP44SA	SLP45	SLP46	SLP52	SLP54P
Description	4 standard	4 standard	6 standard	2 large	4 large
UPC	707068009197	707068007988	707068007995	707068008084	707068009708
Product ID (in)	*Varies	*Varies	*Varies	*Varies	*Varies
Product OD (in)	6.7 x 6.7 x 2.8	7.6 x 8.1 x 3.3	9.4 x 6.8 x 2.9	8.9 x 5.3 x 3.4	7.6 x 8.1 x 3.3
Case Pack	288	300	300	500	300
Case Weight (lbs)	16.9	25.4	22.6	34.9	25.4
тіні	5 × 7	5 X 5	7 × 5	4 × 5	6 x 6
Case OD (in)	24.2 X 13.8 X 14.1	23.9 X 16.4 X 15.8	19.8 x 13.9 x 19.3	21.8 x 20.4 x 18.6	20.8 x 16.7 x 15.9
Case Cubic Ft	2.7	3.6	3.1	4.8	3.2
Base / Lid Ratio	55/45	50/50	50/50	50/50	50/50



Muffin and Cupcake Dimensions

Example:

ID 2-1/8 x 2-3/8 x 5-5/16 equals
(a) base diameter x (b) crown diameter x (c) height


Mini muffins are generally 1-2 oz Standard size muffins are generally 4.5–5.5 oz Large/Jumbo muffins are generally 6 oz and above

Base Diameter (a) x Crown Diameter (b) x Height (c)

c. Height

b. Diameter at crown (widest part)

a. Diameter at base of muffin






 $For more information, please \ visit in line plastics. com/advanced-product-search.$

Item	SLP54SP	SLP56	SLP72D	SLP74	
Description	4 large	6 standard	4 large	4 large	
UPC	707068009692	707068007001	707068008565	707068008220	
Product ID (in)	*Varies	*Varies	*Varies	*Varies	
Product OD (in)	7.6 x 8.1 x 3	9.6 x 6.9 x 4	7.6 x 8.1 x 2.8	8.3 x 8.8 x 3.1	
Case Pack	300	300	210	300	
Case Weight (lbs)	23.7	29.3	19.4	25.7	
ТіНі	6 x 6	6 x 4	6 x 6	4 × 5	
Case OD (in)	20.8 x 16.7 x 15.9	19.3 x 14.6 x 19.9	20.8 x 16.7 x 15.9	35.3 x 12.6 x 17.1	
Case Cubic Ft	3.2	3.2	3.2	4.4	
Base / Lid Ratio	60/40	45/55	50/50	55/45	









Packaging so easy to use, you only remember the treat





Trusted Standard in Food Packaging

Representing the best combination of value and quality



Expansive Selection

With the options of single or multiple use compartments, we have the package for you



SureLock® Security

Double line locks provide maximum security



Sanitary Lid Design

Sanitary lid design overlaps base to keep out crumbs and other contaminants



Stackability

Conserve valuable shelf space while creating eye-catching displays



Case Cubic Ft

Base / Lid Ratio

3.4

60/40

ltem	VPP727A	VPP730	VPP737A	VPP746	VPP747A
Description	530Z	970z	630z	260z	720Z
UPC	707068010537	707068008350	707068010544	707068008398	707068010551
Product ID (in)	7.9 x 6.8 x 2.1	8.3 x 7.8 x 2.9	7.9 x 6.8 x 2.4	5.2 x 4.9 x 2.6	7.9 x 6.8 x 2.8
Product OD (in)	8.4 x 7.9 x 2.1	9 x 9.4 x 3	8.4 x 7.9 x 2.4	5.9 x 5.9 x 2.7	8.4 x 7.9 x 2.9
Case Pack	200	200	200	500	200
Case Weight (lbs)	16.8	20.9	15.6	19.6	15.6
Тіні	9 x 5	8 x 5	9 X 5	4 X 7	9 × 5
Case OD (in)	16.2 X 13.4 X 17.3	19.2 X 12 X 18.3	16.2 X 13.4 X 17.3	24 X 19.6 X 12.5	16.2 x 13.4 x 17.3
Case Cubic Ft	2.2	2.4	2.2	3.4	2.2
Base / Lid Ratio	50/50	50/50	55/45	50/50	50/50
ltem	VPP756	VPP757A	VPP781		
Description	330z	900z	440z	100	
UPC	707068008411	707068010568	707068008459		
Product ID (in)	5.2 x 4.9 x 2.9	7.9 x 6.8 x 3.3	8.1 x 3.8 x 3		
Product OD (in)	5.9 x 5.9 x 3.1	8.4 x 7.9 x 3.3	8.8 x 4.9 x 3.2		
Case Pack	500	200	300	100	
Case Weight (lbs)	19.6	18	16.5	A	7 4
тіні	4 X 7	9 x 5	8 x 5		-
Case OD (in)	24 X 19.6 X 12.5	16.2 X 13.4 X 17.3	21.7 X 10.2 X 18.4	Carried Town	

2.3

50/50

2.2

60/40





Our Design is a Piece of Cake

Perfect for cakes sized from 7" to 10", single or double layers



Variety of Options

Available in dome and shallow lid options, for single and double layer cakes



Enhanced Clarity

Puts contents center stage and increases impulse consumer purchases



Intuitive Design

Easy open tabs reduce damage to icing and decorations when opening and closing



Recyclable*

All-clear PET is the most widely accepted recyclable material


*Products may not be recyclable in all areas yet; please check locally

77



ltem					
	605PET	1007CL	1007SCL	1008CL	1008SCL
Description	7" & 8" half cake	7" double layer	7" single layer	8" double layer	8" single layer
UPC	707068006394	707068013095	707068013101	707068013125	707068013132
Product ID (in)	9.6 x 5.5 x 4.4	7.5 x 8.2 x 4.4	7.5 x 8.2 x 2.9	8.3 x 9.1 x 4.6	8.3 x 9.1 x 3.3
Product OD (in)	10.8 x 6.5 x 4.5	9.1 x 10.3 x 5	9.1 x 10.3 x 3.4	10.1 X 11.3 X 5.1	10.1 x 11.3 x 3.9
Case Pack	100	100	100	100	100
Case Weight (lbs)	14	16.4	14.8	19.9	18
тіні	6 x 4	4 × 5	4 × 5	4 × 5	4 × 5
Case OD (in)	22.1 X 14.2 X 23.4	19.6 x 19.6 x 18.1	19.6 x 19.6 x 18.1	20.9 X 20.9 X 18.1	20.9 x 20.9 x 16.3
Case Cubic Ft	4.2	4.0	4.0	4.6	4.1
Base / Lid Ratio	2 piece	2 piece	2 piece	2 piece	2 piece
ltem	1009CL	1009SCL	1010CL	1010SCL	
Item Description	1009CL 9" double layer	1009SCL 9" single layer	1010CL 10" double layer	1010SCL 10" single layer	
Description	9" double layer	9" single layer	10" double layer	10" single layer	
Description UPC	9" double layer 707068013156	9" single layer 707068013163	10" double layer 707068013187	10" single layer 707068013194	
Description UPC Product ID (in)	9" double layer 707068013156 9.5 x 10.1 x 5.2	9" single layer 707068013163 9.5 x 10.1 x 3.6	10" double layer 707068013187 10.4 x 11.2 x 4.9	10" single layer 707068013194 10.6 x 11.2 x 3.4	
Description UPC Product ID (in) Product OD (in)	9" double layer 707068013156 9.5 x 10.1 x 5.2 11 x 12.4 x 5.8	9" single layer 707068013163 9.5 x 10.1 x 3.6 11 x 12.4 x 4.1	10" double layer 707068013187 10.4 x 11.2 x 4.9 12.1 x 13.4 x 5.5	10" single layer 707068013194 10.6 x 11.2 x 3.4 12.1 x 13.4 x 4	Cake it easy!
Description UPC Product ID (in) Product OD (in) Case Pack	9" double layer 707068013156 9.5 x 10.1 x 5.2 11 x 12.4 x 5.8 50	9" single layer 707068013163 9.5 x 10.1 x 3.6 11 x 12.4 x 4.1 50	10" double layer 707068013187 10.4 x 11.2 x 4.9 12.1 x 13.4 x 5.5	10" single layer 707068013194 10.6 x 11.2 x 3.4 12.1 x 13.4 x 4 50	Cake it easy!
Description UPC Product ID (in) Product OD (in) Case Pack Case Weight (lbs)	9" double layer 707068013156 9.5 x 10.1 x 5.2 11 x 12.4 x 5.8 50 12.4	9" single layer 707068013163 9.5 x 10.1 x 3.6 11 x 12.4 x 4.1 50 11.3	10" double layer 707068013187 10.4 x 11.2 x 4.9 12.1 x 13.4 x 5.5 50 14.7	10" single layer 707068013194 10.6 x 11.2 x 3.4 12.1 x 13.4 x 4 50 13.3	Cake it easy!
Description UPC Product ID (in) Product OD (in) Case Pack Case Weight (lbs) TiHi	9" double layer 707068013156 9.5 x 10.1 x 5.2 11 x 12.4 x 5.8 50 12.4 8 x 4	9" single layer 707068013163 9.5 x 10.1 x 3.6 11 x 12.4 x 4.1 50 11.3 8 x 4	10" double layer 707068013187 10.4 x 11.2 x 4.9 12.1 x 13.4 x 5.5 50 14.7 8 x 4	10" single layer 707068013194 10.6 x 11.2 x 3.4 12.1 x 13.4 x 4 50 13.3 8 x 4	Cake it easy!





Where Value and Freshness Meet

Enhance product shelf life with perimeter seal technology



Enhanced Clarity

Puts contents center stage and increases impulse consumer purchases



Expansive Selection

From bakery to deli and produce, with single and multiple compartments—you're covered



Intuitive Design

Textured grip allows for easy opening



Efficient Stacking

Efficient and stable stacking allow for eye-catching product displays



Case OD (in)

Case Cubic Ft

Base / Lid Ratio

19.1 X 11.3 X 19.1

2.4

50/50

ltem	VF8050	VF8060	VF8090	VF8091	VF8092
Description	240Z	36oz	87oz	68oz	49oz
UPC	707068010063	707068010148	707068010117	707068010100	707068010094
Product ID (in)	4.6 x 4.6 x 2.4	5.4 × 4.9 × 2.9	8 x 6.9 x 3.3	8 x 6.9 x 2.8	8 x 6.9 x 1.9
Product OD (in)	5.6 x 5.6 x 2.6	6.3 x 6 x 3.1	8.9 x 7.9 x 3.4	8.9 x 7.9 x 2.9	8.9 x 7.9 x 2.1
Case Pack	330	330	110	110	110
Case Weight (lbs)	13.1	15.8	12.3	11.7	11
тіні	6 x 5	6 x 5	5 X 10	5 X 10	5 x 10
Case OD (in)	24.2 X 11.7 X 17.1	24.2 X 12.6 X 19.1	24.2 x 16.1 x 9.6	24.2 x 16.1 x 9.6	24.2 X 16.1 X 9.6
Case Cubic Ft	2.8	3.4	2.2	2.2	2.2
Base / Lid Ratio	65/35	55/45	60/40	50/50	50/50
ltem	VF8100	VF8109	What a looker! Clearly top shel	lf.	
Description	910z	1X 240Z, 2X 100Z		A PROPERTY.	
UPC	707068010070	707068010087			
Product ID (in)	8.4 x 8.4 x 2.9	*Varies			240
Product OD (in)	9.4 × 9.4 × 3	9.4 × 9.4 × 3			
Case Pack	100	100	The state of the s		
Case Weight (lbs)	13.2	13.9			
Тіні	8 x 5	8 x 5			

19.1 X 11.3 X 19.1

2.4

50/50





Merchandising Made Crystal Clear

Our advanced seal design controls moisture to keep food fresh



Perimeter Seal
Enhances shelf life and
keeps food fresh



Enhanced Clarity
Puts food center stage
and increases impulse
consumer purchases



Efficient Stacking
Efficient and stable stacking
allows for eye-catching
product displays



Intuitive Design
Textured grip tabs allow
for easy opening



Case Weight (lbs)

Case OD (in)

Case Cubic Ft

Base / Lid Ratio

TiHi

17.2

5 x 6

24.1 x 13.8 x 14.5

2.8

60/40

ltem	CF6030	CF6035	CF6040	CF6070	CF6080	
Description	530z	600z	750z	1010Z	1300z	
UPC	707068010315	707068010322	707068010339	707068010346	707068010353	
Product ID (in)	8.8 x 5.8 x 1.8	8.3 x 4.3 x 3	8.8 x 5.8 x 2.8	7.7 x 7.6 x 3.1	9.3 × 7.4 × 3.4	
Product OD (in)	9.8 x 6.8 x 2.1	9.3 × 5.3 × 3.3	9.8 x 6.8 x 3	8.6 x 8.7 x 3.4	10.9 x 8.4 x 3.6	
Case Pack	140	192	132	132	132	
Case Weight (lbs)	12.4	14.5	13.4	15	19.4	
Тіні	5 x 9	9 x 5	5 x 9	4 X 10	4 x 8	
Case OD (in)	24.2 X 14 X 10.4	18.4 x 11.1 x 19.4	24.2 X 14 X 10.4	24.1 x 17.8 x 9.3	24.1 X 17.3 X 11.5	
Case Cubic Ft	2.0	2.3	2.0	2.3	2.8	
Base / Lid Ratio	55/45	50/50	60/40	60/40	70/30	
ltem	CF6090	CF6095				
Description	900z	1010Z	10 S			
UPC	707068010360	707068010377				
Product ID (in)	12.7 X 5.6 X 2.3	12.7 x 5.6 x 2.5				
Product OD (in)	13.8 x 6.8 x 2.6	13.8 x 6.8 x 2.8				
Case Pack	132	132			and the same	

If there is a whisk, there is a way!

17.2


5 x 6

24.1 X 13.8 X 14.5

2.8

50/50





Your Every Event Platters

Superior clarity makes contents stand out for enhanced product visibility



Variety of Options

Available in 4–7 compartments with 40–142 fl. oz capacities



Round or Rectangular

Select the right shape for your application



Enhanced Clarity

All clear material allow Material Recovery Facilities (MRFs) to effectively sort*

*Products may not be recyclable in all areas yet; please check locally



Optimal Merchandising

Options for sturdy stacking or reverse display to maximize the food viewing window



Item	(A)		(A)		
	PL042C	PL054C	PLO65C	PL096C	PL115C
Description	4x 9oz, 1x 6oz	4x 120z, 1x 60z	4x 150z, 1x 60z	4x 200z, 1x 160z	4x 250z, 1x 160z
UPC	707068005502	707068005519	707068005526	707068005755	707068005748
Product ID (in)	*Varies	*Varies	*Varies	*Varies	*Varies
Product OD (in)	10.3 X 10.3 X 2.3	10.3 X 10.3 X 2.8	10.3 X 10.3 X 3.3	13 X 13 X 2.8	13 X 13 X 3.3
Case Pack	100	100	100	50	50
Case Weight (lbs)	17	17	19.4	17.1	18.4
тіні	8 x 3	8 x 3	8 x 3	4 x 7	4 × 7
Case OD (in)	21.1 X 10.7 X 23.6	21.1 x 10.7 x 23.6	21.2 X 10.7 X 26.6	31.2 X 13.7 X 13.6	31.2 x 13.7 x 13.6
Case Cubic Ft	3.1	3.1	3.5	3.4	3.4
Base / Lid Ratio	2 piece				

Item	
	PL142C
Description	4X 300Z, 1X 220Z
UPC	707068005731
Product ID (in)	*Varies
Product OD (in)	13 X 13 X 4
Case Pack	50
Case Weight (lbs)	19.3
тіні	4 × 7
Case OD (in)	33.3 x 13.7 x 13.6
Case Cubic Ft	3.6
Base / Lid Ratio	2 piece



*For more information, please see inlineplastics.com




ltem					
	PLQ4oC5	PLQ40C5F	PLQ50C4	PLQ56C4R	PLQ8oC6R
Description	1x16oz, 4x6oz	1x16oz, 4x6oz	4X12.50Z	1x60z, 4x12.50z	1X170Z, 4X12.50Z, 2X70Z
UPC	707068013248	707068013309	707068013231	707068013255	707068013224
Product ID (in)	*Varies	*Varies	*Varies	*Varies	*Varies
Product OD (in)	11 x 7 x 1.6	11 x 7 x 1.6	11 X 7 X 2	11 X 7 X 2.4	14 X 11 X 1.8
Case Pack	125	125	125	125	60
Case Weight (lbs)	18.7	16	17.3	17.8	18.1
ТіНі	6x4	6x4	6x4	6x4	6x4
Case OD (in)	18.3 X 14.8 X 23.1				
Case Cubic Ft	3.6	3.6	3.6	3.6	3.6
Base / Lid Ratio	2 piece				

Item		
	PLQ98C4	PLQ116C4R
Description	4X250Z	1x18oz, 4x25oz
UPC	707068013217	707068013200
Product ID (in)	*Varies	*Varies
Product OD (in)	14 x 11 x 1.9	14 X 11 X 2.3
Case Pack	60	60
Case Weight (lbs)	16.9	17.2
ТіНі	6x4	6x4
Case OD (in)	18.3 X 14.8 X 23.1	18.3 X 14.8 X 23.1
Case Cubic Ft	3.6	3.6
Base / Lid Ratio	2 piece	2 piece



rDPET™ reduces Carbon Footprint by 50%*

*Compared to traditional PET sheet





Commonly used materials for the manufacture of clamshell and two piece food containers.


Material Type			
	PET △為	ops 👌	PP 🖄
Material	Polyethylene	Polystyrene	Polypropylene
Clarity	Excellent	Excellent	Good
FDA Compliant to	CFR 21 #177.1630	CFR 21 #177.1640	CFR 21 #177.1520
Specific Gravity (g/cc)	1.33	1.05	0.9
Temperature Range ⁽¹⁾	0°F - 140°F	20°F - 170°F	0°F – 220°F
Barrier Properties			
Water Vapor	Good	Fair	Excellent
Gas	Excellent	Fair	Excellent
Oxygen Transmission Rate (CC/100 in² - 24hr - atm)	5 – 15	350	150 - 220
Chemical Resistance			
Acids	Good	Good	Good
Strong Oxidizing Acids	Excellent	Poor	Excellent
Alkalies	Fair	Excellent	Excellent
Hydrocarbon Solvents	Excellent	Poor	Good to Excellent
Alcohols	Excellent	Excellent	Excellent
Fat, Grease & Oil	Excellent	Good	Good
Sugars, Syrups	Excellent	Excellent	Excellent
Temperature Tolerance			
Blast Freezer	Poor	Poor	Poor
Freezer	Good	Fair	Good
Refrigerated	Excellent	Very Good	Excellent
Heat Lamps	Poor	Good	Excellent
Microwave	Poor	Fair	Good
Oven	Not Recommended	Not Recommended	Not Recommended

⁽¹⁾ Temperature specifications may vary depending on components used to make raw materials.

Disclaimer: We strongly recommend that customers test products under their specific conditions to determine fitness for use. Please feel free to obtain free samples through our website, inlineplastics.com, or contact your Inline Plastics' representative.



How to Measure our Packaging



Standard volumes listed are base + lid volumes combined. These are in fluid ounces.

All IDs are measured at the hinge line.

The IDs for circular compartments (cupcakes, muffins, pies) list bottom diameter, top diameter, and height including lid. Outside Dimensions (OD) are consistent with the diagram, and are listed in order of Length (along hinge) x Width x Height.



Purchase Order Requirements

All purchase orders must be written for a minimum of 500 (combined) cases to one delivery location in order to qualify for prepaid freight. Safe-T-Fresh® items must be ordered in full pallet quantities per item. The minimum item order quantity for all non-Safe-T-Fresh items is one full pallet layer with the exception of CC2R, CC4R, and CCLR which may be ordered by the case. Orders for less than 500 cases will be subject to a \$100 administration fee and the Customer agrees to pay the full freight charge. Inline Plastics reserves the right to select the carrier, routing and rates for shipments less than 500 cases.

Purchase Order Lead Time

Orders for stock items are generally available to ship within 10 business days of Purchase Order confirmation date by Inline Plastics. Confirmation is sent within 24 hours of the receipt of the Purchase Order. Weekends and holidays do not count as business days in lead time calculations. Please contact our Customer Experience team for the lead time on non-stock items.

Purchase Order Policy

Purchase Orders must be in writing and include the following information:

- 1. Inline Plastics item number
- 2. Number of cases ordered
- 3. Price per case
- 4. Purchase Order number
- 5. Requested delivery date
- 6. Delivery address
- 7. Delivery appointment contact information
- 8. Customer's e-mail (and fax number if applicable)

Email the original Purchase Order and any revisions directly to:

customerservice@inlineplastics.com

To arrange EDI transactions, please call to speak with a representative at 800-826-5567

Purchase Order Match

Prior to submitting an order with Inline, please ensure all Purchase Orders reflect the correct prices. Orders submitted with incorrect prices may result in a delay until the discrepancy is resolved. Inline will attempt to resolve any discrepancies in a timely manner.

Customer Pick-Ups

Customer Pick Up (CPU) is available at Inline Plastics' discretion. Please contact Customer Experience to make any arrangements.

Invoicing

Terms: 1% 10, Net 30 days from date of invoice.

Product Warranty

Inline Plastics warrants that all products are manufactured free of defects in workmanship. Inline makes no warranty of any other kind, expressed or implied.

Shipping Policy

- 1. Orders within the continental U.S. and Canada are shipped prepaid freight with Inline's standard transit lead times for orders meeting the minimum requirements.
- The maximum number of full pallets that can fit in a truckload (53' Trailer) is 30.
- 3. Upon receipt of a shipment any discrepancies regarding shortages and/or damages must be noted on the POD and BOL. For all shortage claims, the claimant must file the claim within nine months of the shipment date.

Return Goods Policy

- 1. No return items will be accepted without prior approval.
- 2. Return freight is the responsibility of the Customer for all returns due to overstock, wrong product ordered or other Customer related issues.
- Items must be returned within six (6) months from shipment and invoicing by Inline.
- 4. All items being returned must be in good condition, in original unopened cartons, without any damage to the product; otherwise it will be refused for credit.
- 5. Once a product return has been approved, Customer is issued a Return Authorization Number (RA Number), and advised of the amount of the credit that may be issued by Inline upon receipt of RESALEABLE* product pending QA inspection.
- **6.** The amount of credit issued by Inline will be the price paid by the Customer less the following:
 - a) A 20% restocking fee
 - b) The freight cost incurred by Inline to ship the product from the Customer's warehouse back to the originating plant
 - c) Any product rejected during QA inspection
- 7. Embossed or special order items may not be returned.
- **8.** All requests for Return Authorization should be directed to Customer Experience, 800-826-5567 or customerservice@inlineplastics.com.

*Resaleable product must pass Inline Plastics' Quality Assurance inspection.

Customer Experience 800-826-5567





Item	Page	Item	Page	Item	Page
C5512XD	14	C9624D	14	C5532DV	15
C5524D	14	C9635D	14	C7R20DV	15
C5532D	14	C5512XDV	15	C9624DV	15
C7R20D	14	C5524DV	15	C9635DV	15



CC2R 39 TS20MV 49 TS48PW 3 CC4R 39 TS20V 47 TS48RDP 4 CCLR 39 TS24 22 TS48RN 4 FMT2LRT 25 TS24MV 49 TS48V 4	Item	Page	Item	Page	Item	Pag
CC4R 39 TS20V 47 TS48RDP 4 CCLR 39 TS24 22 TS48RN 4 FMT2LRT 25 TS24MV 49 TS48V 4 FMT2LRT 25 TS24PW 34 TS52R3N 4 FMT3LRT 25 TS24PWF 34 TS5X5 22 FMT3MRT 25 TS24PWF 34 TS5X5 3 IS112 24 TS24RN 43 TS5X5 3 IS112 24 TS24RN 49 TS5X5ST 22 IS112V 47 TS24RNV 49 TS5X5ST 31 IS112 19 TS30 22 TS64 22 IS12BV 47 TS3002 29 TS64D 22 IS12CQ 38 TS3004 29 TS64L 2 IS12CCQ 38 TS3004 29 TS64L 2 IS12CCR 38 TS3006 29 TS64LV 44 IS12CCRD 38 TS3008 29 TS64PW 3 IS12CCRD 38 TS3008 29 TS64PW 3 IS12CCRD 38 TS3008 29 TS64RN 44 IS12CCRD 40 TS32PW 34 TS6T 22 IS12CCR 50 TS32PW 34 TS6T 22 IS12CRD 50 TS32PW 35 TS8 IS1512RN 42 TS32PWF 35 TS8 IS1512RN 42 TS32PWF 35 TS8 IS1512RN 42 TS32PWF 35 TS80RN 44 IS12RN 49 TS32RN 43 TS8CCR 3 IS12CC 38 TS4008 30 TS8CCR 56 IS16C 22 TS35V 47 TS8CCRD 56 IS16C 38 TS4008 30 TS8PW 3 IS16CCRD 38 TS4008 41 TS8RN 44 IS16CCRD 38 TS4008 41 TS8RN 44 IS16CCRD 38 TS4008 41 TS8RN 44 IS16CCRD 50 TS4012 30 TS8T 22 IS16CCRD 50 TS4012 30 TS8T 22 IS16CCRD 50 TS4012 30 TS8T 22 IS16CRN 42 TS4016R 41 TS8RN 3 IS16FWS 34 TS4016DB 30 TSSB1R 3 IS16FWS 34 TS4016DB 30 TSSB48 3 IS16T 20 TS4024 30 TSSB3R 3 IS17VT 48 TS4024R 41 TSSWR 2 IS18RN 43 TS4025R 41 TSSWR 2	CC2Q	39	TS202V	48	TS48	2
CCLR 39 TS24 22 TS48RN 4 FMT2LRT 25 TS24MV 49 TS48V 44 FMT2LRT 25 TS24PW 34 TS52R3N 44 FMT3LRT 25 TS24PWF 34 TS5X5 22 FMT3MRT 25 TS24PWKF 34 TS5X5 22 FMT3MRT 25 TS24PWXF 34 TS5X5 33 TS112 24 TS24RN 43 TS5X5ST 22 TS112V 47 TS24RNV 49 TS5X5ST 33 TS112V 47 TS24RNV 49 TS5X5ST 33 TS112V 47 TS300 22 TS64 22 TS12BV 47 TS300 22 TS64 22 TS12BV 47 TS3002 29 TS64L 22 TS12CCQ 38 TS3004 29 TS64L 22 TS12CCR 38 TS3006 29 TS64LV 44 TS12CCRD 38 TS3008 29 TS64PW 33 TS12CCRD 38 TS3008 29 TS64PW 33 TS12CCRD 50 TS32 22 TS64RN 44 TS12CCRD 50 TS32PW 34 TS6T 22 TS12PW 33 TS32PWF 35 TS8 TS12TRN 42 TS32PWF 35 TS8CCR 33 TS12T 20 TS32V 47 TS8CCRD 30 TS16C 22 TS35V 47 TS8CCRD 30 TS16CC 38 TS4008 30 TS8PW 3 TS16CCRD 38 TS4008 41 TS8RN 44 TS16CCRD 42 TS4016R 41 TS8RN 44 TS16CCRD 42 TS4016R 41 TS8RN 44 TS16CRD 42 TS4016R 41 TSSB32 33 TS16FW 33 TS4016 30 TSSB1R 33 TS16FW 34 TS4016DB 30 TSSB48 33 TS16FW 35 TS4024R 41 TSSB4C 33 TS17VT 48 TS4024R 41 TSSB4C 33 TS19RN 43 TS4025R 41 TSSWR 22 TS18RN 43 TS4025R 41 TSSWR 22 TS18RN 43 TS4025R 41 TSSWR 22	CC2R	39	TS20MV	49	TS48PW	3
FMT2LRT 25 TS24MV 49 TS48V 49 FMT2MRT 25 TS24PW 34 TS52R3N 44 FMT3LRT 25 TS24PWF 34 TS5X5 22 FMT3MRT 25 TS24PWXF 34 TS5X5 3 FS112 24 TS24RN 43 TS5X5ST 21 FS112V 47 TS24RNV 49 TS5X5ST 31 FS112 19 TS30 22 TS64 2 FS12CQ 38 TS3004 29 TS64L 2 FS12CCQ 38 TS3004 29 TS64L 2 FS12CCR 38 TS3006 29 TS64LV 44 FS12CCRD 38 TS3008 29 TS64LV 44 FS12CCRD 38 TS3008 29 TS64RN 44 FS12CCRD 50 TS32 22 TS64RN 44 FS12CCRD 50 TS32 22 TS64RN 44 FS12CCRV 50 TS32PW 34 TS6T 26 FS12FN 42 TS32PWXF 35 TS8 16 FS12FN 42 TS32PWXF 35 TS80RN 44 FS12CRD 49 TS32RN 43 TS8CCR 38 FS16C 2 22 TS35V 47 TS8CCRD 36 FS16CCR 38 TS4008 30 TS8PW 35 FS16CCR 38 TS4008 30 TS8PW 36 FS16CCRD 38 TS4008 41 TS8RN 44 FS16CCRD 50 TS32 23 TS8CCRDV 56 FS16CCR 38 TS4008 30 TS8PW 35 FS16CCR 38 TS4008 30 TS8PW 35 FS16CCRD 38 TS4008 30 TS8PW 36 FS16CCRD 50 TS4012 30 TS8T 26 FS16CCRD 50 TS4012 30 TSSB1R 33 FS16CRN 42 TS4016R 41 TSSB32 33 FS16GN 42 TS4024R 41 TSSB32 33 FS17VT 48 TS4024R 41 TSSB4C 33 FS17VT 48 TS4024R 41 TSSWR 22 FS18RN 43 TS4025R 41 TSSWR 22 FS1SW 26 TS4025RN 41 TSSWR 33 FS1SW 26 TS4025RN 41 TSSWR 33	CC4R	39	TS20V	47	TS48RDP	4
FMT2MRT 25 TS24PW 34 TS52R3N 4 FMT3LRT 25 TS24PWF 34 TS5X5 22 FMT3MRT 25 TS24PWF 34 TS5X5 23 FS112 24 TS24RN 43 TS5X5ST 23 FS112V 47 TS24RNV 49 TS5X5ST 3 FS11CCRJT 37 TS24V 47 TS6 11 FS12 19 TS30 22 TS64 2 FS128V 47 TS3002 29 TS64D 2 FS12CCQ 38 TS3004 29 TS64L 2 FS12CCR 38 TS3006 29 TS64LV 44 FS12CCRD 38 TS3008 29 TS64LV 44 FS12CCRD 38 TS3008 29 TS64PW 33 FS12CCRD 50 TS32 22 TS64RN 44 FS12CCRD 50 TS32 22 TS64RN 44 FS12CCRV 50 TS32PW 34 TS6T 24 FS12RN 42 TS32PWF 35 TS8 FS12RN 42 TS32PWF 35 TS8 FS12FN 42 TS32PW 47 TS8CCRD 38 FS16C 2 22 TS35V 47 TS8CCRD 38 FS16C 38 TS4008 30 TS8PW 34 FS16C 38 TS4008 30 TS8PW 35 FS16CCRD 38 TS4008 30 TS8PW 36 FS16CCRD 38 TS4008 30 TS8PW 37 FS16CCRD 40 TS4012 30 TS8T 20 FS16CCRD 41 TS8012 30 TS8T 20 FS16CCRD 42 TS4012 30 TSSB1R 37 FS16FN 42 TS4016R 41 TSSB32 37 FS16FN 42 TS4016R 41 TSSB32 37 FS16T 20 TS4024 30 TSSB3R 37 FS17VT 48 TS4024R 41 TSSB4C 37 FS15RN 43 TS4025R 41 TSSWR 22 FS15RN 43 TS4025R 41 TSSWR 22 FS15RN 43 TS4025RN 41 TSSWR 37 FS1SW 26 TS4025RN 41 TSSWR 37 FS1SW 36 TS4025RN 41 TSSWR 37	CCLR	39	TS24	22	TS48RN	4
FMT3LRT 25 TS24PWF 34 TS5X5 2 FMT3MRT 25 TS24PWXF 34 TS5X5 3 TS112 24 TS24RN 43 TS5X5ST 2 TS112V 47 TS24RNV 49 TS5X5ST 3 TS112V 47 TS24RNV 49 TS5X5ST 3 TS11CCRJT 37 TS24V 47 TS6 15 TS12 19 TS30 22 TS64 2 TS128V 47 TS3002 29 TS64L 2 TS12CCQ 38 TS3004 29 TS64LV 4 TS12CCR 38 TS3006 29 TS64LV 4 TS12CCR 38 TS3008 29 TS64LV 4 TS12CCR 38 TS3008 29 TS64PW 3 TS12CCRD 50 TS32 22 TS64RN 4 TS12CCRD 50 TS32 22 TS64RN 4 TS12CRNV 50 TS32PW 34 TS6T 20 TS12CRN 42 TS32PWXF 35 TS8 16 TS12RN 42 TS32PWXF 35 TS8 16 TS12RN 49 TS32RN 43 TS8CCR 3 TS12CRN 49 TS32RN 43 TS8CCR 3 TS16C 22 TS35V 47 TS8CCRDV 50 TS16CC 38 TS4008 30 TS8PW 3 TS16CCRD 38 TS4008 41 TS8RN 4 TS16CCRD 50 TS4012 30 TS8T 20 TS16CCRD 50 TS4012 30 TSSB1R 3 TS16CCRDV 50 TS4012 30 TSSB1R 3 TS16CCRDV 50 TS4012 30 TSSB1R 3 TS16CCRDV 50 TS4012 30 TSSB1R 3 TS16CRN 42 TS4016R 41 TSSB32 3 TS16RN 42 TS4016R 41 TSSB32 3 TS16RN 42 TS4016R 41 TSSB32 3 TS16RN 42 TS4016R 41 TSSB32 3 TS16T 20 TS4024 30 TSSB3R 3 TS17VT 48 TS4024R 41 TSSB4C 3 TS17VT 48 TS4024R 41 TSSWR 2	FMT2LRT	25	TS24MV	49	TS48V	4
FMT3MRT 25 TS24PWXF 34 TS5X5 3 TS112 24 TS24RN 43 TS5X5ST 2 TS112V 47 TS24RNV 49 TS5X5ST 3 TS11CCRJT 37 TS24V 47 TS6 11 TS12 19 TS30 22 TS64 2 TS128V 47 TS3002 29 TS64D 2 TS12CCQ 38 TS3004 29 TS64L 2 TS12CCR 38 TS3006 29 TS64LV 4 TS12CCRD 38 TS3008 29 TS64PW 3 TS12CCRD 38 TS3008 29 TS64RN 4 TS12CCRD 38 TS3008 29 TS64RN 4 TS12CCRD 50 TS32 22 TS64RN 4 TS12CCRV 50 TS32PW 34 TS6T 26 TS12PW 33 TS32PWF 35 TS8 18 TS12RN 42 TS32PWXF 35 TS80RN 4 TS12RN 49 TS32RN 43 TS8CCR 3 TS16C 2 TS32V 47 TS8CCRD 3 TS16C 2 TS35V 47 TS8CCRD 56 TS16CCR 38 TS4008 30 TS8PW 3 TS16CCRD 50 TS4012 30 TS8T 26 TS16CCRDV 50 TS4012 30 TSSB1R 3 TS16CCRDV 50 TS4012 30 TSSB1R 3 TS16CRN 42 TS4016R 41 TSSB32 3 TS16CRN 42 TS4016R 41 TSSB32 3 TS16T 20 TS4024 30 TSSB48 3 TS17VT 48 TS4024R 41 TSSWR 2 TS18RN 43 TS4025R 41 TSSWR 3	FMT2MRT	25	TS24PW	34	TS ₅ 2R ₃ N	4
TS112	FMT3LRT	25	TS24PWF	34	TS5X5	2
TS112V	FMT3MRT	25	TS24PWXF	34	TS5X5	3
TS11CCRJT	ΓS112	24	TS24RN	43	TS5X5ST	2
TS12	ΓS112V	47	TS24RNV	49	TS5X5ST	3
ITS128V 47 TS3002 29 TS64D 2 ITS12CCQ 38 TS3004 29 TS64L 2 ITS12CCR 38 TS3006 29 TS64LV 4 ITS12CCRD 38 TS3008 29 TS64PW 3 ITS12CCRDV 50 TS32 22 TS64RN 4 ITS12CCRV 50 TS32PW 34 TS6T 20 ITS12PW 33 TS32PWF 35 TS8 19 ITS12RN 42 TS32PWXF 35 TS80RN 4 ITS12RNV 49 TS32RN 43 TS8CCRD 3 ITS16 19 TS35 23 TS8CCRD 3 ITS16C2 22 TS35V 47 TS8CCRV 56 ITS16CCR 38 TS4008 30 TS8PW 3 ITS16CCRDV 50 TS4012 30 TS8T 20 ITS16CCRV 50 TS4012	TS11CCRJT	37	TS24V	47	TS6	1
ITS12CCQ 38 TS3004 29 TS64L 2 ITS12CCR 38 TS3006 29 TS64LV 4 ITS12CCRD 38 TS3008 29 TS64PW 3 ITS12CCRDV 50 TS32 22 TS64RN 4 ITS12CCRV 50 TS32PW 34 TS6T 20 ITS12PW 33 TS32PWF 35 TS8 N 19 ITS12RN 42 TS32PWXF 35 TS80RN 4 ITS12RNV 49 TS32RN 43 TS8CCRD 3 ITS12T 20 TS32V 47 TS8CCRD 3 ITS16C 19 TS35 23 TS8CCRD 50 ITS16C2 22 TS35V 47 TS8CCRV 50 ITS16CCR 38 TS4008 30 TS8PW 3 ITS16CCRDV 50 TS4012 30 TS8T 20 ITS16CRN 33 TS4	ΓS12	19	TS30	22	TS64	2
IS12CCR 38 TS3006 29 TS64LV 4 IS12CCRD 38 TS3008 29 TS64PW 3 IS12CCRDV 50 TS32 22 TS64RN 4 IS12CCRV 50 TS32PW 34 TS6T 24 IS12CRV 50 TS32PW 34 TS6T 24 IS12PW 33 TS32PWF 35 TS80RN 4 IS12RN 42 TS32PWXF 35 TS80RN 4 IS12RNV 49 TS32RN 43 TS8CCR 3 IS12T 20 TS32V 47 TS8CCRD 3 IS16C 19 TS35 23 TS8CCRDV 50 IS16C2 22 TS35V 47 TS8CCRV 50 IS16CCR 38 TS4008 30 TS8PW 3 IS16CCRD 38 TS4012 30 TS8T 20 IS16CCRDV 50 TS4012	ΓS128V	47	TS3002	29	TS64D	2
IS12CCRD 38 TS3008 29 TS64PW 3 IS12CCRDV 50 TS32 22 TS64RN 4 IS12CCRV 50 TS32PW 34 TS6T 20 IS12PW 33 TS32PWF 35 TS8 N 1 IS12RN 42 TS32PWXF 35 TS80RN 4 IS12RNV 49 TS32RN 43 TS8CCR 3 IS12T 20 TS32V 47 TS8CCRD 3 IS16C 19 TS35 23 TS8CCRD 50 IS16C2 22 TS35V 47 TS8CCRV 50 IS16CCR 38 TS4008 30 TS8PW 3 IS16CCRD 38 TS4008 41 TS8RN 4 IS16CCRDV 50 TS4012 30 TS8T 20 IS16CCRV 50 TS4012R 41 TS90PJ 2 IS16PW 33 TS4016	ΓS12CCQ	38	T\$3004	29	TS64L	2
IS12CCRDV 50 TS32 22 TS64RN 4 IS12CCRV 50 TS32PW 34 TS6T 2 IS12PW 33 TS32PWF 35 TS8 N 1 IS12RN 42 TS32PWXF 35 TS80RN 4 IS12RNV 49 TS32RN 43 TS8CCR 3 IS12T 20 TS32V 47 TS8CCRD 3 IS16C 19 TS35 23 TS8CCRD 5 IS16C2 22 TS35V 47 TS8CCRV 5 IS16CCR 38 TS4008 30 TS8PW 3 IS16CCRD 38 TS4008 41 TS8RN 4 IS16CCRDV 50 TS4012 30 TS8T 2 IS16CCRV 50 TS4012 30 TSSB1R 3 IS16PW 33 TS4016 30 TSSB1R 3 IS16PWS 34 TS4016DB <	S12CCR	38	T\$3006	29	TS64LV	4
TS12CCRV 50 TS32PW 34 TS6T 2 TS12PW 33 TS32PWF 35 TS8 1 TS12RN 42 TS32PWXF 35 TS8CRN 4 TS12RNV 49 TS32RN 43 TS8CCR 3 TS12T 20 TS32V 47 TS8CCRD 3 TS16 19 TS35 23 TS8CCRDV 5 TS16C2 22 TS35V 47 TS8CCRV 5 TS16CCR 38 TS4008 30 TS8PW 3 TS16CCRD 38 TS4008 41 TS8RN 4 TS16CCRD 38 TS4008 41 TS8RN 4 TS16CCRD 50 TS4012 30 TS8T 2 TS16CCRV 50 TS4012 30 TS8T 2 TS16CCRV 50 TS4016 30 TSSB1R 3 TS16PW 33 TS4016 30 TSSB1R 3 TS16PWS 34 TS4016DB 30 TSSB24I 3 TS16PWS 34 TS4016R 41 TSSB32 3 TS16PWS 34 TS4016R 41 TSSB32 3 TS16T 20 TS4024 30 TSSB3R 3 TS17VT 20 TS4024DB 30 TSSB48 3 TS17VT 48 TS4024R 41 TSSWR 2 TS18RN 43 TS4025R 41 TSSWR 2	S12CCRD	38	TS3008	29	TS64PW	3
TS12PW 33 TS32PWF 35 TS8 1 TS12RN 42 TS32PWXF 35 TS8ORN 4 TS12RNV 49 TS32RN 43 TS8CCR 3 TS12T 20 TS32V 47 TS8CCRD 3 TS16 19 TS35 23 TS8CCRDV 5 TS16C2 22 TS35V 47 TS8CCRV 5 TS16CCR 38 TS4008 30 TS8PW 3 TS16CCRD 38 TS4008 41 TS8RN 4 TS16CCRD 38 TS4012 30 TS8T 22 TS16CCRV 50 TS4012 30 TS8T 22 TS16CCRV 50 TS4016 30 TSSB1R 3 TS16PW 33 TS4016 30 TSSB1R 3 TS16PWS 34 TS4016DB 30 TSSB1R 3 TS16PWS 34 TS4016DB 30 TSSB24I 3 TS16PWS 34 TS4016R 41 TSSB32 3 TS16T 20 TS4024 30 TSSB3R 3 TS17VT 20 TS4024DB 30 TSSB48 3 TS17VT 48 TS4024R 41 TSSB4C 3 TS18RN 43 TS4025R 41 TSSWR 2	S12CCRDV	50	TS32	22	TS64RN	4
TS12RN 42 TS32PWXF 35 TS80RN 49 TS32RN 43 TS8CCR 3 TS12RNV 49 TS32RN 43 TS8CCR 3 TS12T 20 TS32V 47 TS8CCRD 3 TS16C 19 TS35 23 TS8CCRDV 5 TS16C2 22 TS35V 47 TS8CCRV 5 TS16CCR 38 TS4008 30 TS8PW 3 TS16CCRD 38 TS4008R 41 TS8RN 44 TS16CCRDV 50 TS4012 30 TS8T 22 TS16CCRV 50 TS4012 30 TS8T 22 TS16PW 33 TS4016 30 TSSB1R 3 TS16PW 34 TS4016DB 30 TSSB1R 3 TS16PWS 34 TS4016DB 30 TSSB1R 3 TS16RN 42 TS4016R 41 TSSB32 3 TS16RN 42 TS4016R 41 TSSB32 3 TS16T 20 TS4024 30 TSSB3R 3 TS17VT 20 TS4024DB 30 TSSB48 3 TS17VT 48 TS4024R 41 TSSB4C 3 TS18RN 43 TS4025R 41 TSSWR 2	S12CCRV	50	TS32PW	34	TS6T	2
TS12RNV 49 TS32RN 43 TS8CCR 3 TS12T 20 TS32V 47 TS8CCRD 3 TS16 19 TS35 23 TS8CCRDV 5 TS16C2 22 TS35V 47 TS8CCRV 5 TS16CCR 38 TS4008 30 TS8PW 3 TS16CCRD 38 TS4008R 41 TS8RN 4 TS16CCRDV 50 TS4012 30 TS8T 2 TS16CCRV 50 TS4012R 41 TS90PJ 2 TS16PW 33 TS4016 30 TSSB1R 3 TS16PWS 34 TS4016DB 30 TSSB24I 3 TS16RN 42 TS4016R 41 TSSB32 3 TS16T 20 TS4024 30 TSSB3R 3 TS17VT 20 TS4024DB 30 TSSB4C 3 TS18RN 43 TS4025R	S12PW	33	TS32PWF	35	TS8	1
TS12T 20 TS32V 47 TS8CCRD 3 TS16C 19 TS35 23 TS8CCRDV 5 TS16C2 22 TS35V 47 TS8CCRV 5 TS16CCR 38 TS4008 30 TS8PW 3 TS16CCRD 38 TS4008R 41 TS8RN 4 TS16CCRDV 50 TS4012 30 TS8T 2 TS16CCRV 50 TS4012 30 TS8T 2 TS16CCRV 50 TS4016R 41 TS90PJ 2 TS16PW 33 TS4016 30 TSSB1R 3 TS16PWS 34 TS4016DB 30 TSSB1R 3 TS16PWS 34 TS4016DB 30 TSSB24I 3 TS16RN 42 TS4016R 41 TSSB32 3 TS16T 20 TS4024 30 TSSB3R 3 TS17VT 20 TS4024DB 30 TSSB48 3 TS17VT 48 TS4024R 41 TSSB4C 3 TS18RN 43 TS4025R 41 TSSWR 2	S12RN	42	TS32PWXF	35	TS80RN	4
IS16 19 TS35 23 TS8CCRDV 5 IS16C2 22 TS35V 47 TS8CCRV 5 IS16CCR 38 TS4008 30 TS8PW 3 IS16CCRD 38 TS4008R 41 TS8RN 4 IS16CCRDV 50 TS4012 30 TS8T 2 IS16CCRV 50 TS4012R 41 TS90PJ 2 IS16PW 33 TS4016 30 TSSB1R 3 IS16PWS 34 TS4016DB 30 TSSB24I 3 IS16RN 42 TS4016R 41 TSSB32 3 IS16T 20 TS4024 30 TSSB3R 3 IS17VT 20 TS4024DB 30 TSSB48 3 IS18RN 43 TS4025R 41 TSSWR 2 IS18W 26 TS4025RN 41 TSSWR 3	S12RNV	49	TS32RN	43	TS8CCR	3
TS16C2 22 TS35V 47 TS8CCRV 50 TS16CCR 38 TS4008 30 TS8PW 3 TS16CCRD 38 TS4008R 41 TS8RN 4 TS16CCRDV 50 TS4012 30 TS8T 20 TS16CCRV 50 TS4012R 41 TS90PJ 2 TS16PW 33 TS4016 30 TSSB1R 3 TS16PWS 34 TS4016DB 30 TSSB24I 3 TS16RN 42 TS4016R 41 TSSB32 3 TS16T 20 TS4024 30 TSSB3R 3 TS17VT 20 TS4024DB 30 TSSB48 3 TS17VT 48 TS4024R 41 TSSB4C 3 TS18RN 43 TS4025R 41 TSSWR 2 TS1SW 26 TS4025RN 41 TSSWR 3	S12T	20	TS32V	47	TS8CCRD	3
TS16CCR	ΓS16	19	TS35	23	TS8CCRDV	5
TS16CCRD 38	TS16C2	22	TS35V	47	TS8CCRV	5
TS16CCRDV 50	S16CCR	38	TS4008	30	TS8PW	3
TS16CCRV 50 TS4012R 41 TS90PJ 2 TS16PW 33 TS4016 30 TSSB1R 3 TS16PWS 34 TS4016DB 30 TSSB24I 3 TS16RN 42 TS4016R 41 TSSB32 3 TS16T 20 TS4024 30 TSSB3R 3 TS17VT 20 TS4024DB 30 TSSB48 3 TS17VT 48 TS4024R 41 TSSB4C 3 TS18RN 43 TS4025R 41 TSSWR 2 TS1SW 26 TS4025RN 41 TSSWR 3	S16CCRD	38	T\$4008R	41	TS8RN	4
TS16PW 33	S16CCRDV	50	TS4012	30	TS8T	2
TS16PWS 34 TS4016DB 30 TSSB24I 3 TS16RN 42 TS4016R 41 TSSB32 3 TS16T 20 TS4024 30 TSSB3R 3 TS17VT 20 TS4024DB 30 TSSB48 3 TS17VT 48 TS4024R 41 TSSB4C 3 TS18RN 43 TS4025R 41 TSSWR 2 TS1SW 26 TS4025RN 41 TSSWR 3	S16CCRV	50	TS4012R	41	TS90PJ	2
TS16RN	S16PW	33	TS4016	30	TSSB1R	3
TS16T 20 TS4024 30 TSSB3R 3 TS17VT 20 TS4024DB 30 TSSB48 3 TS17VT 48 TS4024R 41 TSSB4C 3 TS18RN 43 TS4025R 41 TSSWR 2 TS1SW 26 TS4025RN 41 TSSWR 3	S16PWS		T\$4016DB		TSSB24I	3
TS17VT 20 TS4024DB 30 TSSB48 3 TS17VT 48 TS4024R 41 TSSB4C 3 TS18RN 43 TS4025R 41 TSSWR 2 TS1SW 26 TS4025RN 41 TSSWR 3	S16RN	42	TS4016R	41	TSSB32	3
S17VT 48 TS4024R 41 TSSB4C 3 S18RN 43 TS4025R 41 TSSWR 2 S1SW 26 TS4025RN 41 TSSWR 3	'S16T	20	TS4024	30	TSSB ₃ R	3
TS17VT 48 TS4024R 41 TSSB4C 3 TS18RN 43 TS4025R 41 TSSWR 2 TS1SW 26 TS4025RN 41 TSSWR 3	S17VT	20	T\$4024DB	30	TSSB48	3
TS18RN 43 TS4025R 41 TSSWR 2 TS1SW 26 TS4025RN 41 TSSWR 3	S17VT	48		_	TSSB4C	3
TS1SW 26 TS4025RN 41 TSSWR 3	S18RN	43	T\$4025R	41	TSSWR	
	rs1SW		T\$4025RN	41	TSSWR	3
	ΓS1SWV	48		-	TSSWRV	4

TS4032DB

TS4032R

30


TS20

TS202

26

Essentials

Item	Page	Item	Page	Item	Page
1007CL	77	SLP15B	57	SLP44SA	71
1007SCL	77	SLP16CS	68	SLP45	71
1008CL	77	SLP16FS	68	SLP46	71
1008SCL	77	SLP170D	61	SLP510	63
1009CL	77	SLP174	57	SLP5120	60
1009SCL	77	SLP17D	57	SLP5120CS	68
1010CL	77	SLP17XD	57	SLP5125	60
1010SCL	77	SLP18	58	SLP52	71
605PET	77	SLP18D	58	SLP54P	71
CF6030	81	SLP19	58	SLP54SP	72
CF6035	81	SLP20	62	SLP55	63
CF6040	81	SLP206A	69	SLP56	72
CF6070	81	SLP208	65	SLP57	60
CF6080	81	SLP209	65	SLP58	60
CF6090	81	SLP20D	62	SLP65	60
CF6095	81	SLP210	65	SLP663	69
PLO42C	83	SLP212	71	SLP67	60
PL054C	83	SLP218	65	SLP69	63
PLO65C	83	SLP227	65	SLP70	63
PL096C	83	SLP23	62	SLP70W	63
PL115C	83	SLP236	66	SLP72D	72
PL142C	83	SLP25	62	SLP74	72
PLQ116C4R	84	SLP26	58	SLP75	60
PLQ4oC5	84	SLP27	58	SLP75D	60
PLQ4oC5F	84	SLP270DFS	68	SLP77	61
PLQ50C4	84	SLP28	69	SLP80	61
PLQ56C4R	84	SLP280FS	68	SLP82	61
PLQ8oC6R	84	SLP281FS	68	SLP88	61
PLQ98C4	84	SLP29	58	SLP88S	61
SC18S	55	SLP30	58	SLP90	61
SC20XD	55	SLP309	66	SLP95	61
SC210	55	SLP30C	58	SLP99	61
SC35	55	SLP30S	58	VF8050	79
SC35C2	55	SLP30XS	58	VF8060	79
SC5110S	55	SLP32	59	VF8090	79
SC5130FS	55	SLP3315	68	VF8091	79
SLP017	69	SLP3315CS	68	VF8092	79
SLP10	62	SLP34	71	VF8100	79
SLP104S	57	SLP34DCS	68	VF8109	79
SLP106	64	SLP34DFC	68	VPP727A	75
SLP108	64	SLP34S	71	VPP730	75
SLP109	64	SLP35	59	VPP737A	7 5
SLP110	64	SLP36	71	VPP746	75
SLP112A	69	SLP38	59	VPP747A	75
SLP116	65	SLP38D	59	VPP756	75
SLP118	65	SLP40	59	VPP757A	75
SLP119	65	SLP40S	59	VPP781	75
SLP120	65	SLP4oXS	59		
SLP14	69	SLP44A	71		



All products are manufactured in the USA





Connecticut

Corporate Headquarters and Shelton Manufacturing

42 Canal Street East Shelton, CT 06484, USA

Georgia

Conyers Manufacturing

2490 Dogwood Drive Building 300 Conyers, GA 30013, USA

McDonough Manufacturing

100 Constitution Drive McDonough, GA 30253, USA

Michigan

Gladwin Manufacturing

705 Weaver Court Gladwin, MI 48624, USA

Utah

Salt Lake City Manufacturing

1927 South 4650 West Salt Lake City, UT 84104, USA

Contact Information

Phone 800-826-5567 x 7046 **Fax** 203-924-0370 **Email** info@inlineplastics.com

inlineplastics.com











